Source (95% CI)

Primary = Melanoma

Nathanson, $n = 24$	-0.80 [-1.82; 0.22]
Riaz, $n = 51$	-0.67 [-1.36; 0.02]
Hugo, $n = 27$	0.04 [–1.10; 1.18]
Van_Allen, n = 42	0.13 [-0.61; 0.87]
Total	-0.34 [-0.83; 0.15]
Heterogeneity: $\gamma_2^2 = 3.63$ (P =	.30). $I^2 = 17\% [0\%: 87\%]$

Primary = Other

Mariathasan, Bladder, n = 194	0.22 [-0.13; 0.57]	
Mariathasan, Lymph_node, n = 26	0.27 [-0.67; 1.21]	
Snyder, Ureteral, n = 25	0.28 [-0.68; 1.24]	
Mariathasan, Kidney, n = 67	0.31 [-0.26; 0.88]	
Braun, Kidney, n = 178	0.48 [0.09; 0.87]	
Mariathasan, Ureteral, n = 26	0.59 [-0.35; 1.53]	
Total	0.34 [0.12; 0.56]	
Heterogeneity: $\chi_5^2 = 1.25 \ (P = .94), \ I^2 = 0\% \ [0\%; 75\%]$		
Total	0.15 [-0.10; 0.41]	
Heterogeneity: $\chi_9^2 = 12.81 \ (P = .17), \ I^2 = 30\% \ [0\%; 66\%]$		
Test for overall effect: $z = 1.16$ ($P = .25$)		
Test for subgroup differences: $\chi_1^2 = 6.13 \ (P = .01)$		

