Source (95% CI)

Primary = Lung

-1.01 [-1.93; -0.09] Jung, n = 26Fumet.2, n = 43-0.96 [-1.67; -0.25]

Fumet.1, n = 44-0.02 [-0.76; 0.72]

-0.64 [-1.29; 0.00] Total

Heterogeneity: $\chi_2^2 = 4.07 \ (P = .13), \ I^2 = 51\% \ [0\%; 86\%]$

Primary = Other

Liu, Melanoma, n = 121-0.46 [-0.91; -0.01] Snyder, Ureteral, n = 25-0.32 [-1.22; 0.58]

 $Van_Allen, Melanoma, n = 42 -0.18 [-0.85; 0.49]$

Miao.1, Kidney, n = 33-0.12 [-1.63; 1.39] Braun, Kidney, n = 178-0.05 [-0.36; 0.26]


-0.20 [-0.45; 0.05] Total

Heterogeneity: $\chi_4^2 = 2.23$ (P = .69), $I^2 = 0\%$ [0%; 79%]

Total -0.34 [-0.61; -0.07]Heterogeneity: $\chi_7^2 = 9.26 (P = .23), I^2 = 24\% [0\%; 66\%]$

Test for overall effect: z = -2.45 (P = .01)

Test for subgroup differences: $\chi_1^2 = 1.59 \ (P = .21)$



-1.5 -0.5 0.5 1 1.5 logHR estimate