Source (95% CI)

Primary = Other

Fumet.2, Lung, n = 43-0.35 [-1.13; 0.43] -0.21 [-0.60; 0.18] Braun, Kidney, n = 1780.05 [-0.52; 0.62] Mariathasan, Kidney, n = 67Mariathasan, Ureteral, n = 260.13 [-0.83; 1.09] Mariathasan, Lymph_node, $n = 26 \ 0.26 \ [-0.68; 1.20]$ Snyder, Ureteral, n = 250.40 [-0.58; 1.38] Hwang, Lung, n = 210.44[-0.64; 1.52]Mariathasan, Bladder, n = 1940.51 [0.16; 0.86] Total 0.13 [-0.15; 0.42] Heterogeneity: $\chi_7^2 = 9.5$ (P = .22), $I^2 = 26\%$ [0%; 67%]


Primary = Melanoma

Hugo, n = 27-0.05 [-1.19; 1.09] Van Allen, n = 420.41 [-0.33; 1.15] Nathanson, n = 240.47 [-0.53; 1.47] Riaz, n = 510.50 [-0.19; 1.19] Total 0.39 [-0.03; 0.81] Heterogeneity: $\chi_3^2 = 0.7$ (P = .87), $I^2 = 0\%$ [0%; 85%] Total 0.20 [-0.03; 0.43]

Heterogeneity: $\chi_{11}^2 = 11.22 \ (P = .43), \ I^2 = 2\% \ [0\%; 59\%]$

Test for overall effect: z = 1.67 (P = .10)

Test for subgroup differences: $\chi_1^2 = 0.99 \ (P = .32)$



logHR estimate