Source (95% CI)

Primary = Melanoma

Nathanson, $n = 24$	-0.43 [-1.19; 0.33]
Riaz, n = 51	-0.32 [-0.83; 0.19]
Van_Allen, n = 42	0.25 [-0.36; 0.86]
Hugo, n = 27	0.33 [-0.69; 1.35]
Total	-0.10 [-0.46; 0.27]
Heterogeneity: $\chi_3^2 = 3.39 \ (P = .34), I$	$1^2 = 11\% [0\%; 86\%]$

Primary = Other

Mariathasan, Lymph_node, n = 26	-0.13 [-0.95; 0.69]	
Mariathasan, Bladder, n = 194	0.01 [-0.26; 0.28]	
Snyder, Ureteral, n = 25	0.12 [-0.82; 1.06]	
Braun, Kidney, n = 178	0.24 [-0.07; 0.55]	
Mariathasan, Kidney, n = 67	0.26 [-0.21; 0.73]	
Mariathasan, Ureteral, n = 26	0.36 [-0.40; 1.12]	
Total	0.13 [-0.04; 0.31]	
Heterogeneity: $\chi_5^2 = 2.23 \ (P = .82), I^2$	= 0% [0%; 75%]	
Total	0.08 [-0.07; 0.24]	
Heterogeneity: $\chi_9^2 = 7.19 \ (P = .62), \ I^2 = 0\% \ [0\%; 62\%]$		
Test for overall effect: $z = 1.01$ ($P = .31$)		
Test for subgroup differences: $\chi_1^2 = 1.23$ ($P = .27$)		
rest for subgroup differences. $\chi_1 = 1.25 (r = .27)$		

