Source (95% CI)

Primary = Melanoma

Nathanson, $n = 24$	-0.97 [-4.60; 2.66]
Liu, n = 112	-0.54 [-2.17; 1.09]
Riaz, n = 33	0.63 [-1.98; 3.24]
Hugo, $n = 27$	1.53 [-1.82; 4.88]
Van_Allen, n = 39	1.91 [-1.79; 5.61]
Total	0.12 [-1.03; 1.26]
Heterogeneity: $\chi_A^2 = 2.7$ ($P = .6$	$(61), I^2 = 0\% [0\%; 79\%]$

Primary = Other

,	
Braun, Kidney, n = 139	-0.04 [-1.24; 1.16]
Mariathasan, Bladder, $n = 133$	0.54 [-0.71; 1.79]
Fumet.2, Lung, $n = 41$	0.70 [-1.55; 2.95]
Fumet.1, Lung, n = 39	2.05 [-1.38; 5.48]
Mariathasan, Kidney, n = 46	2.24 [-1.43; 5.91]
Snyder, Ureteral, n = 22	2.47 [-0.55; 5.49]
Total	0.59 [-0.15; 1.34]
Heterogeneity: $\chi_5^2 = 4.05 \ (P = .54)$), $I^2 = 0\% [0\%; 75\%]$
Total	0.45 [-0.17; 1.08]
Heterogeneity: $\chi_{10}^2 = 7.21 \ (P = .7)^2$	1), <i>I</i> ² = 0% [0%; 60%]
Test for overall effect: $z = 1.41$ (P	= .16)
Test for subgroup differences: χ_1^2	= 0.46 (P = .50)
•	

