Study	logOR [95%CI]	P-value	_
GideMelanomaPD-(L)1, n = 38	-1.65 [-2.78; -0.51]	0.00	←■
RiazMelanomaIO+combo, n = 14	-1.64 [-4.33; 1.05]	0.23	<b>*</b>
ShiuanKidneyPD-(L)1, n = 13	-1.57 [-3.88; 0.73]	0.18	<b>*</b>
RiazMelanomaPD-(L)1, n = 16	-0.86 [-2.31; 0.59]	0.25	<b>←</b>
LiuMelanomaIO+combo, n = 43	-0.85 [-1.63; -0.06]	0.03	-
JungLungPD-(L)1, n = 27	-0.60 [-1.63; 0.43]	0.25	<del></del>
KimGastricPD-(L)1, n = 31	-0.59 [-1.44; 0.26]	0.17	-
NathansonMelanomaCTLA4, n = 24	-0.46 [-1.34; 0.42]	0.31	-
SnyderUreteralPD-(L)1, n = 18	-0.29 [-1.22; 0.63]	0.53	
MariathasanBladderPD-(L)1, n = 133	-0.28 [-0.66; 0.11]	0.16	
MariathasanKidneyPD-(L)1, n = 46	-0.12 [-0.78; 0.55]	0.73	-
BraunKidneyPD-(L)1, n = 142	0.00 [-0.40; 0.40]	1.00	-
Miao1KidneyPD-(L)1, n = 28	0.07 [-0.81; 0.94]	0.88	-
RohMelanomaCTLA4, n = 15	0.07 [-1.10; 1.23]	0.91	
MariathasanUreteralPD-(L)1, n = 18	0.48 [-0.50; 1.46]	0.34	-
HugoMelanomaPD-(L)1, n = 27	0.48 [-0.35; 1.31]	0.25	- : -
Total	-0.26 [-0.48; -0.04]		•

-2 -1 0 1 2 logOR estimate

Heterogeneity:  $\chi^2_{15}$  = 19.90 (P = .18),  $I^2$  = 25% [0%; 59%] Test for overall effect: z = -2.36 (P = .02)