si Monze than two trandom variables.

If $X_1, X_2, ..., X_n$ are all discrete risk, the joint pmf of the variable (10) the function $p(x_1, x_2, ..., x_n) = P(x_1 = x_1, x_2 = x_2, ..., x_n = x_n)$.

If the vaniable 20 are continious, the joint pdf of $x_1, x_2, x_3 = x_n < 10^n$ the functions $f(x_1) x_2, \dots, x_n > 10^n$ for any $x_1, x_2 > 10^n$ intervals $[a_1, b_1], \dots, [a_n, b_n],$ $P(a_1 < x_1 < b_1, \dots, x_n) dx_n dx_n dx_n = x_n < x_n$

The pandom vaniables X1, X2, ..., Xn. Age Squid to be independent if for every subset Xi, Xiz, ..., Xik of the vaniables, the joint pmf or pdf of the subset is equal to the product of the marginal pmf's or pdf's.

Conditional distributions.

Let X and Y be two continious rev's with joint pdf f(x,y) and marginal X but $f_{x}(x)$. Then for any X value -x for which $f_{x}(x) > 0$, the conditional probability density function of Y given that X = x is $f_{x}(y|x) = \frac{f(x,y)}{f_{x}(x)}$,

-6<4<00

(f) Determine the conditional ripdforoft of goven that is X=x= and the conditional pdf of X given that Y=Y. . The conditional paf of Y given that X=3 is $f_{Y|X}(y|x) = \frac{f(x,y)}{f_{x}(x)} = \frac{K(x^{2}+y^{2})}{10Kx^{2}+0.05} for 2015 x(30.$ E (YIX=22) = 1 & Fyx (912:) of The conditional paf of x given that Y=Y is $f(x,y) = \frac{f(x,y)}{f_Y(y)} \frac{f(x,y)}{f_Y(y)} \frac{f(x,y)}{f_Y(y)} \frac{f(x,y)}{f_Y(y)} \frac{f(x,y)}{f_Y(y)} for 20 \le x \le 30.$ (3) If the pressure in the right tire as found to be 22 psi, what is the probability that the left tire hes a pressure of at least 25 psi? compare this to p(Y 7,05). $P(Y) = \int_{X=22}^{30} f_{Y|X}(y|22) dy$ $(FE = 22) = \int_{X=20}^{30} f_{Y|X}(y|22) dy$ $= \int_{10.4 \times 22}^{30} \frac{k(22^2 + y^2)}{10.4 \times 22^2 + 0.05} = dy$ 1 10 x222xK+0.05 dy + 5 10x222xK+0.05 given that X=X is = 0.56. P(Y) 25) = 5 fy(y) dy = 5 (10ky2+10.05) dy 210k 3 200 (30-25)

= 0.75.

(h) off the pressure of in the right time is inforted to be 22 psi, what is the expected pressure in the left time, and what is standard -E (YIV-00) Pressure En (8this time? = (x11)) $E(Y|X=22) = \int Y f_{Y|X}(y|22) dy$ $= \int_{0.07}^{0.07} \frac{100}{1000} = \int_{0.07}^{0.07} \frac{1000}{1000} = \int_{0.07}^{0.07} \frac{1000}{100$ $tourse, (X|X) = E(X_{1}X) - [E(X|X)]_{x}$ $tourse, (X|X) = E(X_{1}X) - [E(X|X)]_{x}$ E(+21x1) = phydoffy (4/122) dy now isque so of $= \int_{20}^{25} y^{2} \cdot \frac{100}{1000} \cdot \frac{1000}{1000} \cdot \frac{1000}$ -- V(YIX) = 6 (1) = (55= x | 76 (Y)) 9 -- V(YIX) = 671x = 652.08 - (25.37) = (21/8/10/8) = 4/20 = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = = 4/20 = 4/20 = = 4/20 = = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 = 4/20 Note. Condutional probability examals, function of Y given that X=x is $\frac{\partial}{\partial x} \left(\frac{\partial x}{\partial y} \right) = \frac{\partial x}{\partial y} \left(\frac{\partial x}{\partial y} \right) \left(\frac$ cohen a X, and Y are discrete ov's.

- 24.0 =