Polymorphism

1. MathOperation

Create a class **MathOperations**, which should have 3 times method **Add()**. Method **Add()** have to be invoked with:

- Add(int, int): int
- Add(double, double, double): double
- Add(decimal, decimal, decimal): decimal

You should be able to use the class like this:

```
public static void Main()
{
    MathOperations mo = new MathOperations();
    Console.WriteLine(mo.Add(2, 3));
    Console.WriteLine(mo.Add(2.2, 3.3, 5.5));
    Console.WriteLine(mo.Add(2.2m, 3.3m, 4.4m));
}
```

Examples

	Output	
5		
11		
9.9		

Solution

Created MathOperation class should look like this:

```
public int Add(int a, int b)
{
    return a + b;
}

public double Add(double a, double b, double c)
{
    return a + b + c;
}

public decimal Add(decimal a, decimal b, decimal c)
{
    return a + b + c;
}
```

2. Animals

Create a class Animal, which hold two fields:

- name: string
- favouriteFood: string

Animal have one virtual method ExplainSelf(): string.

You should add two new classes **Cat** and **Dog.** There **override ExplainSelf()** method by adding concrete animal sound on new line. (Look at examples below)

You should be able to use the class like this:

```
Animal cat = new Cat("Pesho", "Whiskas");
Animal dog = new Dog("Gosho", "Meat");

Console.WriteLine(cat.ExplainSelf());
Console.WriteLine(dog.ExplainSelf());
```

Examples

Input	Output
	I am Pesho and my fovourite food is Whiskas MEEOW
	I am Gosho and my fovourite food is Meat DJAAF

Solution

```
public class Animal
{
    2references
    public string Name { get; protected set; }

2references
    public string FavouriteFood { get; protected set; }

2references
    protected Animal(string name, string favouriteFood)
    {
        this.Name = name;
        this.FavouriteFood = favouriteFood;
    }

4references
    public virtual string ExplainSelf()
    {
        return $"I am {this.Name} and my favourite food is {this.FavouriteFood}";
    }
}
```

3. Shapes

Create class hierarchy, starting with abstract class Shape:

- Abstract methods:
 - o CalculatePerimeter(): doulbe
 - CalculateArea(): double
- Virtual methods:
 - o Draw(): string

Extend Shape class with two children:

- Rectangle
- Circle

Each of them need to have:

- Fields:
 - o height and width for Rectangle
 - radius for Circle
- Encapsulation for this fields
- Public constructor
- Concrete methods for calculations (perimeter and area)
- · Override methods for drawing