



Plotting parameters:

```
functionName: "plot_5parts_metagene"
                                       queryFiles: c(NarrowPeak =
"C:/Users/greenblatt/AppData/Local/R/win-library/4.3/GenomicPlot/extdata/test_chip_peak_chr19.narrowPeak",
                                              SummitPeak =
   "C:/Users/greenblatt/AppData/Local/R/win-library/4.3/GenomicPlot/extdata/test chip peak chr19.bed",
                                               iCLIPPeak =
    "C:/Users/greenblatt/AppData/Local/R/win-library/4.3/GenomicPlot/extdata/test_clip_peak_chr19.bed")
                           gFeatures_list: as.list(environment())[["gFeatures_list"]]
                                             inputFiles: NULL
         importParams: list(offset = 0, fix width = 100, fix point = "center", norm = FALSE, useScore
                   = FALSE, outRle = TRUE, useSizeFactor = FALSE, genome = "hg19")
                                             verbose: FALSE
                                              transform: NA
                                              smooth: TRUE
                                              scale: FALSE
                                             stranded: TRUE
                                 outPrefix: "test_plot_5parts_metagene1"
                                             heatmap: TRUE
                                            heatRange: NULL
                                               rmOutlier: 0
                                       Ylab: "Coverage/base/gene"
                                               hw: c(8, 8)
                                                  nc: 2
```