

Copy Number and Structural Variation

Chris Miller

Some slides adapted from:

Malachi Griffith, Obi Griffith, Fouad Yousif
High-Throughput Biology: From Sequence to Networks

https://github.com/griffithlab/rnaseq_tutorial_wiki/blob/master/LectureFiles/cbw-cshl/2017/IGV_Tutorial_Brief.pptx


Tobias Rausch
Structural and copy-number variation analysis
<https://www.ebi.ac.uk/training/materials/cancer-genomics-materials/structural-and-copy-number-variation-mutational-signatures/structural-and-copy-number-variation-analysis/>




SV Types




Destructive (non-balanced)




Non-destructive (balanced)




Insertion




Deletion




Inversion



Interspersed
Duplication




Translocation
(inter- or intra- chromosomal)



Tandem Duplication

Types of Structural Variation


SVs can get complicated!




Genomic diversity from SVs

- Underappreciated due to past limitations of technology
- probably about 1% of each genome (by bp) differs from the reference
 - only 0.1% different by SNPs


SV calls from WGS of 14,623 samples



Somatic SVs are a frequent cause of cancer



Polyploidy





Whole Genome Doubling



Somatic SVs are a frequent cause of cancer

MCF7 Breast Cancer cell line



Copy Number detection



Tech: **FISH**
#: **<10**

Array CGH
30-100K

Genotype arrays
100K-2M


WGS
3G!

Resolution




Copy Number detection

- Read counting in windows for tumor and normal data




- Log2 ratio for each window
- Chromosome-wide plot

$$\log_2 \frac{\# \text{Reads}_{\text{Disease}}}{\# \text{Reads}_{\text{Normal}}}$$



Copy Number detection

- Gets more complicated with targeted sequencing, but still works!



- B-allele frequency for CN-neutral Loss of Heterozygosity

Copy Number detection

- Other factors:
 - Sample prep
 - GC-bias
 - Probe affinities
 - Sample Purity
 - Subclonal populations
- Cleaner data, deeper data = higher resolution

Copy Number detection


- There are few decent packages for doing this
- CNVkit is my go-to algorithm these days

Paired-end sequencing


DNA or
cDNA



Fragment and
size select



Paired-end sequencing




Paired-end sequencing

DNA or
cDNA

Fragment and
size select

Read from
each end

Align to
Reference



Interpreting inferred insert size

The “inferred insert size” can be used to detect structural variants including

- Deletions
- Insertions
- Inter-chromosomal rearrangements:
(Undefined insert size)

Deletion

What is the effect of a deletion on inferred insert size?

Deletion

Reference
Genome



Subject



Deletion

Reference
Genome



Subject




Deletion

Reference
Genome



Subject



Deletion

Inferred insert size is $>$ expected value

Reference
Genome




inferred insert size

Subject




expected insert size

Color by insert size



Deletion




Insert size color scheme


- Smaller than expected insert size:
- Larger than expected insert size:
- Pairs on different chromosomes




Each end colored by chromosome of its mate



Rearrangement



Rearrangement



Interpreting Read-Pair Orientations


Orientation of paired reads can reveal structural events:

- Inversions
- Duplications
- Translocations
- Complex rearrangements

Orientation is defined in terms of

- read strand, left *vs* right, *and*
- read order, first *vs* second

Interpretation of read pair orientations



- LR Normal reads.
The reads are left and right (respectively) of the unsequenced part of the sequenced DNA fragment when aligned back to the reference genome.
- LL,RR Implies inversion in sequenced DNA with respect to reference.
- RL Implies duplication or translocation with respect to reference.

These categories only apply to reads where both mates map to the same chromosome.

Figure courtesy of Bob Handsaker

Inversion

Reference
genome




Inversion

Reference
genome



Inversion



Inversion


Reference
Genome




Subject



Inversion



Inversion



Inversion


Reference
Genome




Subject




Inversion



Inversion



Inversion



Inversion



Anomaly: expected orientation of pair is
inward facing ($\longrightarrow \longleftarrow$)


Inversion



“Left” side pair


Inversion

Reference
Genome




“Right” side pair


Color by pair orientation




Inversion




Inversion



Soft-clipping




Soft-clipping



Assignment


<https://gist.github.com/chrisamiller/1150bcd1a269b6c32d1f2a77dccb9aa>





AML52: An atypical M3 AML




37 y.o. female with AML;
M3 morphology

PML-RARA fusion





AML52: An atypical M3 AML




37 y.o. female with AML;
M3 morphology



Chemo + ATRA

AML52: An atypical M3 AML




37 y.o. female with AML;
M3 morphology

Chemo + ATRA

Complex cytogenetics,
negative for PML-RARA

Chemo only

AML52: An atypical M3 AML



37 y.o. female with AML;
M3 morphology

Chemo + ATRA

Complex cytogenetics,
negative for PML-RARA

Chemo only


Achieved remission, but faced decision
Referred to WUSTL

???

Allogeneic
SCT

Consolidation
+ ATRA

AML52: An atypical M3 AML



37 y.o. female with AML;
M3 morphology

Chemo + ATRA

Complex cytogenetics,
negative for PML-RARA

Chemo only

Achieved remission, but faced decision
Referred to WUSTL


???

Allogeneic
SCT


Consolidation
+ ATRA

Use of Whole-Genome Sequencing to Diagnose a Cryptic Fusion Oncogene


A Breakpoints in chromosomes 15 and 17 resulting in *PML-RARA* fusion



AML52: An atypical M3 AML



37 y.o. female with
de novo AML,
M3 morphology,
CTG, no PML-RARA.
Referred to WUSM
for SCT.



Detection of
PML-RARA
fusion by WGS.
Confirmed by
FISH, RT-PCR

Consolidation:
Chemo + ATRA

Sustained remission

Additional cryptic M3 AMLs

