



CSCE 771: Computer Processing of Natural Language Lecture 8: (NLP) Evaluation, Semantics

PROF. BIPLAV SRIVASTAVA, AI INSTITUTE 12TH SEPTEMBER, 2024

Carolinian Creed: "I will practice personal and academic integrity."

Acknowledgement: Used materials by Jurafsky & Martin,

Organization of Lecture 8

- Opening Segment
 - Announcements
- Main Lecture



- Concluding Segment
 - About Next Lecture Lecture 9

Main Section

- Review quiz
- Review parsing
- Introduce evaluation metrics in NLP context
- Review projects

Sep 24 (Tu)	Language Model – PyTorch,		
	BERT, {Resume data, two		
	tasks}		
	- Guest Lecture		
Sep 26 (Th)	Language Model –		
	Finetuning, Mamba - Guest		
	Lecture		
Oct 1 (Tu)	Language model –		
	comparing arch, finetuning -		
	Guest Lecture		
Oct 3 (Th)	Language model –		
	comparison of results,		
	discussion, ongoing trends-		
	Guest Lecture		

Announcements

GUEST LECTURES ON LANGUAGE MODELS


Recap of Lecture 7

- We discussed statistical parsing Probabilistic grammars
 - · assign a probability to a sentence or string of words
 - In a probabilistic context-free grammar (PCFG), every rule is annotated with the probability of that rule being chosen assuming conditional independence.
 - The probability of a sentence is computed by multiplying the probabilities of each rule in the parse of the sentence.
 - We looked at Stanford parser
- We had Quiz 1


Review of Quiz 1

Main Lecture

Review Parsing



NLP Evaluation



Metric Types

• Effectiveness: what the <u>user</u> of a system sees, primarily cares about

Extrinsic evaluation (esp. downstream applications)

• Efficiency: what the <u>executor</u> in a system sees, primarily cares about

Intrinsic evaluation



Efficiency Metrics

Example: Detecting Spam in Email

- •Effectiveness: what the user of a system sees, primarily cares about
 - How many spams identified?
 - How many spams missed?
- Efficiency: what the <u>executor</u> in a system sees, primarily cares about
 - How fast were spams detected?
 - How much memory was used per million emails processed?

Metrics: Accuracy, Precision, Recall

	Predicted class			
Actual Class		Class = Yes	Class = No	
	Class = Yes	True Positive	False Negative	
	Class = No	False Positive	True Negative	

Accuracy = (TP+TN)/ (TP+FP+FN+TN)

Evaluating Parsers - PARSEVAL

Degree to which the constituents in the hypothesis parse tree look like the constituents in a hand-labeled, gold-reference parse like PENN TreeBank

Overall measure is by F1 score

$$F_1 = \frac{2PR}{P+R}$$

labeled recall: = $\frac{\text{# of correct constituents in hypothesis parse of } s}{\text{# of correct constituents in reference parse of } s}$

labeled precision: = $\frac{\text{# of correct constituents in hypothesis parse of } s}{\text{# of total constituents in hypothesis parse of } s}$

From Jurafsky & Martin

Average Performance With Multiple Classes

Setting

Class A: 1 TP and 1 FP

Class B: 10 TP and 90 FP

Class C: 1 TP and 1 FP

Class D: 1 TP and 1 FP

Precision =
(TP)/
(TP+FP)

- Average precision = ?
- Macro and micro average
 - A macro-average will compute the metric independently for each class and then take the average (hence treating all classes equally)
 - A micro-average will aggregate the contributions of all classes to compute the average metric.

A macro-average will then compute: $Pr = \frac{0.5 + 0.1 + 0.5 + 0.5}{4} = 0.4$

A micro-average will compute: $Pr = \frac{1+10+1+1}{2+100+2+2} = 0.123$


Source and credit: https://datascience.stackexchange.com/questions/15989/micro-average-vs-macro-average-performance-in-a-multiclass-classification-settin

Code Sample – Metrics Calculation


Notebook:

https://github.com/biplav-s/course-nl-f22/blob/main/sample-code/l8-review-evalmetrics/Metric%20Calculations.ipynb

Semantics



Semantics, Parsing and Representation



Semantics

- lexical semantics: studies word meanings and word relations, and
- *formal semantics*: studies the logical aspects of meaning, such as sense, reference, implication, and logical form
- conceptual semantics: studies the cognitive structure of meaning

Source: Jurafsky & Martin,

Wikipedia (https://en.wikipedia.org/wiki/Semantics)

From Text to Meaning

- Shallow semantics
 - Input: text
 - Output: *lexical semantics*
- Deep semantics
 - Input: text
 - Output: formal semantics

Source: Abstract Meaning Representation for Sembanking, https://amr.isi.edu/a.pdf

LOGIC format:

```
\exists w, b, g:
instance(w, want-01) \land instance(g, go-01) \land
instance(b, boy) \land arg0(w, b) \land
arg1(w, g) \land arg0(g, b)
```

AMR format (based on PENMAN):

GRAPH format:




Figure 1: Equivalent formats for representating the meaning of "The boy wants to go".

Review: Common Definitions

- Corpus (plural corpora): a computer-readable corpora collection of text or speech.
- •Lemma: A lemma is a set of lexical forms having the same stem, the same major part-of-speech, and the same word sense. Example: Cat and cats have same lemma.
- **Word form**: The word form is the full inflected or derived form of the word. Example: Cat and cats have different word forms.
- Word type: Types are the number of distinct words in a corpus. if the set of words is V, the number of types is the word token vocabulary size |V|.
- Word tokens: The total number N of running words in the sentence / document of interest.
- Code switching: use multiple languages in a code switching single communicative act Example: Hindlish (Hindi English), Spanish (Spanish English)

"They picnicked by the pool, then lay back on the grass and looked at the stars."

• 16 tokens, 14 word types

Source: Jurafsky & Martin

Lexical Semantics

- Lemma
 - Sing, Mouse
- Word form
 - Sing, sang, sung
 - Mouse, mice
- Word sense
 - Mouse: a rodent
 - Mouse: an electronic pointing device

A lemma having many senses is called **Polysemous**

Synonymous and Similar Words

- Synonym one word has a sense whose meaning is identical to a sense of another word
 - Two words are **synonymous** if they are substitutable one for the other in any sentence without changing the truth conditions of the sentence, the situations in which the sentence would be true
 - Propositional meaning synonym words have the same propositional meaning (truth preserving)
- **Principle of contrast** An assumption in linguistics is that difference in linguistic form (e.g., word form) is always associated with at least some difference in meaning
 - Water and H20 are truth preserving but used in different context
 - Synonym words are used for approximate synonymy. Then, how similar are the words?

Source: Jurafsky & Martin

Word Similarity - SimLex-999

• Captures similarity between word pairs, mining the opinions of 500 annotators via Amazon Mechanical Turk on a scale of 1 to 10

Note: similarity, rather than relatedness or association

- Contains
 - 666 Noun-Noun pairs,
 - 222 Verb-Verb pairs
 - 111 Adjective-Adjective pairs

vanish	disappear	9.8
behave	obey	7.3
belief	impression	5.95
muscle	bone	3.65
modest	flexible	0.98
hole	agreement	0.3

Source: Jurafsky & Martin

 Usage: Evaluation of learning based approaches for finding word similarity by correlation

SimLex-999: Evaluating Semantic Models with (Genuine) Similarity Estimation. 2014. Felix Hill, Roi Reichart and Anna Korhonen. *Computational Linguistics*. 2015 Website: https://fh295.github.io/simlex.html

Meaning (Semantics) versus Structure (Lexical)

Pair	Simlex-999 rating	WordSim-353 rating
coast - shore	9.00	9.10
clothes - closet	1.96	8.00

Example courtesy: https://fh295.github.io/simlex.html

Word Relatedness/ Association

- **Semantic Field:** related words from the same particular domain and bear structured relations with each other.
 - Example 1: cup, coffee
 - Example 2: scalpel, surgeon
 - · Usually determined by experts in a field
- Word Association Test/ Task: how word meaning is stored in memory
 - Have people respond to word associations as a game; e.g., say the first word that comes to mind when one says "Doctor"
 - Applications
 - Used in marketing
 - Also evaluation of learning procedures discovering meaning (e.g., word embedding)

Sources:

- https://psychology.jrank.org/pages/656/Word-Association-Test.html,
- Establishing the Reliability of Word Association Data for Investigating Individual and Group Differences,

Tess Fitzpatrick, David Playfoot, Alison Wray, Margaret J. Wright *Applied Linguistics*, Volume 36, Issue 1,

February 2015, Pages 23–50, https://doi.org/10.1093/applin/amt020

Source: Jurafsky & Martin

Discovering Word Relatedness

- **Topic model**: a statistical notion of related words in a document. Hope is that meaningful topics will be from the same semantic field, but there is no guarantee
- Key idea
 - Topic: group of words
 - Counting words and grouping similar word patterns to infer topics within unstructured data.
 - Assumptions
 - · Distributional hypothesis: similar topics make use of similar words
 - Statistical mixture hypothesis: documents talk about several topics
 - Perform unsupervised analysis/ clustering: given a corpus and number of topics (k), find k topics that are representative of key ideas in the corpus

References:

- Blog: https://monkeylearn.com/blog/introduction-to-topic-modeling/
- Tool: Gensim
- Paper: https://www.jmlr.org/papers/volume3/blei03a/blei03a.pdf

Course Project

Discussion: Course Project

Theme: Analyze quality of official information available for elections in 2024 [in a state]

- Take information available from
 - Official site: State Election Commissions
 - Respected non-profits: League of Women Voters
- Analyze information
 - State-level: Analyze quality of questions, answers, answers-toquestions
 - Comparatively: above along all states (being done by students)
- Benchmark and report
 - Compare analysis with LLM
 - Prepare report

- Process and analyze using NLP
 - Extract entities
 - Assess quality metrics
 - Content *Englishness*
 - Content Domain -- election
 - ... other NLP tasks
 - Analyze and communicate overall

Major dates for project check

- Sep 10: written project outline
- Oct 8: in class
- Oct 31: in class // LLM
- Dec 5: in class // Comparative

Review current states chosen by others

Project Discussion

- 1. Go to Google spreadsheet against your name
- Enter the <u>state</u> you will focus on for course project
- 1. Create a private Github repository called "CSCE771-Fall2024-<studentname>-Repo". Share with Instructor (biplay-s) and TA (vr25)
- Create Google folder called "CSCE771-Fall2024-<studentname>-SharedInfo". Share with Instructor (prof.biplav@gmail.com) and TA (rawtevipula25@gmail.com)
- 3. Create a Google doc in your Google repo called "Project Plan" and have the following by Friday (Aug 30, 2024)

Timeline

- 1. Title: Analyze quality of official information available for elections in 2024 in <state>
- 2. Data need:
 - 1. Official: state's election commission
 - 2. LWV:

https://www.vote411.org/

- 3. Methods:
- 4. Evaluation:
- 5. Milestones
 - Sep 10: written and feedback
 - Oct 8: in class
 - Oct 31: in class
 - Dec 5: in class

CSCE 771 - FALL 2024 28

Obtaining Election Data

Here are a few things to do:

- A) **Official data** backed by laws: state election commission
- a) Find the state's election commission
- b) Find the Q/As they provide. They may be as FAQs or on different web pages.
- c) Collect the Q/A programmatically
- B) Secondary data sources: non-profit
- a) Find Q/As from Vote 411 which is supported by the non-profit: LWV.

For reference, for SC,

- A) Official https://scvotes.gov/voters/voter-faq/
- B) Secondary https://www.vote411.org/south-carolina

For extraction, one or more approaches:

- Manually annotating
- BeautifulSoup,
- Tika
- or other open source libraries.

Discussion: Course Project

Expectations

- Apply methods learned in class or of interest to a problem of interest
- Be goal oriented: aim to finish, be proactive, be innovative
- Do top-class work: code, writeup, presentation

Typical pitfalls

- · Not detailing out the project, assuming data
- · Not spending enough time

What will be awarded

- Results and efforts (balance)
- · Challenge level of problem

Review current states chosen by others

Course Project – Deadlines and Penalty Rubric

- Penalty
 - Missing milestones: [-10%]
 - Maximum: [-40%]
- Bonus possible
 - · if two or more states considered

•

Timeline

- 1. Title: Analyze quality of official information available for elections in 2024 in <state>
- 2. Data need:
 - 1. Official: state's election commission
 - 2. LWV:

https://www.vote411.org/

- 3. Methods:
- 4. Evaluation:
- 5. Milestones
 - Sep 10: written and feedback
 - Oct 8: in class
 - Oct 31: in class
 - Dec 5: in class

Lecture 8: Concluding Comments

- We looked at evaluation measures
 - accuracy, precision, recall, F1
 - Macro and micro averages
- We also started to look at semantics

Concluding Segment

About Next Lecture – Lecture 9

Lecture 9: Semantics, ML

- Complete semantics discussion
- Discuss ML for NLP

4	Aug 29 (Th)	NLP Tasks, Case Study – Business Application	
5	Sep 3 (Tu)	Parsing, Paper 1 discussion; project topics review	Practice exercise
6	Sep 5 (Th)	Project topics review, statistic Parsing	
7	Sep 10 (Tu)	Statistical parsing, QUIZ	Quiz 1, Project Check
8	Sep 12 (Th)	Evaluation, Semantics	Coding running example
9	Sep 17 (Tu)	Semantics, Machine Learning for NLP, Evaluation - Metrics	Code: scikit fl score package, Code: ConceptIO
10	Sep 19 (Th)	Towards Language Model: Vector embeddings, Embeddings, CNN/ RNN	Code: embedding, genism word vector, tf-idf

Summary of NLP Analysis

