

Practicing do ... while loops

Table of Contents

- [1. README](#)
 - [1.1. Emacs tip](#)
- [2. The do statement](#)
 - [2.1. Countdown example](#)
 - [2.2. Summing numbers](#)

1 README

- Practice workbook for do..while loops in C.
- See [cc100/6_loops/README.org](#) in GitHub for script/solutions

1.1 Emacs tip

To **not** see the emphatic characters like ~ or * or / in the Org file text, run the following code chunk (or put the code in your `/.emacs` file): if successful, you should see "t" in the minibuffer.

```
(setq-default org-hide-emphasis-markers t)
```

If you don't put it in your `/.emacs` file, the command will only work for the current Emacs session.

2 The do statement

2.1 Countdown example

1. Rewrite the countdown code [1](#) below using do...while.
2. Run the code block.
3. How would the concise version of the code look like? Try it.

```
int i = 10;
do {
    printf("T minus %d and counting\n", i);
    i--;
} while (i > 0);
printf("i = %d\n", i);
```

```
T minus 10 and counting
T minus 9 and counting
T minus 8 and counting
T minus 7 and counting
T minus 6 and counting
T minus 5 and counting
T minus 4 and counting
T minus 3 and counting
T minus 2 and counting
```

```
T minus 1 and counting  
i = 0
```

2.2 Summing numbers

1. Rewrite the summing numbers code 1 below using `do...while` instead of `while`.
2. Remember that the first `scanf` statement is only needed because we start with a check if `n` is non-zero.
3. Run the code block.

```
int n = 0, sum = 0;  
  
printf("Enter integers (0 to terminate).\n");  
do {  
    sum += n;          // sum = sum + n  
    scanf("%d", &n);  
} while ( n != 0 );  
  
printf("The sum is %d\n", sum);
```

```
Enter integers (0 to terminate).  
The sum is 107
```

Created: 2022-04-25 Mon 09:16