Advanced Software Engineering (CS6401)

Autumn Semester (2022-2023)

Dr. Judhistir Mahapatro
Department of Computer Science and
Engineering
National Institute of Technology Rourkela



Topics covered in Previous Lecture:

- RAD Model
- Agile development model
- Extreme Programming model

Scrum Model

Scrum: Characteristics


- Entire project work is divided into small work parts
 - These parts can incrementally developed and delivered over time boxes.
 - Time boxes are called Sprints.



Scrum: Characteristics

- Self-organizing teams
- Product progresses in a series of month-long sprints
- Requirements are captured as items in a list of product backlog
- One of the agile processes





Sprint

- Scrum projects progress in a series of "sprints"
 - Analogous to XP iterations or time boxes
 - Target duration is one month
- Software increment is designed, coded, and tested during the sprint
- No changes entertained during a sprint

Scrum Framework

- Roles: Product Owner, Scrum Master, Team
- Ceremonies: Sprint Planning, Sprint Review, Sprint Retrospective, and Daily Scrum Meeting
- Artifacts: Product Backlog, Sprint Backlog, and Burndown Chart

Key Roles and Responsibilities in a Scrum Team

Product Owner

- Represents customers' views and interests.
- Guide the team toward building right software.

Development Team

 Team of five-nine people with cross-functional skill sets.

Scrum Master (aka Project Manager)

 Facilitates scrum process and resolves impediments at the team and organization level by acting as a buffer between the team and outside interference.

Product Owner

- Defines the features of the product
- Decides on release date and content
- Prioritizes features according to usefulness
- Adjusts features and priority every iteration, as needed
- Accepts or reject work results.

The Scrum Master

- Represents management in the project
- Removes impediments
- Ensures that the team is fully functional and productive
- Enables close cooperation across all roles and functions
- Shields the team from external interferences

Scrum Team

- Typically 5-10 people
- Cross-functional
 - QA, Programmers, UI Designers, etc.
- Teams are self-organizing
- Membership can change only between sprints

Sprint

- Fundamental process flow of Scrum
 - It is usually a month-long iteration:
 - during this time an incremental product functionality completed
 - NO outside influence allowed to interfere with the Scrum team during the Sprint
 - Each day begins with the Daily Scrum Meeting

Ceremonies

- Sprint Planning Meeting
- Daily Scrum
- Sprint Review Meeting

Sprint Planning

- Goal is to produce Sprint Backlog
- Team members commit to develop and deliver certain features in the ensuing spring
- Product owner works with the Team to negotiate what Backlog Items
- Scrum Master ensures Team agrees to realistic goals

Daily Scrum

- Daily Stand-up meeting for15-minutes to review the status of progress achieved so far
- Not for problem solving
- Three questions:
 - 1. What did you do yesterday?
 - 2. What will you do today?
 - 3. What obstacles are in your way?

Daily Scrum

- Is NOT a problem solving session
- Is NOT a way to collect information about WHO is behind the schedule
- Is a meeting in which team members review what is done and make informal commitments to each other and to the Scrum Master
- Is a good way for a Scrum Master to track the progress of the Team

Sprint Review Meeting

- Team presents what it accomplished during the sprint
- Typically takes the form of a demo of new features
- Informal
 - 2-hour prep time rule
- Participants
 - Customers
 - Management
 - Product Owner
 - Other team members

Product Backlog

- A list of all desired work on the project
 - Usually a combination of
 - story-based work ("let user search and replace")
 - task-based work ("improve exception handling")
- List is prioritized by the Product Owner
 - Typically a Product Manager, Marketing, Internal Customer, etc.

Product Backlog

- Requirements for a system, expressed as a prioritized list of Backlog Items
 - Managed and owned by Product Owner
 - Spreadsheet (typically)

Sample Product Backlog

	ltem #	Description	Est	Ву
Very High				
	1	Finish database versioning	16	KH
	2	Get rid of unneeded shared Java in database	8	KH
	-	Add licensing	_	-
	3		16	TG
	4	Demo / Eval licensing	16	TG
		Analysis Manager		
	5	File formats we support are out of date	160	TG
	6		250	MC
High	•		•	'
	-	Enforce unique names	-	-
	7	In main application	24	KH
	8		24	AM
	-	Admin Program	-	-
	9	Delete users	4	JM
	-	Analysis Manager	-	-
		When items are removed from an analysis, they should show		
	10		8	TG
	_	Query	-	-
	11	Support for wildcards when searching	16	A&T
	12		16	A.ST
	13	1	12	T&A
		Population Genetics	-	-
	14	· ·	400	T&M
	15		400	T&M
	16	1	240	T&M
	17	,	240	T&M
	18	· · · · · · J ·	320	T&M
	19	Add icons for v1.1 or 2.0	-	-
		Pedigree Manager	-	-
	20	Validate Derived kindred	4	KH
Medium				
	-	Explorer	-	-
		Launch tab synchronization (only show queries/analyses for	_	
	21	logged in users)	8	T&A
	22	Delete settings (?)	4	T&A

Sprint Backlog

- A subset of Product Backlog Items, which define the work for a Sprint
 - Created by Team members
 - Each Item has it's own status
 - Updated daily

Sprint Backlog during the Sprint

- Changes occur:
 - Team adds new tasks whenever they need to in order to meet the Sprint Goal
 - Team can remove unnecessary tasks
 - But: Sprint Backlog can only be updated by the team
- Estimates are updated whenever there's new information


Burn down Charts

- Are used to represent "work done".
- Are remarkably simple but effective Information disseminators
- 3 Types:
 - Sprint Burn down Chart (progress of the Sprint)
 - Release Burn down Chart (progress of release)
 - Product Burn down chart (progress of the Product)

Sprint Burn down Chart


- Depicts the total Sprint Backlog hours remaining per day
- Shows the estimated amount of time to complete
- Ideally should burn down to zero to the end of the Sprint
- Actually is not a straight line

Sprint Burndown Chart




Release Burndown Chart

- Will the release be done on right time?
- How many more sprints?
- X-axis: sprints
- Y-axis: amount of story points remaining



Product Burndown Chart

Is a "big picture" view of project's progress (all the releases)



Scalability of Scrum

- A typical Scrum team is 6-10 people
- Jeff Sutherland up to over 800 people
- "Scrum of Scrums" or "Meta-Scrum"

Feature Driven Development

Feature Driven Development

- Originally conceived by Peter Coad and colleagues as a process model for Object-Oriented Software Engineering.
- Stephen Palmer and John Felsing have extended and improved Coad's work
 - An adaptive, agile process that can be applied to moderately sized and larger software projects

Philosophy of FDD

- Emphasizes the collaboration among people on an FDD Team
- Manages project and complexity using feature-based decomposition followed by the integration of increments.
- Communication of technical detail using verbal, graphical and text-based means.

FDD

 A feature is a client-valued function that can be implemented in two weeks or less

Benefits of feature definitions

- Features are small blocks of deliverable functionality, users can describe more easily; easily understand their relationships; better review for ambiguity, error, or omission.
- Organized into hierarchical bussiness-related grouping.
- A feature is the FDD deliverable increment
- Design and code representations are easier to inspect
- Project planning, scheduling and tracking are driven by the feature hierarchy

Template for defining a feature

- <action> the <result> <by | for | of | to> a(n) <object>
- <object> is a person, place, or thing (including roles, or catalog-entry-like descriptions)
- Examples of features for an e-commerce application might be:

Add the product to shopping cart

Display technical-specifications of the product

Store the shipping-information for the customer


Grouping of related features into business-related categories

- <action> <-ing> a(n) <object>
- For Example: Making a product sale is a feature set that would encompass the features noted before and others.

Five collaborating framework activities

- Develop an overall model
 - Domain object model, important objects in the system
- Build a features list
 - Divide the domain model into subdomain (a set of features)
- Plan by Feature
- Design by feature
- Build by feature

FDD Model



FDD Model

- To understand project status- what accomplishments have been made and problems have been made model
- If deadline pressure is significant, it is to determine if software increments (features) are properly scheduled
- FDD defines six milestones during the design and implementation a feature: "Design walkthrough, design, design inspection, code, code inspection, promote to build"