

Mandelbrot

1 Overview

This sample supports both scalar and vector versions of the kernel. The host program makes a decision at runtime as to which version to run base on the GPU (for Southern Islands, it is scalar; for Evergreen and Northern Islands, it is vector).

1.1 Location

\$<APPSDKSamplesInstallPath>\samples\opencl\cl\

1.2 How to Run

See the Getting Started guide for how to build samples. You first must compile the sample.

Use the command line to change to the directory where the executable is located. The precompiled sample executable is at $$<APPSDKSamplesInstallPath>\samples\opencl\bin\x86\for 64-bit builds, and <math>$<APPSDKSamplesInstallPath>\samples\opencl\bin\x86_64\for 64-bit builds.$

Type the following command(s).

- Mandelbrot
 This sorts an array of 64 randomly generated numbers.
- Mandelbrot -hThis prints the help file.

1.3 Command Line Options

Table 1 lists, and briefly describes, the command line options.

Table 1 Command Line Options

Short Form	Long Form	Description
-h	help	Shows all command options and their respective meaning.
	device	Devices on which the program is to be run. Acceptable values are cpu, gpu., or all.
	vector	Selects the vector version of the kernel to run.
	scalar	Selects the scalar version of the kernel to run.
-q	quiet	Quiet mode. Suppresses all text output.
-e	verify	Verify results against reference implementation.
-t	timing	Print timing.
	dump	Dump binary image for all devices.
	load	Load binary image and execute on device.
	flags	Specify compiler flags to build the kernel.
- p	platformId	Select platformId to be used (o to N-1, where N is the number of available platforms).

Mandelbrot 1 of 3

Short Form	Long Form	Description
-A	version	AMD APP SDK version string.
-M	width	Width of the Mandelbrot image.
-Н	height	Height of the Mandelbrot image.
-X	xpos	Xpos to generate the Mandelbrot fractal.
- Y	ypos	Ypos to generate the Mandelbrot fractal.
-xs	xsize	Width of the window for the Mandelbrot fractal.
-i	iterations	Number of iterations for kernel execution.
	double	Enable double data type (default is float).
	fma	Enable Fused Multiply-Add (FMA). The default is Multiply-Add.

2 Implementation Details

The Mandelbrot set is a set of points in the complex plane, the boundary of which forms a fractal. Reference [1] provides a detailed description of the Mandelbrot fractals and also provides the pseudo code to generate the Mandelbrot fractal.

The sample implements that pseudo code. The region of the complex plane is considered to be subdivided into a certain number of pixels. The algorithm consists of iterating through all the pixels. For each pixel, further iteration of a fixed number of steps is carried out to determine whether or not that pixel is in the Mandelbrot set.

The sample implementation parallelizes the computation such that each pixel is processed independently.

The following loop is run on each pixel of the fractal image being rendered.

```
x0 = x co-ordinate of pixel
y0 = y co-ordinate of pixel
x = 0
y = 0

iteration = 0
max_iteration = 1000

while ( x*x + y*y <= (2*2) AND iteration < max_iteration )
{
   xtemp = x*x - y*y + x0
   y = 2*x*y + y0

   x = xtemp
   iteration = iteration + 1
}

if ( iteration == max_iteration )
then
   color = black
else
   color = iteration
plot(x0,y0,color)</pre>
```

3 References

http://en.wikipedia.org/wiki/Mandelbrot_set

Contact

Advanced Micro Devices, Inc. One AMD Place P.O. Box 3453 Sunnyvale, CA, 94088-3453

Phone: +1.408.749.4000

URL:

Developing: developer.amd.com/ $\stackrel{\cdot}{\text{developer.amd.com/appsdksupport}}$ Support: Forum: developer.amd.com/openclforum

developer.amd.com/appsdk

For AMD Accelerated Parallel Processing:



The contents of this document are provided in connection with Advanced Micro Devices, Inc. ("AMD") products. AMD makes no representations or warranties with respect to the accuracy or completeness of the contents of this publication and reserves the right to make changes to specifications and product descriptions at any time without notice. The information contained herein may be of a preliminary or advance nature and is subject to change without notice. No license, whether express, implied, arising by estoppel or otherwise, to any intellectual property rights is granted by this publication. Except as set forth in AMD's Standard Terms and Conditions of Sale, AMD assumes no liability whatsoever, and disclaims any express or implied warranty, relating to its products including, but not limited to, the implied warranty of merchantability, fitness for a particular purpose, or infringement of any intellectual property right.

AMD's products are not designed, intended, authorized or warranted for use as components in systems intended for surgical implant into the body, or in other applications intended to support or sustain life, or in any other application in which the failure of AMD's product could create a situation where personal injury, death, or severe property or environmental damage may occur. AMD reserves the right to discontinue or make changes to its products at any time without notice.

Copyright and Trademarks

© 2013 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, ATI, the ATI logo, Radeon, FireStream, and combinations thereof are trademarks of Advanced Micro Devices, Inc. OpenCL and the OpenCL logo are trademarks of Apple Inc. used by permission by Khronos. Other names are for informational purposes only and may be trademarks of their respective owners.