# GT1030 (CG111P2) Repair Guide


Jonas Gu

## **Model List**


Model name	60PN	GPU	Date	
GT1030-SL-2GD4-BRK	YV0BP0	CG111P	2018/4/23	

#### STANDARD APPEARANCE







## **BLOCK DIAGRAM**



## **POWER FLOW**




#### **VOLTAGE MEASURE POINT**



## **BGA REFLOW PROFILE**

Setpoints (Ce	elsius)									
Zone	1	2	3	4	5	6	7	8	9	10
Top	100	125	150	170	190	215	235	250	255	200
Bottom	100	125	150	170	190	215	235	250	255	200
onveyor Speed ( inch/min ):		26.00								



PWI= 96%	Max Rising Slope		Max Falling Slope		Preheat 130-220C		Reflow Time /220C		Peak Temp		Tot Time /230C	
U4 CEN - 1	1.80	-28%	-2.69	16%	115.35	71%	86.97	84%	243.84	38%	67.38	43%
M2 - 1	2.07	-17%	-3.28	-13%	120.00	78%	86.84	83%	245.08	61%	68.78	47%
J7 - 2	2.16	-14%	-3.41	-21%	121.51	80%	84.73	78%	245.34	53%	68.12	46%
L7 - 2	2,36	-8%	-3.76	-38%	115.18	71%	89.37	86%	248.28	83%	83,38	68%
Delta	0.66	174-20	1.08	MANAGE	8.35	MECOLI	4.85	1000000	4.44	11.07.01	8.00	18000