RTX2080(CG180P2) Repair Guide

KENT 3/22

Model List

| Model name | 60PN | GPU | Date |
|----------------------|--------|---------|-----------|
| TURBO-RTX2080-8G-EVO | YV0CL4 | CG180P2 | 2019/3/22 |


STANDARD APPEARANCE

TURBO-RTX2080-8G-EVO







BLOCK DIAGRAM



POWER FLOW




VOLTAGE MEASURE POINT



BGA REFLOW PROFILE

| Setpoints (Celsius) | | | | | | | | | | |
|---------------------|-----------------------------|-----|-------|-----|-----|-----|-----|-----|-----|-----|
| Zone | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Top | 100 | 125 | 150 | 170 | 190 | 215 | 235 | 250 | 255 | 200 |
| Bottom | 100 | 125 | 150 | 170 | 190 | 215 | 235 | 250 | 255 | 200 |
| Conveyor Sp | onveyor Speed (inch/min): | | 26.00 | | | | | | | |



| PWI= 95% | Max Rising Slope | | Max Falling Slope | | Preheat 130-220C | | Reflow Time /220C | | Peak Temp | | Tot Time /230C | |
|------------|------------------|----------|-------------------|---------|------------------|----------|-------------------|---------|-----------|--------|----------------|--------|
| U4 CEN - 1 | 1.80 | -28% | -2.69 | 10% | 115.35 | 71% | 86.97 | 84% | 243.84 | 38% | 67.38 | 43% |
| M2 - 1 | 2.07 | -17% | -3.28 | -13% | 120.00 | 78% | 86.84 | 83% | 245.08 | 61% | 68.78 | 47% |
| J7 - 2 | 2.15 | -14% | -3.41 | -21% | 121.51 | 80% | 84.73 | 78% | 245,34 | 53% | 68.12 | 46% |
| L7 - 2 | 2.35 | -8% | -3.76 | -38% | 115.18 | 71% | 89.37 | 95% | 248.28 | 83% | 63,36 | 68% |
| Delta | 0.66 | 0.744.00 | 1.06 | 1000000 | 8.35 | 10000000 | 4.85 | 1000000 | 4.44 | 110000 | 8.00 | 123402 |