Memory Profile

Document Number: DCIM1044 Document Type: Specification Document Status: Published

Document Language: E

Date: 2012-03-08



THIS PROFILE IS FOR INFORMATIONAL PURPOSES ONLY, AND MAY CONTAIN TYPOGRAPHICAL ERRORS AND TECHNICAL INACCURACIES. THE CONTENT IS PROVIDED AS IS, WITHOUT EXPRESS OR IMPLIED WARRANTIES OF ANY KIND. ABSENT A SEPARATE AGREEMENT BETWEEN YOU AND DELL™ WITH REGARD TO FEEDBACK TO DELL ON THIS PROFILE SPECIFICATION, YOU AGREE ANY FEEDBACK YOU PROVIDE TO DELL REGARDING THIS PROFILE SPECIFICATION WILL BE OWNED AND CAN BE FREELY USED BY DELL.

© 2010 - 2012 Dell Inc. All rights reserved. Reproduction in any manner whatsoever without the express written permission of Dell, Inc. is strictly forbidden. For more information, contact Dell.

Dell and the DELL logo are trademarks of Dell Inc. *Microsoft* and *WinRM* are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others.

CONTENTS

1	Scope	5
2	Normative References	5
3	Terms and Definitions	5
4	Symbols and Abbreviated Terms	6
5	Synopsis	7
6	Description	8
7	Implementation Description	
	7.1 Memory View	10
	7.2 Memory Profile Profile Registration	12
8	Methods	
9	Use Cases	13
10	CIM Elements	13
11	Privilege and License Requirement	13

Figures

Figure 1 – Class Diagram	8
Figure 2 – Memory Profile Implementation	9
Tables	
Table 1 – Related Profiles	7
Table 2 – Class Requirements: Memory Profile	10
Table 3 – DCIM_MemoryView - Operations	10
Table 4 – DCIM_MemoryView - Properties	11
Table 5 – DCIM_LCRegisteredProfile - Operations	12
Table 6 – DCIM_LCRegisteredProfile	12
Table 7 – Privilege and License Requirements	

Memory Profile

1

32

33

deviation is permitted

1 Scope 2 3 The DCIM Memory Profile describes the properties and interfaces for executing system management 4 tasks related to the management of memories (DIMMs) within a system. The profile standardizes and 5 aggregates the description for the memory properties into a memory view representation as well as 6 provides static methodology for the clients to guery the memory views without substantial traversal of the 7 model. 8 2 **Normative References** 9 10 The following referenced documents are indispensable for the application of this document. For dated 11 references, only the edition cited applies. For undated references, the latest edition of the referenced 12 document (including any amendments) applies. 13 DMTF DSP1033, Profile Registration Profile 1.0.0 14 DMTF DSP0226, Web Services for Management (WS-Management) Specification 1.1.0 15 DMTF DSP0227, WS-Management CIM Binding Specification 1.0.0 16 Dell Lifecycle Controller Best Practices Guide 1.0. 17 http://en.community.dell.com/techcenter/extras/m/white papers/20066173.aspx Dell WSMAN Licenses and Privileges 1.0 18 Dell Tech Center MOF Library, http://www.delltechcenter.com/page/DCIM.Library.MOF 19 20 DCIM MemoryView.mof 21 DCIM LCEnumeration.mof 22 DCIM LCRegisteredProfile.mof 23 3 **Terms and Definitions** 24 25 For the purposes of this document, the following terms and definitions apply. 3.1 26 conditional 27 28 indicates requirements to be followed strictly in order to conform to the document when the specified conditions are met 29 3.2 30 31 mandatory

Version 1.1.0 5

indicates requirements to be followed strictly in order to conform to the document and from which no

34	3	3
J4	J.	u

- 35 **may**
- indicates a course of action permissible within the limits of the document
- **37 3.4**
- 38 optional
- 39 indicates a course of action permissible within the limits of the document
- 40 3.5
- 41 referencing profile
- 42 indicates a profile that owns the definition of this class and can include a reference to this profile in its
- 43 "Related Profiles" table
- **3.6**
- 45 shall
- 46 indicates requirements to be followed strictly in order to conform to the document and from which no
- 47 deviation is permitted
- 48 **3.7**
- 49 **FQDD**
- 50 Fully Qualified Device Descriptor is used to identify a particular component in a system.
- 51 **3.8**
- 52 Interop Namespace
- 53 Interop Namespace is where instrumentation instantiates classes to advertise its capabilities for client
- 54 discovery.
- 55 **3.9**
- 56 Implementation Namespace
- 57 Implementation Namespace is where instrumentation instantiates classes relevant to executing core
- 58 management tasks.
- **59 3.10**
- 60 ENUMERATE
- 61 Refers to WS-MAN ENUMERATE operation as described in Section 8.2 of DSP0226 V1.1 and Section
- 62 9.1 of DSP0227_V1.0
- 63 **3.11**
- 64 GET

- 65 Refers to WS-MAN GET operation as defined in Section 7.3 of DSP00226 V1.1 and Section 7.1 of
- 66 DSP0227_V1.0

4 Symbols and Abbreviated Terms

- 69 **4.1**
- 70 **CIM**
- 71 Common Information Model

72	4.	2

- 73 iDRAC
- 74 integrated Dell Remote Access Controller management controller for blades and monolithic servers
- 75 **4.3**
- 76 **CMC**
- 77 Chassis Manager Controller management controller for the modular chassis
- 78 **4.4**
- 79 **WBEM**
- 80 Web-Based Enterprise Management

82 **5** Synopsis

- 83 **Profile Name:** Memory
- 84 **Version:** 1.1.0
- 85 **Organization:** Dell
- 86 **CIM Schema Version:** 2.26 Experimental
- 87 **Dell Schema Version:** 1.0.0
- 88 Interop Namespace: root/interop
- 89 Implementation Namespace: root/dcim
- 90 **Central Class:** DCIM_MemoryView
- 91 **Scoping Class:** DCIM_ComputerSystem
- 92 The Dell Memory Profile is a component profile that contains the Dell specific implementation
- 93 requirements for memory view.
- 94 DCIM_MemoryView shall be the Central Class.
- Table 1 identifies profiles that are related to this profile.

96


Table 1 - Related Profiles

Profile Name	Organization	Version	Relationship
Profile Registration	DCIM	1.0	Reference

6 Description

97

- The Dell Memory Profile describes platform's physical memory. Each DIMM's information is represented by an instance of DCIM_MemoryView class.
- 100 Figure 1 details the class diagram of the Dell Memory Profile.



101

102 Figure 1 – Class Diagram

Figure 2 details typical Dell Memory Profile implementation for a platform containing two DIMMs. In order for client to discover the instrumentation's support of this profile, MemoryProfile is instantiated in the Interop Namespace. MemoryProfile instance describes the information about the implemented profile: most importantly, the name and version of the profile and the organization name that produced the profile.

Memory1 and memory2 are the memory views representing the two memories in the Implementation Namespace. They are associated to the Interop namespace's MemoryProfile instance.




Figure 2 – Memory Profile Implementation

7 Implementation Description

112 This section describes the requirements and guidelines for implementing Dell Memory Profile.

Table 2 – Class Requirements: Memory Profile

Element Name	Requirement	Description				
Classes	Classes					
DCIM_MemoryView	Mandatory	The class shall be implemented in the Implementation Namespace. See section 7.1.				
DCIM_LCElementConformsToProfile	Mandatory	The class shall be implemented in the Implementation Namespace.				
DCIM_LCElementConformsToProfile	Mandatory	The class shall be implemented in the Interop Namespace.				
DCIM_LCRegisteredProfile	Mandatory	The class shall be implemented in the Interop Namespace. See section 7.2.				
Indications						
None defined in this profile						

114

115

111

113

7.1 Memory View

- 116 This section describes the implementation for the DCIM_MemoryView class.
- 117 This class shall be instantiated in the Implementation Namespace.
- 118 The DCIM_LCElementConformsToProfile association(s) shall reference the DCIM_MemoryView
- 119 instance(s).

120 7.1.1 Resource URIs for WinRM®

- 121 The class Resource URI shall be "http://schemas.dell.com/wbem/wscim/1/cim-
- 122 schema/2/DCIM_MemoryView ?__cimnamespace=root/dcim"
- 123 The key property shall be the InstanceID.
- 124 The instance Resource URI for DCIM MemoryView instance shall be:
- 125 "http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM MemoryView?
- 126 ?__cimnamespace=root/dcim+InstanceID=<FQDD>"

7.1.2 Operations

128 The following table details the implemented operations on DCIM_MemoryView.

129 **Table 3 – DCIM_MemoryView - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

130

127

7.1.3 Properties

The following table details the implemented properties for DCIM_MemoryView instance representing a memory in a system. The "Requirements" column shall denote the implementation requirement for the corresponding property. If the column "Property Name" matches the property name, the property either shall have the value denoted in the corresponding column "Additional Requirement", or shall be implemented according to the requirements in the corresponding column "Additional Requirement".

Table 4 - DCIM_MemoryView - Properties

Property Name	Requirements	Туре	Requirement and description
			The property value shall be the FQDD
InstanceID	Mandatory	string	property value.
			The property shall represent, a string
			containing the Fully Qualified Device
5000			Description, a user-friendly name for
FQDD	Mandatory	string	the object.
Managara	Mandatam	:	The property shall represent the type
MemoryType	Mandatory	uint16	of the physical memory. The property value shall be in MHz
			and shall represent the maximum
			operating speed of the physical
Speed	Mandatory	uint32	memory.
Оресси	iviaridatory	diritoz	The property value shall be in MHz
			and shall represent the current
			operating speed of the physical
CurrentOperatingSpeed	Mandatory	uint32	memory.
	•		The property value shall be in MB and
			shall represent the total size of the
Size	Mandatory	uint32	physical memory in MegaBytes.
			The property shall represent a string
			identifying the physically labeled bank
BankLabel	Mandatory	string	where the memory is located.
			The property shall represent the
Man fact and	Mandatan	- 1 - 1	name of the organization responsible
Manufacturer	Mandatory	string	for producing the memory.
			The property shall represent a manufacturer-allocated number used
SerialNumber	Mandatory	ctring	
Senainumber	Manualory	string	to identify the physical memory. The property shall represent the part
			number assigned by the organization
			that is responsible for producing or
PartNumber	Mandatory	string	manufacturing the physical memory.
	,		The property shall represent the
Model	Mandatory	string	model of the memory.
			The property shall represent
ManufactureDate	Mandatory	string	manufacture date of the product.
			The property shall represent the
Rank	Mandatory	uint8	number of ranks for the memory.
			The property shall represent a high
			level status value, intended to align
			with Red-Yellow-Green type
Drive an Otatus	Manadatam		representation of status for the
PrimaryStatus	Mandatory	uint32	physical memory,
LastSystemInventoryTime	Mandatory	etring	The property shall represent the last
LastSystemInventoryTime	iviariualury	string	time \"System \"Inventory Collection

Property Name	Requirements	Туре	Requirement and description
			On Reboot(CSIOR)\" was performed.
			The value is represented as yyyymmddHHMMSS.
			The property shall represent the last time the data was updated. The value is represented as
LastUpdateTime	Mandatory	string	yyyymmddHHMMSS

7.2 Memory Profile Profile Registration

- 139 This section describes the implementation for the DCIM LCRegisteredProfile class.
- 140 This class shall be instantiated in the Interop Namespace.
- 141 The DCIM ElementConformsToProfile association(s) shall reference the DCIM LCRegisteredProfile
- 142 instance.

138

151

152

153

154

159

161

143 7.2.1 Resource URIs for WinRM®

- The class Resource URI shall be "http://schemas.dmtf.org/wbem/wscim/1/cim-
- 145 schema/2/CIM_RegisteredProfile?__cimnamespace=root/interop"
- 146 The key property shall be the InstanceID property.
- 147 The instance Resource URI shall be: ""http://schemas.dell.com/wbem/wscim/1/cim-
- 148 schema/2/DCIM_LCRegisteredProfile?__cimnamespace=root/interop+InstanceID= DCIM:Memory:1.0.0"

7.2.2 Operations

150 The following table details the implemented operations on DCIM_LCRegisteredProfile.

Table 5 – DCIM_LCRegisteredProfile - Operations

Operation Name	Requirements	Required Input
Get Mandatory		Instance URI
Enumerate	Mandatory	Class URI

7.2.3 Properties

155 The following table details the implemented properties for DCIM LCRegisteredProfile instance

156 representing Memory Profile implementation. The "Requirements" column shall denote the

implementation requirement for the corresponding property. If the column "Name" matches the property

name, the property either shall have the value denoted in the corresponding column "Additional

Requirements", or shall be implemented according to the requirements in the corresponding column

160 "Additional Requirements".

Table 6 - DCIM_LCRegisteredProfile

Property Name	Requirement	String	Additional Requirements
InstanceID	Mandatory	String	DCIM:Memory:1.0.0
		String	This property shall have a value of
RegisteredName	Mandatory		"Memory".

Property Name	Requirement	String	Additional Requirements
RegisteredVersion	Mandatory	String	This property shall have a value of "1.1.0".
RegisteredOrganization	Mandatory	Uint16	This property shall have a value of 1 (Other).
OtherRegisteredOrganization	Mandatory	String	The property value shall match "DCIM".
AdvertisedTypes[]	Mandatory	Uint16	This property array shall contain [1(Other), 1 (Other)].
AdvertiseTypeDescriptions[]	Mandatory	String	This property array shall contain ["WS-Identify", "Interop Namespace"].
			This property array shall describe the required licenses for this profile.
ProfileRequireLicense[]	Mandatory	String	If no license is required for the profile, the property shall have value NULL.
			This property array shall contain the status for the corresponding license in the same element index of the ProfileRequireLicense array property. Each array element shall contain: • "LICENSED"
			"NOT_LICENSED"
ProfileRequireLicenseStatus[]	Mandatory	String	If no license is required for the profile, the property shall have value NULL.

163

169

171

175

8 Methods

- This section details the requirements for supporting extrinsic methods for the CIM elements defined by this profile.
- No additional details specified.

167 **9 Use Cases**

168 See Lifecycle Controller (LC) Integration Best Practices Guide.

10 CIM Elements

170 No additional details specified.

11 Privilege and License Requirement

The following table describes the privilege and license requirements for the listed operations. For the detailed explanation of the privileges and licenses, refer to the Dell WSMAN Licenses and Privileges specification.

Table 7 - Privilege and License Requirements

Class and Method	Operation	User Privilege	License Required
Class and monitor	operanon	Required	

Class and Method	Operation	User Privilege Required	License Required
	ENUMERATE,		LM_REMOTE_ASSET_IN
DCIM_MemoryView	GET	Login	VENTORY
	ENUMERATE,		
DCIM_LCRegisteredProfile	GET	Login	None.
	ENUMERATE,		
DCIM_LCElementConformsToProfile	GET	Login	None.