

The role of gender in ICT-mediated agricultural knowledge transfer: A pre-analysis plan

Bjorn Van Campenhout, Els Lecoutere and David J. Spielman

June 22, 2017

Abstract

In information dissemination campaigns through agricultural extension services, seemingly small attributes, such as the way it is delivered, who delivers the message or who is targeted by the message, can result in significant differences in outcomes, such as knowledge transferred, practices adopted, agricultural yields, and ultimately well-being within the household. In the context of ICT-mediated knowledge transfer, this study investigates the role of the gender composition of the person(s) who provide(s) the information and the gender composition of the person(s) who receive(s) the information in making the information transfer more effective. In addition, video as a way to deliver extension information is augmented to more demand-driven ICT solutions, such as Interactive Voice Response (IVR). Effectiveness is assessed in terms of knowledge gain, increased adoption, yield increase, and poverty reduction, and outcomes will be disaggregated by gender. The research questions will be answered using field experiments, where farmers are randomly assigned to particular interventions. This pre-analysis plan outlines hypotheses which will be tested, tools that will be used in the field, power calculations and sample size projection, outcome variables we will use to assess impact, and specifications we plan to estimate. As such, it will provide a useful reference in evaluating the final results of the study (Humphreys, Sanchez de la Sierra, and van der Windt, 2013).

Motivation

In a world characterized by incomplete and asymmetric information, targeted efforts to fill knowledge gaps can make a big difference. However, not every information campaign is equally effective, and often, seemingly small attributes, such as the way the message is framed, how it is delivered, who is targeted by the message and who delivers the message, can result in significant differences in impact (Jack, 2013). Understanding the effect of these attributes through rigorous evaluation research should therefore be an essential part of any knowledge exchange model.

This research will investigate some elements that are thought to be key in effective agricultural extension information delivery. In particular, we will zoom in on the role of (i) the gender composition of the receiver(s) of the agricultural extension information messages; (ii) the gender composition of the messenger(s) of the information message; and (iii) the way it is delivered. The questions will be answered through field experiments, where farmers are randomly assigned to a group that receives particular interventions, and outcomes will be compared to outcomes the did not receive the particular intervention (de Janvry, Sadoulet, and Suri, 2016). Since we want to test more than one research hypothesis and are particularly interested in comparing the relative effectiveness of various attributes of an ICT-enabled extension approach (instead of simply finding out if it works and compare treatment to control groups), we opt for a factorial design. In such a design, farmers get a particular combination of interventions and, in general, a smaller sample size is needed to answer a fixed number of research questions.

We will work with maize farmers in eastern Uganda. The interventions will take the form of short videos that explain simple yet effective ways to increase maize productivity, such as best practices in row spacing and soil fertility management. To test hypotheses related to the gender composition of the receivers, we will show the video to either the man, the woman, or man and women as a couple within the household. To test hypotheses related to the gender composition of the messenger(s), we will produce different versions of the video. In one version of the video, the information will be provided by a male farmer. In a second version of the video, the same information will be provided by a woman farmer. Finally, in a third version of the video, the information will be provided by a couple. To test hypotheses related to the way extension information is delivered, the videos will be augmented with an alternative technology to deliver the same information, such as Interac-

tive Voice Response (IVR). This intervention will be implemented using an encouragement design, where part of the sample is encouraged to use IVR. Power calculations suggest we would need a sample of about 3,600 farmers, which will be drawn from five districts. The videos will be shown twice to farmers, once before the beginning of the main season, in July 2017, and once in the beginning of the season, in August 2017. An endline survey will collect information on outcomes after harvesting, which ends in February 2018. We expect to collect endline data during March 2018 and to have results ready by July 2018.

The results of this study are expected to inform agricultural extension system reform currently underway in Uganda. Uganda’s new director of extension services signaled a role for digital extension within the future extension strategy. While the subject of this research study is maize intensification, we believe the findings can be readily extended to include similar interventions on different crops and subjects, including extension on post-harvest storage and handling, agricultural value addition, or agricultural commodity marketing.

Research Questions

This research aims to answer which combinations of attributes of an agricultural extension information campaign are most important for its effectiveness. In particular, we will investigate attributes related to the gender composition of both messenger and recipient of the messages. We will also look at the model of delivery of the information.

Gender Composition of Messenger and Receiver

Research suggests the gender composition of both messenger and receiver are important in making information effective. However, agricultural extension information services are generally biased toward men. Most often, extension officers are male who target the main decision maker with respect to agriculture within households, which is also often assumed to be the male farmer. The assumption that extension messages targeting one household member will trickle down to the rest of the household, including women and younger household members, may be false. Men do not necessarily discuss production decisions or transfer extension knowledge to women household members, es-

pecially if extension messages focus on men’s priorities and crops (Fletschner and Mesbah, 2011). Gender-matching effects, where men learn more from other men and women learn more from other women, have also been documented in the context of agricultural extension services (Doss and Morris, 2001). At the same time, farms are essentially run and managed at the household level, and it may therefore be more effective if information is targeted at this level. For instance, Lambrecht, Vanlauwe, and Maertens (2016) found joint male and female program participation leads to higher adoption rates of fertilizer in Eastern DR Congo. The analysis of a Digital Green project in Ethiopia also concluded that there is much to be learned from observing the interactions between men and women who learn about the same technologies and practices (Bernard et al., 2016).

We therefore will investigate the relative importance of (i) the gender composition of the messenger, and (ii) the gender composition of the audience for effective agricultural extension information delivery to encourage sustainable crop intensification in smallholder household farms and for improving gender equity in household farming. In particular, our research is designed to answer the following research questions:

- Does promoting a household approach to farming improve outcomes at the household level? This research question will be answered by comparing outcomes of households that are shown a video with agricultural extension information where the messenger is an individual farmer (ie. a man or a women) to outcomes of households that are shown a video providing the same information by a couple of farmers (ie. man and woman who are shown to participate as equals in the family farm and deliver the message as a couple);
- Does reducing agricultural extension information asymmetries within the household improves outcomes at the household level? This research question will be answered by comparing outcomes of households in which one adult individual (husband or wife) is shown a video with agricultural extension information to outcomes of households in which the couple (husband and wife together) is shown a video with the same information;
- Is there evidence of a gender-matching or homophily effect? This research question will be answered by comparing outcomes of households where the gender of the messenger and the recipient of the message

is matched (male-male and female-female) to outcomes of households where the gender of the messenger and recipient of the message differs (male-female and female-male).

We expect gender composition of receiver and messenger will affect aggregate household productivity. However, we also expect that gender composition of receiver and messenger will have an impact at outcomes within the household. To assess the effect the gender composition of messenger and receiver on equity within the household, we will therefor also look at the following research questions:

- Does reducing information asymmetries related to agricultural extension information within the household increase equity? To answer this question, we will compare the gender productivity gap within households where the video was shown to a man to the gender productivity gap in households where the video was shown to the woman.
- Does projecting a cooperative approach to agriculture increases equity. To answer this question, we will compare the gender productivity gap within households that were shown the video that promotes a household approach featuring a couple versus to the gender productivity gap in households that were shown a video where a single farmer provides the messages.
- How effective is a the interaction of both projecting a cooperative approach and reducing information asymmetries? To answer this question, we will compare the gender productivity gap within households that are both shown the video that also projects a household approach to the gender productivity gap in all the other households.

Finally, in addition to the questions above, we check if the variation in gender or recipient or messenger yields better equity outcomes than the status quo, which is defined as a man getting info from a man.

Different ICT Channels

The tools and technologies through which the information is transferred are also likely to influence effectiveness. There are many different ways of delivering agricultural extension messages through ICT. Broadly, one can differentiate between two different approaches. In one approach, extension resembles

the traditional teacher-pupil model, where the farmer is assumed to absorb knowledge from experts. Showing videos to farmers or pushing information over a mobile phone would fall into this category. A second approach relies more on a consultative model, where the farmer is assumed to know his or her information needs and requests this information from a service provider. Call centers and Interactive Voice Response (IVR) technology are examples of this second approach.

We will assess the effectiveness in terms of changing knowledge, practices and outcome such as yields and poverty of different modes of information delivery. In particular, we will:

- Establish if video is a cost-effective medium to transfer agricultural extension information at the farm household level. To test this, we will compare outcomes of farmers that were shown any kind of video to outcomes of households that are shown a random video (placebo).
- Is it cost effective to add a demand driven service to extension using video? To test this, we will compare outcomes of farmers that were shown any kind of video to outcomes of households that were shown any kind of video and were also encouraged to use IVR.

Outcomes

The effectiveness of the different interventions will be judged by their effect on a range of outcomes at the farm household level. Therefore, a first set of outcomes will investigate changes in knowledge due to the interventions. We will include changes in knowledge about the existence and use of inputs or practices that were featured in the video (such as proper spacing of maize, application rates of fertilizer, ect). We will also add some practices that are not directly shown in the video, as farmers that were shown the video may be motivated to search for additional information. It is further assumed that knowledge translates into increased adoption of the technologies. We will investigate both adoption as a binary outcome (yes/no), but also look at adoption intensity (adopted on share of total cultivated area, application rates, etc.). Again here, we will not only include practices shown in the video, but also record adoption of other practices or inputs (such as pesticide use), as our interventions may crowd in other intensification investments (Emerick et al., 2016). This, in turn, is expected to benefit agricultural production

and yields. Finally, we expect this will affect household well-being, through increased consumption and income derived from marketing of more, better quality crops. We will therefore include consumption expenditure as a proxy for well-being.

Defining the outcomes will enable us to compare the cost-effectiveness of each intervention (e.g., is showing a video to a woman more cost effective than showing it to a couple in terms of its effect on aggregate productivity?). We will also collect information that we think may be affected by focusing on gender aspects in agricultural extension. For instance, showing extension information to the wife instead of the husband may result in substantially different labor allocation effects: women may prefer labor saving innovations, while men may focus more on yield increasing investments. Most of the outcomes we will collect information on will also be disaggregated by gender. For instance, we will estimate maize yield for male managed and female managed plots separately. We will also include IFPRI's Abbreviated Women Empowerment in Agriculture Index (A-WEAI) (Alkire et al., 2013).

Research Strategy

The questions will be answered through field experiments, where farmers are randomly assigned to a group that receives particular interventions (de Janvry, Sadoulet, and Suri, 2016). An identification strategy that is based on randomization allows us to quantify the causal linkage between an intervention and the outcomes.

The research design itself will take the form of a mixed level factorial design. To answer the first set of research question related to gender, we define two different factors, each with three levels. The first factor relates to the messenger and has three levels (male, female and couple). Similarly, the second factor relates to the recipient of the message and also has these three levels (male, female and couple). The second set of research questions related to the way the information is brought and where video is now augmented with a demand-driven technology such as IVR, can be answered by adding an extra factor with two levels (no IVR, IVR). In practice, we therefore add the IVR treatment to half of the participants who get to see a video. Finally, we will add a pure control group to the design, such that we do not only investigate relative effectiveness of the different attributes, but also relative to households who receive no information at all. As we want to make sure the

impact is related to the actual information given in the video, and not merely a result of being shown a video, households in the control group will also be shown a “placebo” video. The information in this video will be completely unrelated to maize farming.

The video interventions will be targeted at the individual (household) level as opposed to group screenings. Videos will be shown in the house or in the field if necessary. This option guarantees consistency in the treatment and requires the least amount of observations. The videos will be developed in-house by the research team and produced by a professional media production company (NOTV).

For IVR, we will partner with Human Network International. Human Network International’s 3-2-1 develops content for farmers on a variety of crops and agricultural practices, and make the service available to farmers for free or at low cost. Since it is not possible to exclude farmers from this service and at the same time, we can not force farmers to use the service, we will use an encouragement design for this factor. In particular, to half of the sample that gets to see a video, we will give an Airtel simcard, which can be used to contact the IVR line. We will also give them a small leaflet with information on how to use the IVR system.

Crop and Technology

The interventions for which we will investigate various attributes will be on maize intensification. Maize is widely consumed, yet its value to weight ratio is sufficiently high to also make it an important traded commodity. Therefore, increasing maize productivity at the farm household level has the potential to lead to improvements in both nutritional outcomes and income. Maize yields in Uganda are relatively low. While on-station trials report potential yields average about 1.6 metric tons per acre (improved varieties, no fertilizer used), according to Uganda National Household Survey 2005/06 data, average maize yields are much lower, at about 618 kg per acre for the main growing season of 2014. There is a lot of variation in yields, with the top 10 percent of best farmers getting yields in excess of 1.1 metric tons per acre. At the same time, the use of modern inputs such as inorganic fertilizer and modern technologies such as row planting is very low in Uganda. For example, use of inorganic fertilizer averages only 1 kg of nutrient per hectare per year, compared to Kenya (32 kg/ha); Rwanda (29 kg/ha); and Tanzania

	subcounties	parishes	villages
Bugiri	11	72	399
Mayuge	13	73	462
Iganga	16	82	360
Namayingo	7	43	308
Namutumba	7	37	348
Total	54	307	1877

Table 1: Administrative structure of study area

(6 kg/ha).

Sampling

Sampling Frame

Maize is especially important in the East. We will sample from five districts from the East known for their maize production: Bugiri, Mayuge, Iganga, Namayingo and Namutumba. Table 1 gives an idea of how villages are distributed over parishes, which are in turn allocated to sub-counties within each of the 5 districts in our study. From this, we removed town councils and also two sub-counties that consisted of islands in lake Victoria. In addition,

Our study population consists of maize farmers within this region. Because of cost considerations, however, we will use two-stage cluster sampling to obtain a representative sample of this population. In particular, we will first randomly select parishes (proportional to the number of villages within each parish). In the selected parishes, all villages will be included in the study.

Within each village, we will then list all the households, from which we will then sample households to be included in the study. At the same time, we suspect that outcomes within villages will be correlated, for instance due to local weather conditions, or development programs that are implemented in certain areas. We therefore use the village as a blocking factor. In other words, in each village, we will make sure all possible treatment combinations related to the first 2 factors (plus control) are administered. From the research strategy above, we learn that the messenger and the recipient factor

combine into 9 different treatment combinations. Adding the control leads to 10 different households being selected in each village. Of the 9 farmers that are shown a video (not the placebo), half will also receive the IVR treatment.

Statistical Power

We determine total sample size and the distribution over the different treatment combinations by running various power analyses for different research questions with different underlying assumptions. Instead of determining power analytically, we use simulation techniques. Simulation allows us to sample from actual data on outcome variables instead of from a theoretical distribution with an assumed mean and standard deviation, which is a much more intuitive way to think about statistical power. It is straightforward to build in flexibility, such as allowing for more than one treatment arm, or account for sampling design effects such as cluster sampling. The algorithm that was used to perform the power calculations can be found in the git repository.

The power calculations will be based on the first set of research questions (related to the gender composition of the messenger and the receiver), as the hypotheses we formulate here are most complex and the factorial design allows us to recycle observations for the third factor related to adding IVR to the video content. Not only do the two gender related factors in the first set of research question both have three levels (male, female, and both), we are also interested in particular interactions between the two factors, which needs to be accounted for when determining sample size. For the third factor, which is the one related to adding IVR to the video treatment, we are only interested in the main effects and there are only two levels (video and video + IVR). Therefore, in this factor, we can allocate half of the households where whoever gets to see any kind of video to one level of the factor and half to the other level. For reasonable effect sizes, these sample sizes are likely to result in sufficient power to estimate the additional effect of IVR.

A first set of power calculations takes **maize yield** data, taken from the Uganda National Household Survey of 2005/06, as the outcome variable of interest¹. In particular, we calculate average yields of maize (defined as

¹While this is a relatively old survey, there are several reasons why we preferred it to more recent similar surveys such as the Uganda National Panel Survey of 2013/14. The most important reason relates to sample size. The UNHS interviewed about 6,000 households, while the UNPS interviewed only about 3,000 households.

quantity harvested per acre planted) during the second season of 2005 at the household level². We will sample from this distribution for the power calculations. Mean yields in the sample was about 618 kg per acre with a standard deviation of about 314 kg per acre. This is within the 500-800 kg per acre range that experts estimate for maize yields in the area. We will also use location data from this study to get an idea of the impact of stratifying at this level on statistical power³.

The corresponding expected effect size for each treatment combination on average yield at the household level is summarized in Figure 1. They range from a 2.5 percent increase in the treatment combination where the receiver is the woman and the messengers is a male to a 22.5 percent increase for the treatment combination where the video messages is shown to the couple and the message in the video is also delivered by a couple. The expected effect sizes are based on the interplay of the three effects mentioned above: gender-matching effect, a knowledge-is-power-effect, and the projection of a household approach. For instance, the effects on the diagonal in Figure 1 are higher because here the gender-matching effect is playing: We expect that men learn more from other man and women learn more from other women, which in turn would lead to higher yields among gender matched sub-samples. In Mozambique, Kondylis et al. (2016) find evidence of such a gender-matching or homophily effect in extension, whereby women seem to learn more from fellow women and men seem to learn more from fellow men. In particular, they find that among men who received information about pit planting from a male messenger, the proportion that are aware of pit planting is 10 percentage points higher. Female awareness, knowledge and adoption is the same irrespective of the presence of a male extension worker. However, if a female extension worker is added, awareness, knowledge and adoption among female farmers also increases by roughly the same proportions. We use these results to get an idea about the gender matching effect. In particular, we model a 10 percent increase in yields when messenger and recipient is male. We model a slightly lower effect when messenger and recipient is

²Using the UNHS may provide an overly pessimistic view. Experience with UNHS data suggests the yield data is very noisy. In addition, the first set of power calculations we used in the funding proposal for this study, we relied on rice yield data we collected ourselves in a previous study. When this data was used, we obtained substantially higher power for the same hypotheses.

³We use UBOS's Enumeration Area (EA) as location indicators, which is the lowest level of location identification that is provided without jeopardizing anonymity.

female (7.5 percent), as it is assumed women have less bargaining power within the household.

The expected effects emanating from the gender composition of the receiver is related to information deficiencies and a knowledge-is-power-effect. This can be directly when women are also important actors in agriculture. For instance, Kabunga, Dubois, and Qaim (2012) find that female farmers are less likely to adopt the tissue banana culture technology in Kenya, but that they would have an equal chance to adopt innovations, provided that they acquire sufficient knowledge about the innovation. In addition, knowledge may also affect technology adoption and subsequent yields through changes in relative bargaining power of the actors. Doss and Morris (2001) find that adoption of agricultural technologies among female farmers is lower than among male farmers. They find that this is due to gender-linked differences in access to complementary inputs. We assume only a very small effect (+1 percent) for the subset of women farmers who get to see a video where the messenger is a male farmer. As this effect seems to be partially driven by differences in access to complementary inputs, we assume a higher effect when the recipient is male and the messenger is female (+1.5 percent).

Lambrecht, Vanlauwe, and Maertens (2016) investigate the effect of participating in extension training as a couple. They investigate whether participation of female farmers in an agricultural extension programme in South-Kivu increases adoption of three technologies: improved legume varieties, row planting and mineral fertilizer. In their study, joint male and female programme participation leads to the highest adoption rates. In particular, they find that joint participation increases fertilizer adoption by 12.4 percentage points and row planting by about 13.4 percentage points. While these are large effects (as both fertilizer use and row planting is very rare in the area, with baseline percentages of 6 percent for fertilizer and 10 percent for row planting), the non-random nature of the intervention may lead to overestimation of the couple effect, and we model much more modest effects. Also, due to the homophily effect and the fact that men are likely to have more power within the household, we model a slightly higher increase in case the messenger is a man (+15 percent) versus a woman (+12.5 percent).

We also expect larger effects when the message is brought by a couple, as a cooperative approach to farming is likely to reduce inefficiencies within the farm household. We are not aware of previous studies that may guide us in the choice of the effect size, but we think it may be similar to the effect of providing training to a couple. We again expect this effect to be highest

Control 618 kg/ac		Messenger		
		Male	Female	Both
Receiver	Male	680 kg/ac 10.0 %	649 kg/ac 5.0 %	711 kg/ac 15.0 %
	Female	627 kg/ac 1.5 %	664 kg/ac 7.5 %	695 kg/ac 12.5 %
	Both	711 kg/ac 15.0 %	695 kg/ac 12.5 %	742 kg/ac 20.0 %

Figure 1: Expected Effect Sizes for Yields

when the receiver is a male, due to his bargaining position (+15 percent). We expect only a slightly lower effect when the women receives this treatments (+12.5 percent). Finally, when information inefficiencies are addressed by showing the video to both husband and wife and a cooperative approach to farming is projected, we expect the largest effect (+20 percent)

At one extreme, we could calculate sample size required to identify all possible treatment combinations in Figure 1. For instance, we could compare control to MM (receiver=male and messenger=male), control to FM (receiver=female, messenger=male), control to MF (receiver=male, messenger=female), etc. Testing all interactions in this way would require a sample size well above what is possible. We therefore will base our power calculations on comparing groups of treatments based on the research questions outlined above.

A first question will be to find out if videos work, irrespective of who they are shown to and who features in the video. We thus calculate sample size by taking all treatment arms and interactions in our factorial design together and we simply test the different between treatment and control⁴. This scenario is shown in the first graph in Figure 2. We find that we would be able to obtain sufficient power (.8) with a total sample size of about 500 observations. As these observations need to be balanced across the different cells in the experiment, this means we need at least 250 observations in the control and a minimum of 28 observations in each treatment combination.

⁴In the control, the placebo video also needs to be shown to somebody. We also make sure there is balance here between man, woman and couple. As such, in one third of our control, the placebo video is shown to the man, in one third it is shown to the female and in one third it is shown to the couple.




Figure 2: Power Curves for Maize Yield

A second question relates to the gender-matching or homophily effect. This is likely to be the most stringent, as it is based on only 4 cells of the design in Figure 1. In particular, we will compare cells with matched gender (MM and FF) with those that have opposite sexes matched (MF and FM). The results for these power calculations are shown as the second figure in the first row in figure 2. We find that we would need about 1,800 observations in total to get sufficient power. This means that in each of the relevant cells (MM, FF, MF and FM), we would need about 450 observations.

A third question relates to the gender composition of the recipient. Here, we want to compare a situation where there is information asymmetry (where only one of the spouses was shown the video) to a situation where both husband and wife received the same information (both were shown the video), irrespective of who features in the video. In this case, we use all cells in figure 1 and compare BB, BF and BB to MM, MF, MB, FM, FF and FB. The results of these power simulations is shown as the third graph in figure 2. We find that we obtain sufficient power for a total sample size of 2,000 observations. Taking into account the fact that we need to balance across all other cells, we need 333 observations in each of BB, BF and BB and 167 observations in each of MM, MF, MB, FM, FF and FB.

A fourth question is related to the gender composition of the animator, where we expect that when the message is brought by a couple, and a household cooperative approach is thus promoted, leads to better outcomes than when the message is given by an individual (either a male or a female farmer). We calculate sample size that is needed to determine a significant difference in yields between these two groups and plot this in last figure in Figure 2. The fact that we expect relatively large effects from a cooperative approach means we obtain sufficient power with a total sample size of about 2150 observations. Again taking into account balance across other cells mean we need at least 359 observations in each of MB, FB and BB and at least 180 observations in each of the other cells.

A second set of power calculations was done for an outcome variable that captures equity within the household. The **gender productivity gap**, where women managed plots are farmed less extensively than male managed plots resulting in significantly lower yields, has been observed throughout Africa South of the Sahara and for a variety of crops (Udry, 1996). In Uganda, Duponchel (2015) find that female managed plots are almost 20 percent less productive than male managed plots. The gap is caused by a general lack of access to production factors compared to men. For instance,

women may be forced to farm on inherently lower productivity plots and they may have less access to productivity enhancing tools, technologies and inputs such as fertilizer. Knowledge related to crop intensification is one such factor where access between men and women differs, and so finding out how changing particular attributes to extension videos affect this gap is an important outcome.

Using data from the latest Uganda National Panel Survey (2012-2013), we also find a significant gender gap among maize farmers in Uganda. Male farmers obtain yields of about 1427 kg per hectare. Women managed maize plots only get about 1385 tons. We thus model a difference of about 42 kg per hectare, with a standard error of about 40 kg per hectare⁵. The difference we find seems lower than what others find. For instance, Larson et al. (2015) find the gender gap to be about double of what we find, although they base their analysis on male versus female headed households, while we look at the gender of the person that manages the plot. According to FAO, female managed plots are in general 20-30 percent less productive. Duponchel (2015) estimate the gap to be 23 percent, but they aggregate all crops by weighing by prices and expressing yields in monetary terms. Peterman et al. (2011) estimate it as high as 50 percent.

There is no literature we are aware of that looks at the effect of the gender composition of the messenger and the gender composition of the receiver of agricultural extension messages on the agricultural productivity gap. Therefore, we will use our best judgment to determine expected effect sizes. Modeled effect sizes are summarized in Figure 3. Starting from a baseline situation where maize yields are about 42 kg/ha higher on male managed plot, showing a video to a man only is likely to further increase this gap. We therefore simulate a 15 percent higher yield gap in this group. Due to the homophily effect, we expect that the increase in male productivity is smaller when the messenger is a woman (as the message will be less effective), and so the gap will increase less (+10 percent). Finally, if the message is brought by a couple and a household approach to farming is projected, the man may be encouraged to share some of the knowledge with his wife. However, we expect the increase in yield on male managed plots to still be higher than any potential increase of yield on the female managed plot. As such, we expect the effect on the yield gap to be marginally positive (+2.5%).

⁵In this case, the simulations are not based on draws from actual data, but from a normal distribution with mean 42 and standard deviation of 40.

Control 42 kg/ha		Messenger		
		Male	Female	Both
Receiver	Male	48.30 kg/ha +15.0 %	46.20 kg/ha +10.0 %	43.05 kg/ha +2.5 %
	Female	37.80 kg/ha -10.0 %	33.60 kg/ha -20.0 %	35.70 kg/ha -15.0 %
	Both	43.05 kg/ha +2.5 %	40.95 kg/ha -2.5 %	28.00 kg/ha -33.3 %

Figure 3: Expected Effect Sizes for Gender Productivity Gap

When the information is shown to the woman but not to the man, it is expected that yields on female managed plots will increase, while yields on male managed plots are likely to remain the same. This would mean that the gap reduces. Again due to the homophily effect, we expect women to learn most from women, and so the reduction in the gap will be highest when the messenger is also a women (-20 %). The reduction will be smallest when the information is given by a man (-10 %). Finally, if the woman is sensitized on the importance of a household approach to farming, some of the information may be shared with the husband, also reducing the effect on the gap somewhat (-15 %).

When the information is given to the couple, we expect little or no effect on the gap if the message is given by either male or female. We may expect a slight increase in the gap if the information is given to the male (+2.5%) and a slight decrease if the information is given by a female (-2.5%). Finally, if both spouses have all the information and the message is given that the household farm should be managed as a unit, we expect that the gap reduces by a third (-33.3%).

With respect to intra-household outcomes, we are also interested in four hypotheses. First, instead of comparing the treatment to control, we will compare the status quo (where a man is targeted by a male extension worker) to any other treatment combination. Second, we want to test the importance asymmetric information, and we will test if the gap significantly differs between households where the man was shown the video and households where the woman was shown the video. Third, we want to test if there is a difference depending on whether a household cooperative approach was promoted or the information was brought by an individual. Finally, we also want to

separately compare changes in the gender yield gap for households that are both shown the video that also projects a household approach to all the other households.

We again ran a series of power simulations corresponding to these four hypotheses. The results are presented in Figure 4. To be able to answer the first question with sufficient power, we need a total sample size of about 600 observations. Of these, at least 300 observations should be in the MM cell, and about 38 observations in each of the other cells. To answer the second question, we need about 500 observations. These need to be equally divided over the first two rows of the matrix in figure 3, meaning at least 83 observations in each cell. To answer the third question, we need a total of about 1,100 observations. These observations should be distributed as follows: at least 183 in each of the cells in the last column and at least 92 in each of the other cells. The final question can already be answered with less than 300 observations. Of this, 150 should be in the BB cell, and about 20 in each of the other cells.

On the basis of the above, we come to the following ideal division of observations across the different treatment cells : {ctrl=250, MM=450, MF=450, MB=359, FM=450, FF=450, FB=359, BM=333, BF=333, BB=359}, leading to a total number of observations of 3,793. However, due to various constraints, we will relax power for the most stringent research hypothesis, which is the second question relating to the gender-matching or homophily effect. If we only require 60 percent power, we can reduce sample size for MM, MF, FM and FF to 375, leading to a sample size of about 3,500 observations in total. To account for attrition, we add another 100 observations to each group according to their weight in the total, {ctrl=257, MM=385, MF=385, MB=369, FM=385, FF=385, FB=369, BM=342, BF=342, BB=369} or 3,588 observations.

Assignment to Treatment

We use cluster sampling to draw our sample. We randomly select parishes (within subcounties within the five districts) proportional to the number of villages within each parish. We include all villages within each parish. We use village as a blocking variable. That is, within each village, we randomly allocate up to 10 households to any of the 10 treatment combinations defined by the messenger gender composition and recipient gender composition factors plus control. Half of them also receives the IVR encouragement. The




Figure 4: Power Curves for Gender Productivity Gap

code that does the sampling and treatment allocation can be found [here](#). The resulting sample with treatment allocation can be accessed [here](#).

Fieldwork

Calendar

In the East, there are two maize cropping seasons. For our study, we will concentrate on the second maize growing season, which runs from about August to January. In August, fields are prepared and planting is done in September. First weeding happens around the end of September or the beginning of October. By late October, a second round of weeding takes place as maize starts to flower. Mid to late December, harvesting starts. In higher areas, harvesting can go on until mid January. During the second season, farmers prefer early maturing varieties, as the rains are short. However, in general, early maturing varieties have lower yields. The full cycle from planting to harvesting in lowland areas takes about 3 to 3.5 months. In high altitude areas this can take up to 5 months. In our study, we will concentrate on lowland areas.

Barriers to maize intensification

The treatments consist of the provision of information that is assumed to increase maize productivity through encouraging adoption of modern technologies and recommended practices. The goal was to select those practices and technologies that are likely to have the largest impact on yield, household income and intra-household equity. The topics to be included in the video script were obtained from interviews with key stakeholder and experts, such as maize farmers, value chain actors, maize breeders, extension workers and other government staff such as the district agricultural officer. These interviews took place in May 2017.

The main factors affecting maize productivity are related to pests, poor soils, and poor seed quality. The three most important **pests** that affect maize farming are Striga, maize stalk borer, and now also Armyworm. Striga (in particular the Striga hermonihica variety), also called witchweed, is a parasitic plant that feeds off the roots of maize. Doing so, it starts to draw nutrients from the host, leading to severe stunting of the host crop. Since most of the damage is already done by the time the parasite emerges from

the ground, weeding is not very effective. In addition, each Striga plant produces up to 50,000 seeds, which remain dormant in the soil until new maize is planted. Striga can reduce production from about 30 percent up to total loss of the crop. No single method is effective to control striga. A new hybrid seed called Longe 7 HR, boosted with a herbicide, is said to be less affected by striga, but it is expensive at 10,000 UGX/kg and does poorly under dry conditions and in areas where the rains are short such as in the East⁶. Crop rotation with sweet potato or beans can reduce striga infestation. Furthermore, (additional) inorganic fertilizer use has also been recommended to counter striga. It has been observed that striga proliferates when soils are poor. In addition, one can make up for the nutrients drained by the parasite by boosting the maize plant with DAP or NPK. Weeding, especially the first time the striga comes up before it has had the chance to dig into the roots of the maize, is recommended, also to reduce the spread of seeds.

The stemborer is actually a moth that is active during night, laying eggs on maize plants. It is the larva of the moths that cause the damage. They enter inside maize stem, where they feed and grow for about three weeks. If larvae enter the maize plant at an early stage, this can kill the plant. At a later stage, since larvae make extensive tunnels inside the stem, the maize plants weaken. The stem may break, or the maize plants may fall over. Maize stemborer can reduce production by between 20 and 40 percent.

The fall armyworm is relatively new in Uganda⁷. As the stemborer, the damage is done by a larva from a moth. Currently, it is present in about 20 districts. In some districts, up to 40 percent of maize is affected. Yield losses are estimated at 10 to 15 percent nationwide. However, experts fear this is only the beginning, and armyworm may overtake stemborer as the most destructive pest. Armyworm is very difficult to control. One expert had some success with a chemical called Dudu Accelamectin, which required spraying only once and hence is cheap. However, other experts warned that the effectiveness of one single type of chemical depends on many factors such as location, type of seed used, etc. Other chemicals such as Rocket were also mentioned to be somewhat effective.

Poor soils, exhausted by continuous cultivation with little rotation, is a second main limiting factor. Soils lack macro-nutrients such as nitrogen

⁶In the East, early maturing varieties are preferred, such as Longe 10. In the future, it a similar HR strain of Longe 10 is expected to be released.

⁷Armyworm was discovered in Uganda in the first season of 2017. However, experts told us that it was also present in the second season of 2016 but was mistaken for stemborer.

(N), phosphorous (P) and potassium (K). Farmers rarely use organic fertilizer. Experts say it is virtually impossible to get decent yields without using inorganic fertilizer. In particular, at planting stage, DAP or NPK should be used in the soil. After about 4 weeks, a nitrogen based fertilizer such as Urea should be applied on the topsoil near the plants to boost vegetation. Sometimes it is also advised to split the application of urea, administering half a doze at 4 weeks and half a dose at tasseling stage. Fertilizer can easily double yields. Especially used in combination with improved seeds, the effects of fertilizer are significant.

Within Africa, farmers mainly rely on saved **seeds**, and maize in Eastern Uganda is no exception (McGuire and Sperling, 2016). However, as maize is cross pollinated, recycling leads to fast degeneration. However, hybrid seeds such as Longe 7, Longe 9 are available and have also been distributed through Operation Wealth Creation. Hybrid seeds potentially triple yields. In addition to hybrid seeds, which need to be procured every seasons as they can not be recycled, the government also released Open Pollinated Varieties (OPV). These are improved varieties that can be reused for about 3 or 4 seasons. In general, they are lower yielding than hybrid seeds. Still, yield are likely to be about 30 to 40 percent higher than when saved seeds are used, up to 100 percent if OPVs are also used with fertilizer. OPVs are generally recommended to poorer farmers as they can be reused as seeds to some extent.

Most hybrid seeds take long to mature. Farmers also complain that hybrids do not withstand drought very well. However, new varieties have entered the market that are both high yielding and early maturing. For example, UH5354, marketed as Bazooka yields about 20 percent more than other hybrids and is drought resistant. Farmers that use these seeds report up to 40 bags of maize per acre. Today, yields are about 7-8 bags per acre. Similarly, there are several OPVs on the market that are also early maturing.

Finally, there are also **agricultural practices** that affect yields, but the effects are generally smaller than those related to improved seeds and inorganic fertilizer use. The most important are:

- **Timely planting:** maize should be planted at the onset of the rains. However, many farmers delay planting for several reasons. For instance, they may not be certain that the rains have really started. There may also be bottlenecks in land preparation, where the poor are often the last in line for the use of oxen or tractors. It is estimated that each day

a farmer delays planting, yields reduce by 1.5 percent.

- **Plant spacing:** Plant that are too close to each other compete for light and nutrients, reducing yields. Plants that are too far from each other means space is wasted, also leading to lower yields. Related is the number of seeds that farmer plant in each hill. The recommended practice is to put in two, but farmers want to be sure of germination and put in more, sometimes up to 5. If they all germinate, there is competition for nutrients and sun. Usually there is also not enough thinning, or this is done too late when competition has already occurred. One expert told us that standard spacing is 75cm x 60cm with two plants per hill. However, they now recommend 75cm x 30cm with 1 plant per hill. The expert estimated the latter results in a 35 percent higher yield than the former.
- **Weeding:** The first weeding should be at 18-20 days after planting at the three leaf stage, and the second weeding at 2-3 weeks after first weeding. From emergence to 8 leaves (knee height), maize plant is a very poor competitor and unwanted stress such as weed competition must be prevented. Weeding must therefore be done within that period. A third weeding is optional. It is only dependent on weed pressure after the second weed. If needed, it should be done at tasseling stage. Weeding removing Striga at early stage before it can attach to the roots of the maize can also have a significant impact on yields. In addition, removing striga before it flowers reduces the spread of the pest. Proper weeding can increase yield by about 50 to 70 percent.

Instruments

We will use video to convey information to farmers with the aim of changing adoption behaviour. We will focus on providing information on seed selection, soil nutrient management (including promoting organic fertilizer application), weeding, timely planting and plant spacing⁸. From our conversations

⁸As mentioned above, pest control also ranks high among technologies that increase yields. However, we felt uncomfortable promoting chemicals in our videos that are potentially hazardous to humans. In Uganda, Endosulfan, DDT, Glyphosate, Linden and others—are still being used. Many of these are on the World Health Organization's list of banned chemicals and blacklisted by the Stockholm Convention on Persistent Organic Pollutants.

with experts, we learn that many farmers may already be aware of the existence and use of these technologies or practices. Therefore, simply providing information about the existence of modern technologies and recommended practices and on how to use them may not be sufficient to change behavior. Often, access and affordability was mentioned as a problem⁹. In our videos, we will thus also try to alter the belief that seeds and fertilizers are “too expensive” by pointing out the costs and benefits of the different technologies and practices we promote¹⁰. In addition, we will encourage farmers to start small, using fertilizer and seeds on a small area of their field to experiment and see for themselves, and reinvest in subsequent years. Inter-temporal decision making, where costs today have to be compared to uncertain outcomes in a distant future, is often challenging for poorly educated farmers¹¹. Furthermore, Duflo, Kremer, and Robinson (2011) point out farmers may have difficulties committing to fertilizer use in Kenya. In our video, we attempt to make farmers aware of this, and suggest some techniques to overcome this bias. We also pay considerable attention to the way the message is delivered.

⁹Farmers indeed often mention they do not use modern inputs because they have no money, suggesting liquidity is the main constraining factor, and thus instead of providing information, a more effective strategy would be to provide credit or subsidize inputs. Recent research, however, finds that despite what farmers claim, liquidity is often not the most important constraining factor. Duflo, Kremer, and Robinson (2011) note that in Kenya, fertilizer is relatively cheap and can be bought in small quantities, putting it in reach of even the poorest households. They suggest the main reason for low fertilizer adoption rates should be attributed to the farmer’s failure to commit. Ashraf, Gine, and Karlan (2009) find that lack of credit was not the main reason why farmers did not produce high-value export crops, and that farmers that did produce export crops found access to credit on their own. Emerick et al. (2016) find that increasing access to drought tolerant seed that reduced downside risk increased the use of credit from existing sources. Finally, Karlan et al. (2014) compare outcomes related to agricultural production between households that were given cash to households that were provided with insurance and find that when provided with insurance, farmers are able to find resources to increase expenditure on their farms.

¹⁰The fact that farmers do not engage in a cost benefit analysis, where inputs are used to generate output, was illustrated by a complaint made by one of the farmers. He complained that farmers get low prices. To him, it did not make sense to buy seed at 6000 per kg and sell maize at only 300-400 per kg.

¹¹Under-investment caused by low perceived returns in the future has also been documented in the demand for schooling (Jensen, 2010). A recent experiment investigates if rice farmers in Uganda are aware of the returns to different recommended rice growing practices such as early transplanting and fertilizer use (Van Campenhout, Van Asten, and Walukano, 2017).

For instance, the message is brought by “peer farmers”, as it is found that farmers find communicators who face agricultural conditions and constraints most comparable to themselves to be the most persuasive (BenYishay and Mobarak, 2014). The information is also presented as a success story, which is assumed to affect a range of non-cognitive farmer characteristics such as aspirations, locus of control and self-esteem (Bernard et al., 2015).

The video starts with a farmer (a male farmer, a female farmer, or a couple, see below) introducing themselves. He talks about how he used to struggle with his maize gardens and how at one point in time, he decided things needed to change. It is shown how the farmer sells a hen, and obtains a small loan from a friend. This money is then used to buy small quantities of improved seed and fertilizer in a local shop. It is then shown that, before planting the improved seed, the farmer prepares the garden. He is shown collecting manure wherever he can find it, and applies it to a small corner of the field of 20m by 20m. Next, it is shown in detail how the maize seeds are spaced 75cm x 30cm with 1 plant per hill and how the DAP should be applied. The viewer is reminded to plant in time. The next scene depicts the field after about 10 to 12 days when the maize has emerged from the ground. At this stage, it is recommended that the farmer engages into gap filling to replace seeds that did not germinate with new seeds to preserve optimal plant density. The next shot shows the field at 18 to 20 days after planting, when first weeding is done. Particular attention is paid to identification of striga in an early stage. It is also advised to weed again two to three weeks later. The next scene zooms in on urea fertilizer application. Here, the field is shown at about 4 weeks after planting when the maize is knee high. It is shown how Urea topsoil dressing should be applied. Finally, it is recommended to do one more round of weeding around the tasseling stage of the maize.

We then spend some time comparing the costs to the benefits of the different improved inputs and recommended practices. For fertilizer and improved seed, the costs for one acre are calculated and compared to the value of what is harvested. The profit is then compared to the value of what would have been harvested on that acre without improved seed and fertilizer. This would be less than half of what the profit would be when improved inputs are used. For recommended practices, we report what the expected yield increase would be if, for instance, recommended spacing was used or weeding is done in time.

Next, we try to promote a long run perspective, where the farmer is encouraged to start small (one tenth of an acre) and grow bigger over time. We also pay some attention to the commitment problem. We advise the farmer

to, at time of harvest when the farmer sells most of his maize, immediately go to the farm supply store and purchase seeds and fertilizer, and store this in a safe place. If inputs are not available, farmers are encouraged to keep the money needed to buy the inputs in a separate, labeled container. It is sometimes argued that such mental accounting can be an effective commitment mechanism (Dupas and Robinson, 2013). In a last scene, the farmer recapitulates and once more directly addresses the viewer and encourages him or her to try this as well.

A total of three such videos will be produced. They will be identical in terms of the information that will be in the video, but they will differ according to the gender of the messenger, corresponding to one of the factors in the factorial experimental setup. In one version of the video, the actor will be a man. In a second version of the video, the actor will be female. In a third version, the video will feature a couple as the messenger. Here, both male and female will feature in the different scenes, and the person talking to the viewer will be altered between the man and the women. Finally, we will use a placebo video for the control. This will be a neutral video on a non-related topic, such as the tourist potential of the region. Farmers will be shown any of these four videos according to random treatment allocation. Videos will be shown twice to each farmer in the sample, once before planting (July) and once immediately after planting (August).

The videos will be embedded in a small Computer Assisted Personal Interviewing (CAPI) survey application implemented in Open Data Kit (ODK). The application will start by asking some identifying information about the farmer and recording consent. It will also be used to collect some basic farmer characteristics, which can be used to investigate balance at baseline. The application will also embed the video, which will be cued to make sure the correct video is shown to the right farmer. Finally, information will be gathered on viewing conditions, and some information will be collected to see if farmers understood the information that was given in the video.

After harvesting of maize in January of February 2018, an farmer level endline survey will collect information on a range of outcomes related to learning, adoption behaviour, maize production and farmer well-being more generally. We will also inquire about intra-household issues. This endline survey will also be implemented as CAPI, either using ODK, SurveyBe or Survey Solutions.

Empirical Analysis

Variables

Log yields

Balancing Checks

Treatment Effects

Intent to Treat

For the questions related to gender, we assume full compliance, and as such assume that the average treatment effect is equal to the treatment on the treated effect. Therefore, we will simply compare means between the different groups in a regression framework. In particular, we identify the treatment effects (β) by estimating the average treatment effect of an outcome variable (y):

$$y_h = \alpha + \beta T_h + \varepsilon_h \quad (1)$$

where T is an indicator function that is one if household h was in the treatment group and zero otherwise. We will control for the gender of the enumerator and also add parish fixed effects.

It is important to realize that treatment and control groups need to be balanced over all other factors. This means that often, we can not use all observations. For example, if we want to simply test if being shown any video was effective in increasing maize yields, we can not simply compare the 257 control households that were shown a video to all households that were shown a video (3,331 households). We need to make sure that within the treatment group, there are equal numbers in each cell. As such, we need to take the treatment combination with the least observations, which are according to the power calculations the combinations where the video is shown to the couple and the messenger is either a man or a woman (BM and BF). In these cells, we need at least 342 observations. Therefore, to test the effectiveness of videos, we compare 257 control households to 3,078 households, which corresponds to 342 households in each of 9 treatment combination cells. Therefore, in each cell that has excess observations, we will take a random sample. For example, according to the power calculations, we

will have 385 households in the treatment combination where the messenger is male and the recipient is male (MM). We will take a random sample of 342 from these 385 households.

Treatment on the Treated

Heterogeneous Effects

Standard Error Adjustments

While our main outcome variables are ultimately household welfare and potato yields, we will also estimate the impact of our interventions on a range of intermediate variables. The fact that we have many such variables may lead to the so-called “look elsewhere” effect, where one is bound to find significant effects simply due to the sheer number of parameters. Therefore, some form of multiple-inference correction is in order. In general, there are two ways in which to avoid false positives that result of multiple hypothesis testing. One can either reduce the number of hypothesis, or one can make the statistical test stricter by for instance reducing the significance threshold (such as the Bonferroni adjustment). We will address false positive arising from multiple hypothesis testing using both ways.

First of all, we will use the groupings presented in the section that lists the variables to create indices (directly related to yield, sales, welfare, crowding in other intensification methods,...). At the most basic level, each of the indices is a weighted mean of the several standardized outcomes within each group. In particular, for each variable within each group, we make sure positive direction always means better, otherwise we switch sign. We then demean the outcome and standardize by scaling by the control group standard deviation. We then create weighted averages for the outcomes in each group at the household level, using as weights the inverse of the co-variance matrix of the transformed outcomes within the group. This is done for each of the groups. The resulting variables can then be used to assess the impact of the particular intervention using the specifications outlined above.

However, we may be interested in identifying differential effects within each of the groups. For example, we may want to differentiate between the effect on potato sales immediately after the harvest and potato sales during the lean season. We will therefore also use Family Wise Error Rate Control. In particular, we will use the free step-down re-sampling method of

?. Finally, we will also drop outcomes from our analysis for which 95 percent of observations are the same value. This is done to reduce the influence of outcomes with limited variation.

Research Team

The research will be led by Bjorn Van Campenhout (b.vancampenhout@cgiar.org), Els Lecoutere (els.lecoutere@uantwerpen.be) and David Spielman (d.spielman@cgiar.org). Research assistance will be provided by Wilberforce Walukano (W.Walukano@cgiar.org) and Marc Charles Wanume (wcharli@gmail.com).

Deliverable and Calendar

References

- Alkire, S., R. Meinzen-Dick, A. Peterman, A. Quisumbing, G. Seymour, and A. Vaz. 2013. “The Women’s Empowerment in Agriculture Index.” *World Development* 52: 71 – 91.
- Ashraf, N., X. Gine, and D. Karlan. 2009. “Finding Missing Markets (and a Disturbing Epilogue): Evidence from an Export Crop Adoption and Marketing Intervention in Kenya.” *American Journal of Agricultural Economics* 91 (4): 973.
- BenYishay, A. and A. M. Mobarak. 2014. *Social Learning and Communication*. NBER Working Papers 20139, National Bureau of Economic Research, Inc.
- Bernard, T., S. Dercon, K. Orkin, and A. Seyoum Taffesse. 2015. “Will Video Kill the Radio Star? Assessing the Potential of Targeted Exposure to Role Models through Video.” *The World Bank Economic Review* 29 (sup 1): S226.
- Bernard, T., S. Makhija, K. Orkin, A. S. Taffesse, and D. J. Spielman. 2016. *Video-based agricultural extension: Analysis of a pilot project in Ethiopia*. Project note, International Food Policy Research Institute.

- de Janvry, A., E. Sadoulet, and T. Suri. 2016. "Field experiments in developing country agriculture." *Handbook of Economic Field Experiments* .
- Doss, C. R. and M. L. Morris. 2001. "How does gender affect the adoption of agricultural innovations?: The case of improved maize technology in Ghana." *Agricultural Economics* 25 (1): 27 – 39.
- Duflo, E., M. Kremer, and J. Robinson. 2011. "Nudging Farmers to Use Fertilizer: Theory and Experimental Evidence from Kenya." *American Economic Review* 101: 2350–2390.
- Dupas, P. and J. Robinson. 2013. "Why Don't the Poor Save More? Evidence from Health Savings Experiments." *American Economic Review* 103 (4): 1138–71.
- Duponchel, D. A. D. B. K. D. M. 2015. *Investigating the Gender Gap in Agricultural Productivity: Evidence from Uganda*. The World Bank.
- Emerick, K., A. de Janvry, E. Sadoulet, and M. H. Dar. 2016. "Technological Innovations, Downside Risk, and the Modernization of Agriculture." *American Economic Review* 106 (6): 1537–61.
- Fletschner, D. and D. Mesbah. 2011. "Gender disparity in access to information: Do spouses share what they know?" *World Development* 39 (8): 1422–1433.
- Humphreys, M., R. Sanchez de la Sierra, and P. van der Windt. 2013. "Fishing, Commitment, and Communication: A Proposal for Comprehensive Nonbinding Research Registration." *Political Analysis* 21 (1): 1.
- Jack, B. K. 2013. *Market inefficiencies and the adoption of agricultural technologies in developing countries*. Tech. rep.
- Jensen, R. 2010. "The (Perceived) Returns to Education and the Demand for Schooling*." *The Quarterly Journal of Economics* 125 (2): 515.
- Kabunga, N. S., T. Dubois, and M. Qaim. 2012. "Heterogeneous information exposure and technology adoption: The case of tissue culture bananas in Kenya." *Agricultural Economics* 43 (5): 473–486.

- Karlan, D., R. Osei, I. Osei-Akoto, and C. Udry. 2014. "Agricultural Decisions after Relaxing Credit and Risk Constraints *." *The Quarterly Journal of Economics* 129 (2): 597.
- Kondylis, F., V. Mueller, G. Sheriff, and S. Zhu. 2016. "Do Female Instructors Reduce Gender Bias in Diffusion of Sustainable Land Management Techniques? Experimental Evidence From Mozambique." *World Development* 78 (C): 436–449.
- Lambrecht, I., B. Vanlauwe, and M. Maertens. 2016. "Agricultural extension in Eastern Democratic Republic of Congo: does gender matter?" *European Review of Agricultural Economics* 43 (5): 841.
- Larson, D. F., S. Savastano, S. Murray, and A. Palacios-López. 2015. "Are women less productive farmers? How markets and risk affect fertilizer use, productivity, and measured gender effects in Uganda." .
- McGuire, S. and L. Sperling. 2016. "Seed systems smallholder farmers use." *Food Security* 8 (1): 179–195.
- Peterman, A., A. Quisumbing, J. Behrman, and E. Nkonya. 2011. "Understanding the complexities surrounding gender differences in agricultural productivity in Nigeria and Uganda." *Journal of Development Studies* 47 (10): 1482–1509.
- Udry, C. 1996. "Gender, agricultural production, and the theory of the household." *Journal of political Economy* 104 (5): 1010–1046.
- Van Campenhout, B., P. Van Asten, and W. Walukano. 2017. *The Role of Information in Agricultural Technology Adoption: Experimental Evidence from Rice Farmers in Uganda*. Tech. rep., IFPRI.