

Spring Boot in 10(ish) Steps

Getting Started with Spring Boot

- **WHY** Spring Boot?
 - You can build web apps & REST API WITHOUT Spring Boot
 - What is the need for Spring Boot?
- **WHAT** are the goals of Spring Boot?
- **HOW** does Spring Boot work?
- **COMPARE** Spring Boot vs Spring MVC vs Spring



Getting Started with Spring Boot - Approach

- **1:** Understand the world before Spring Boot (10000 Feet)
- **2:** Create a Spring Boot Project
- **3:** Build a simple REST API using Spring Boot
- **4:** Understand the MAGIC of Spring Boot
 - Spring Initializr
 - Starter Projects
 - Auto Configuration
 - Developer Tools
 - Actuator
 - ...



World Before Spring Boot!

- Setting up Spring Projects **before Spring Boot was NOT easy!**
- We needed to configure a lot of things before we have a **production-ready** application



World Before Spring Boot - 1 - Dependency Management

```
<dependency>
  <groupId>org.springframework</groupId>
  <artifactId>spring-webmvc</artifactId>
  <version>6.2.2.RELEASE</version>
</dependency>
<dependency>
  <groupId>com.fasterxml.jackson.core</groupId>
  <artifactId>jackson-databind</artifactId>
  <version>2.13.3</version>
</dependency>
<dependency>
  <groupId>log4j</groupId>
  <artifactId>log4j</artifactId>
  <version>1.2.17</version>
</dependency>
```

- Manage frameworks and versions
 - **REST API** - Spring framework, Spring MVC framework, JSON binding framework, ..
 - **Unit Tests** - Spring Test, Mockito, JUnit, ...

World Before Spring Boot - 2 - web.xml

```
<servlet>
  <servlet-name>dispatcher</servlet-name>
  <servlet-class>
    org.springframework.web.servlet.DispatcherServlet
  </servlet-class>
  <init-param>
    <param-name>contextConfigLocation</param-name>
    <param-value>/WEB-INF/todo-servlet.xml</param-value>
  </init-param>
  <load-on-startup>1</load-on-startup>
</servlet>

<servlet-mapping>
  <servlet-name>dispatcher</servlet-name>
  <url-pattern>/*</url-pattern>
</servlet-mapping>
```

- Example: Configure **DispatcherServlet** for Spring MVC

World Before Spring Boot - 3 - Spring Configuration

```
<context:component-scan base-package="com.in28minutes" />

<bean
  class="org.springframework.web.servlet.view.InternalResourceViewResolver">
  <property name="prefix">
    <value>/WEB-INF/views/</value>
  </property>
  <property name="suffix">
    <value>.jsp</value>
  </property>
</bean>
```

- Define your **Spring Configuration**
 - Component Scan
 - View Resolver
 -

World Before Spring Boot - 4 - NFRs

```
<plugin>
  <groupId>org.apache.tomcat.maven</groupId>
  <artifactId>tomcat7-maven-plugin</artifactId>
  <version>2.2</version>
  <configuration>
    <path>/</path>
    <contextReloadable>true</contextReloadable>
  </configuration>
</plugin>

<dependency>
  <groupId>log4j</groupId>
  <artifactId>log4j</artifactId>
  <version>1.2.17</version>
</dependency>
```

- Logging
- Error Handling
- Monitoring

World Before Spring Boot!

- Setting up Spring Projects before Spring Boot was **NOT** easy!
 - 1: Dependency Management (**pom.xml**)
 - 2: Define Web App Configuration (**web.xml**)
 - 3: Manage Spring Beans (**context.xml**)
 - 4: Implement Non Functional Requirements (NFRs)
- AND repeat this for every new project!
- Typically takes a **few days** to setup for each project (and countless hours to maintain)



Understanding Power of Spring Boot

```
// http://localhost:8080/courses
[
  {
    "id": 1,
    "name": "Learn AWS",
    "author": "in28minutes"
  }
]
```

- **1:** Create a Spring Boot Project
- **2:** Build a simple REST API using Spring Boot

What's the Most Important Goal of Spring Boot?

- Help you build **PRODUCTION-READY** apps **QUICKLY**
 - Build **QUICKLY**
 - Spring Initializr
 - Spring Boot Starter Projects
 - Spring Boot Auto Configuration
 - Spring Boot DevTools
 - Be **PRODUCTION-READY**
 - Logging
 - Different Configuration for Different Environments
 - Profiles, ConfigurationProperties
 - Monitoring (Spring Boot Actuator)
 - ...



Spring Boot BUILD QUICKLY

Exploring Spring Boot Starter Projects



- I need a lot of frameworks to build application features:
 - **Build a REST API:** I need Spring, Spring MVC, Tomcat, JSON conversion...
 - **Write Unit Tests:** I need Spring Test, JUnit, Mockito, ...
- How can I group them and make it easy to build applications?
 - **Starter:** Convenient **dependency descriptors** for diff. features
- **Spring Boot** provides variety of starter projects:
 - **Web Application & REST API** - Spring Boot Starter Web (spring-webmvc, spring-web, spring-boot-starter-tomcat, spring-boot-starter-json)
 - **Unit Tests** - Spring Boot Starter Test
 - **Talk to database using JPA** - Spring Boot Starter Data JPA
 - **Talk to database using JDBC** - Spring Boot Starter JDBC
 - **Secure your web application or REST API** - Spring Boot Starter Security

Exploring Spring Boot Auto Configuration

- I need **lot of configuration** to build Spring app:
 - Component Scan, DispatcherServlet, Data Sources, JSON Conversion, ...
- How can I simplify this?
 - **Auto Configuration: Automated configuration for your app**
 - Decided based on:
 - Which frameworks are in the Class Path?
 - What is the existing configuration (Annotations etc)?
- **Example: Spring Boot Starter Web**
 - Dispatcher Servlet (DispatcherServletAutoConfiguration)
 - Embedded Servlet Container - Tomcat is the default (EmbeddedWebServerFactoryCustomizerAutoConfiguration)
 - Default Error Pages (ErrorMvcAutoConfiguration)
 - Bean<->JSON (JacksonHttpMessageConvertersConfiguration)

```
spring-boot-autoconfigure-2.4.4.jar - /Users/rangakaramam/m2/re
> org.springframework.boot.autoconfigure
> org.springframework.boot.autoconfigure.admin
> org.springframework.boot.autoconfigure.amqp
> org.springframework.boot.autoconfigure.aop
> org.springframework.boot.autoconfigure.availability
> org.springframework.boot.autoconfigure.batch
> org.springframework.boot.autoconfigure.cache
> org.springframework.boot.autoconfigure.cassandra
> org.springframework.boot.autoconfigure.codec
> org.springframework.boot.autoconfigure.condition
> org.springframework.boot.autoconfigure.context
> org.springframework.boot.autoconfigure.couchbase
> org.springframework.boot.autoconfigure.dao
> org.springframework.boot.autoconfigure.data
> org.springframework.boot.autoconfigure.data.cassandra
> org.springframework.boot.autoconfigure.data.couchbase
> org.springframework.boot.autoconfigure.data.elasticsearch
> org.springframework.boot.autoconfigure.data.jdbc
> org.springframework.boot.autoconfigure.data.jpa
> org.springframework.boot.autoconfigure.data.jpa
> org.springframework.boot.autoconfigure.data.mongo
> org.springframework.boot.autoconfigure.data.neo4j
> org.springframework.boot.autoconfigure.data.r2dbc
> org.springframework.boot.autoconfigure.data.redis
> org.springframework.boot.autoconfigure.data.rest
> org.springframework.boot.autoconfigure.data.solr
> org.springframework.boot.autoconfigure.data.web
> org.springframework.boot.autoconfigure.diagnostics.analyzer
> org.springframework.boot.autoconfigure.domain
> org.springframework.boot.autoconfigure.elasticsearch
> org.springframework.boot.autoconfigure.elasticsearch.rest
> org.springframework.boot.autoconfigure.flyway
> org.springframework.boot.autoconfigure.freemarker
> org.springframework.boot.autoconfigure.groovy.template
> org.springframework.boot.autoconfigure.gson
> org.springframework.boot.autoconfigure.h2
> org.springframework.boot.autoconfigure.hateoas
> org.springframework.boot.autoconfigure.hazelcast
> org.springframework.boot.autoconfigure.http
> org.springframework.boot.autoconfigure.http.codec
```

Understanding the Glue - @SpringBootApplication

- Questions:
 - Who is launching the Spring Context?
 - Who is triggering the component scan?
 - Who is enabling auto configuration?
- Answer: **@SpringBootApplication**
 - 1: **@SpringBootConfiguration**: Indicates that a class provides Spring Boot application @Configuration.
 - 2: **@EnableAutoConfiguration**: Enable auto-configuration of the Spring Application Context,
 - 3: **@ComponentScan**: Enable component scan (for current package, by default)

```
spring-boot-autoconfigure-2.4.4.jar - /Users/rangakaraman/m2/re
  org.springframework.boot.autoconfigure
  org.springframework.boot.autoconfigure.admin
  org.springframework.boot.autoconfigure.amqp
  org.springframework.boot.autoconfigure.aop
  org.springframework.boot.autoconfigure.availability
  org.springframework.boot.autoconfigure.batch
  org.springframework.boot.autoconfigure.cache
  org.springframework.boot.autoconfigure.cassandra
  org.springframework.boot.autoconfigure.codec
  org.springframework.boot.autoconfigure.condition
  org.springframework.boot.autoconfigure.context
  org.springframework.boot.autoconfigure.couchbase
  org.springframework.boot.autoconfigure.dao
  org.springframework.boot.autoconfigure.data
  org.springframework.boot.autoconfigure.data.cassandra
  org.springframework.boot.autoconfigure.data.couchbase
  org.springframework.boot.autoconfigure.data.elasticsearch
  org.springframework.boot.autoconfigure.data.jdbc
  org.springframework.boot.autoconfigure.data.jpa
  org.springframework.boot.autoconfigure.data.idap
  org.springframework.boot.autoconfigure.data.mongo
  org.springframework.boot.autoconfigure.data.neo4j
  org.springframework.boot.autoconfigure.data.r2dbc
  org.springframework.boot.autoconfigure.data.redis
  org.springframework.boot.autoconfigure.data.rest
  org.springframework.boot.autoconfigure.data.solr
  org.springframework.boot.autoconfigure.data.web
  org.springframework.boot.autoconfigure.diagnostics.analyzer
  org.springframework.boot.autoconfigure.domain
  org.springframework.boot.autoconfigure.elasticsearch
  org.springframework.boot.autoconfigure.elasticsearch.rest
  org.springframework.boot.autoconfigure.flyway
  org.springframework.boot.autoconfigure.freemarker
  org.springframework.boot.autoconfigure.groovy.template
  org.springframework.boot.autoconfigure.gson
  org.springframework.boot.autoconfigure.h2
  org.springframework.boot.autoconfigure.hateoas
  org.springframework.boot.autoconfigure.hazelcast
  org.springframework.boot.autoconfigure.http
  org.springframework.boot.autoconfigure.http.codec
```

Build Faster with Spring Boot DevTools


- Increase developer productivity
- Why do you need to restart the server **manually** for every code change?
- **Remember:** For pom.xml dependency changes, you will need to restart server **manually**



Spring Boot PRODUCTION-READY


Managing App. Configuration using Profiles

- Applications have different environments: **Dev, QA, Stage, Prod, ...**
- Different environments need **different configuration**:
 - Different Databases
 - Different Web Services
- How can you provide different configuration for different environments?
 - **Profiles**: Environment specific configuration
- How can you define externalized configuration for your application?
 - **ConfigurationProperties**: Define externalized configuration



Simplify Deployment with Spring Boot Embedded Servers

- How do you deploy your application?
 - Step 1 : Install Java
 - Step 2 : Install Web/Application Server
 - Tomcat/WebSphere/WebLogic etc
 - Step 3 : Deploy the application WAR (Web ARchive)
 - This is the OLD **WAR** Approach
 - Complex to setup!
- **Embedded Server** - Simpler alternative
 - Step 1 : Install Java
 - Step 2 : Run **JAR** file
 - **Make JAR not WAR** (Credit: Josh Long!)
 - Embedded Server **Examples**:
 - spring-boot-starter-tomcat
 - spring-boot-starter-jetty
 - spring-boot-starter-undertow



Monitor Applications using Spring Boot Actuator

In 28
Minutes

- Monitor and manage your application in your production
- Provides a number of endpoints:
 - **beans** - Complete list of Spring beans in your app
 - **health** - Application health information
 - **metrics** - Application metrics
 - **mappings** - Details around Request Mappings



Understanding Spring Boot vs Spring MVC vs Spring

- **Spring Boot vs Spring MVC vs Spring: What's in it?**
 - **Spring Framework: Dependency Injection**
 - @Component, @Autowired, Component Scan etc..
 - Just Dependency Injection is NOT sufficient (You need other frameworks to build apps)
 - **Spring Modules and Spring Projects:** Extend Spring Eco System
 - Provide good integration with other frameworks (Hibernate/JPA, JUnit & Mockito for Unit Testing)
 - **Spring MVC (Spring Module): Simplify building web apps and REST API**
 - Building web applications with Struts was very complex
 - @Controller, @RestController, @RequestMapping("/courses")
 - **Spring Boot (Spring Project): Build **PRODUCTION-READY** apps **QUICKLY****
 - **Starter Projects** - Make it easy to build variety of applications
 - **Auto configuration** - Eliminate configuration to setup Spring, Spring MVC and other frameworks!
 - Enable non functional requirements (NFRs):
 - **Actuator:** Enables Advanced Monitoring of applications
 - **Embedded Server:** No need for separate application servers!
 - Logging and Error Handling
 - Profiles and ConfigurationProperties

Spring Boot - Review

- **Goal:** 10,000 Feet overview of Spring Boot
 - Help you understand the terminology!
 - Starter Projects
 - Auto Configuration
 - Actuator
 - DevTools
- **Advantages:** Get started quickly with production ready features!

