

Lecture 2

What is a Database and a Database Management System?

Week 1

Overview

- Application areas of Databases
- Why use Databases?
- Properties of Database systems
- Structure of a typical Database Management System
- Database People

© 2010 Griffith University

2

Application areas of Databases

- Manufacturing, engineering, banking, education, government, health services, tax office, personnel, tourism and travel, information services (libraries, reference material), geographic information systems

© 2010 Griffith University

3

Why use Databases?

Properties of traditional office information systems:

- bulky
- slow access to the data
- organised for one purpose and hard to use data in them for any other purpose,
- prone to inconsistencies, inflexible (hard to change the way data were stored)

© 2010 Griffith University

4

Why use Databases? (cont'd)

Properties of computer file system

- collection of files in various formats
- for each application using the data, a separate storage format was designed
- each new business need saw new data file formats causing redundancy (and inconsistency)

© 2010 Griffith University



5

Undesired Effects

- Data *redundancy* and inconsistency
- *Inaccessibility* (hard to access data to answer arbitrary queries)
- Data *isolation* (difficult to write new applications)
- *Unreliability* (simultaneous access may corrupt data)
- No data *security* (no or insufficient control of who can access which data)
- *Inflexibility* (hard to change storage structure without changing application program)

© 2010 Griffith University

6



Definitions

- A **Database (DB)**:
 - is a logically *coherent* collection of data
 - *uniformly* represents data using a given *data model*
- A **Database Management System (DBMS)**:
 - is a controlled collection of programs (software)
 - uses a given data model to define, store, retrieve, modify the data stored in it

© 2010 Griffith University

9

Example DBMSes

- **IMS** (IBM, *hierarchical* data model)
- **IDMS2** (IBM, *network* [Codasyl] data model)
- **System R** (IBM, *relational* data model, research prototype, 1970s)
- **DB2** (IBM, *relational* data model)
- **Ingres, Tandem, Oracle, Access** (independent software vendors, *relational* data model)
- **Ontos, O2** (independent software vendors, *object-oriented* data model)

© 2010 Griffith University

10

Some characteristics...

- Millions of lines of code
- Amount of data managed: gigabytes ($\sim 10^9$) to terabytes ($\sim 10^{12}$)
- Enormous overhead
- Cost: mainframe $\sim \$100,000$ per year

© 2010 Griffith University

11

Properties of Database systems


- Control of redundancy
- Uniform access to data (using standard data model)
- Use of query languages
- Efficient data access (optimization)
- Reliable concurrent access
- Integrity maintenance
- Multiple views of data available

© 2010 Griffith University

12

ACID properties...

- Atomicity: any change on the data is either performed or not performed
- Consistency: the database always changes from consistent state to consistent state as a result of a database transaction



© 2010 Griffith University

13

ACID properties... (cont'd)

- Isolation: a transaction does not see the intermediary state of database caused by another transaction. If two transactions want to use the same data item, they are *queued up* (or they are scheduled in a way that the effect is *as if* they had been queued up) or *serialized*
- Durability: if a transaction has been performed and committed then the result remains there 'indefinitely'

© 2010 Griffith University

14

Concepts

- DDL: data definition language (used to describe the *database schema* (i.e. the structure of the data in the database))
- DML: data manipulation language used to insert, retrieve and update *data* in the database
- Database Catalogue: the part of the database which stores the database schema description


© 2010 Griffith University

15

Structure of a typical Database Management System


© 2010 Griffith University

16




© 2010 Griffith University

17



© 2010 Griffith University

18



Database People

- Database administrator (a well paid job!)
 - [consults users about their needs,]
 - [select what information will be stored]
 - [chooses logical / physical data structures for best performance]
 - [chooses integrity constraints to maintain automatically]
 - monitors performance
 - changes data structures as needed
 - arranges backup and recovery
 - determines access rights

© 2010 Griffith University

20

- Database Designer (in large organisations a separate function):
 - consults users about their needs,
 - select what information will be stored
 - chooses logical / physical data structures for best performance
 - chooses integrity constraints to maintain automatically

© 2010 Griffith University

21

- Programmers ('Software engineers'):
 - implement/ test / debug application programs
 - configure software systems
- End users:
 - casual users (occasionally use the DB)
 - naïve (parametric) users (no database knowledge, use DB through application programs only)
 - sophisticated users (directly use database)
 - stand-alone users: personal databases

© 2010 Griffith University

22

The End

© 2010 Griffith University

23