

Name: \_\_\_\_\_

4-digit code: \_\_\_\_\_

- Write your name and the last 4 digits of your SSN in the space provided above.
- The test has thirteen (13) pages, including this one. You have 150 minutes to complete it.
- Enter your answer in the box(es) provided.
- You must show sufficient work to justify all answers unless otherwise stated in the problem. Correct answers with inconsistent work may not be given credit.
- Credit for each problem is given in parentheses at the right of the problem number.
- No books, notes or calculators may be used on this test.
- **A:** 243–270 pts. **B+:** 230–242 pts. **B:** 216–229 pts. **C+:** 203–215 pts. **C:** 189–202 pts. **D+:** 175–188 pts. **D:** 160–174 pts. **F:** less than 160 pts.

Page	Max	Points	Page	Max	Points	Page	Max	Points
2	30		6	30		10	30	
3	25		7	25		11	25	
4	25		8	25		12	25	
5	20		9	20		13	20	
<b>Total</b>	100		<b>Total</b>	100		<b>Total</b>	100	

**Problem 1** (15 pts). Find the distance  $d$  from the point  $(3, 7, -5)$  to the  $z$ -axis.

 $d =$ 

---

**Problem 2** (15 pts). Find an exact expression for the angle  $\theta$  between the vectors  $\mathbf{v} = \langle 3, -1, 5 \rangle$  and  $\mathbf{w} = \langle -2, 4, 3 \rangle$ .

 $\theta =$

**Problem 3** (15 pts). Find the length  $\ell$  of the curve  $\mathbf{r}(t) = \mathbf{i} + t^2\mathbf{j} + t^3\mathbf{k}$  for  $0 \leq t \leq 1$ .

 $\ell =$ 

---

**Problem 4** (10 pts). At what points does the helix  $\mathbf{r}(t) = \langle \sin t, \cos t, t \rangle$  intersect the sphere  $x^2 + y^2 + z^2 = 5$ ?

points:

**Problem 5** (15 pts). Find a unit vector  $\mathbf{v}$  that is orthogonal to both  $\mathbf{i} + \mathbf{j}$  and  $\mathbf{i} + \mathbf{k}$ .

$\mathbf{v} =$

---

**Problem 6** (10 pts). Determine whether the points  $A = (0, -5, 5)$ ,  $B = (1, -2, 4)$  and  $C = (3, 4, 2)$  lie on a straight line.

**Problem 7** (20 pts). Find parametric equations for the line of intersections of the planes  $x+y+z = 1$  and  $x + 2y + 2z = 1$ . Find the angle  $\theta$  between the two planes.


 $\theta =$

**Problem 8** (15 pts). Sketch the domain of  $f(x, y) = \frac{\sqrt{4 - x^2}}{y^2 + 3}$ .

---

**Problem 9** (15 pts). Evaluate the limit, if it exists, or show that the limit does not exist.

$$\lim_{(x,y) \rightarrow (0,0)} \frac{6x^3y}{2x^4 + y^4}$$



**Problem 10** (15 pts). Find the first partial derivatives of the function  $f(x, y, z, t) = \frac{xy^2}{t+2z}$

---

**Problem 11** (10 pts). Use the method of Lagrange multipliers to find the dimensions of a rectangle with perimeter 250 cm and maximum area.

width:

height:

**Problem 12** (15 pts). Recall the formula for the volume of a right circular cone of radius  $r$  and height  $h$ . Suppose that the height decreases from 20 to 19.95 inches, and the radius increases from 4 to 4.05 inches. Compare the change in volume of the cone with an approximation of this change using a total differential.

$$dV =$$

$$\Delta V =$$

---

**Problem 13** (10 pts). Find an equation for the tangent plane to the surface  $z = xe^{-y}$  at the point  $P = (1, 0, 1)$ .

tangent plane:



**Problem 14** (20 pts). Find the absolute extrema of the function  $f(x, y) = xy - x - 3y$  on the triangular region  $R$  with vertices  $(0, 0)$ ,  $(0, 4)$  and  $(5, 0)$ .

absolute max:

absolute min:

**Problem 15** (15 pts). Evaluate  $\iint_R y \sin(xy) dA$ , where  $R = [1, 2] \times [0, \pi]$ .

---

**Problem 16** (15 pts). Find the volume of the solid  $S$  that is bounded by the elliptic paraboloid  $x^2 + 2y^2 + z = 16$ , the planes  $x = 2$  and  $y = 2$ , and the three coordinate planes.

$V =$

**Problem 17** (15 pts). Evaluate the integral  $\iint_D \sin(y^2) dA$  where  $D$  is the triangle with vertices  $(0, 0)$ ,  $(1, 1)$  and  $(0, 1)$ .

---

**Problem 18** (10 pts). Find the volume of the solid that lies under the paraboloid  $z = x^2 + y^2$ , above the  $xy$ -plane, and inside the cylinder  $x^2 + y^2 = 2x$ .

$V =$

**Problem 19** (10 pts). Evaluate  $\iiint_E \sqrt{x^2 + z^2} dV$ , where  $E$  is the region bounded by the paraboloid  $y = x^2 + z^2$  and the plane  $y = 4$ .

---

**Problem 20** (15 pts). Evaluate  $\int_{-2}^2 \int_{-\sqrt{4-x^2}}^{\sqrt{4-x^2}} \int_{\sqrt{x^2+y^2}}^2 (x^2 + y^2) dz dy dx$  by passing the description of the region  $E$  in terms of cylindrical coordinates (Trust me, it is **way** easier than evaluating the integral above directly)

**Problem 21** (20 pts). A transformation is defined by the equations  $x = u^2 - v^2, y = 2uv$ .

- (a) Find the image of the square  $S = \{(u, v) : 0 \leq u \leq 1, 0 \leq v \leq 1\}$ .
- (b) Use the same change of variables to evaluate the integral  $\iint_R y \, dA$ , where  $R$  is the region bounded by the  $x$ -axis and the parabolas  $y^2 = 4 - 4x$  and  $y^2 = 4 + 4x, y \geq 0$ .

Image of  $S$ :

$\iint_R y \, dA =$