Name:	
4-digit code:	

- Write your name and the last 4 digits of your SSN in the space provided above.
- The test has eleven (17) pages, including this one, and your help sheet.
- For multi-choice questions, you should circle the answer you select. On the other problems, you should enter your answer in the box(es) provided.
- You must show sufficient work to justify all answers unless otherwise stated in the problem. Correct answers with inconsistent work may not be given credit.
- Credit for each problem is given in parentheses at the right of the problem number.
- No books, notes or calculators may be used on this test.
- A: 243–270 pts. B+: 230–242 pts. B: 216–229 pts. C+: 203–215 pts. C: 189–202 pts. D+: 175–188 pts. D: 160–174 pts. F: less than 160 pts.

Page	Max	Points	Page	Max	Points	Page	Max	Points
2	20		7	40		7	20	
3	20		8	20		8	15	
4	20		9	10		9	20	
5	25		10	10		10	25	
6	15		11	20		11	20	
Total	100		Total	100		Total	100	

Problem 1 (10 pts). Find the area of the region that is enclosed between the curves $y = x^2$ and y = x + 6.

$$A =$$

Problem 2 (10 pts). Find the volume of the solid that is obtained when the region under the curve $y = \sqrt{x}$ over the interval [1, 4] is revolved about the x-axis.

Problem 3 (10 pts). Find the volume of the solid generated when the region enclosed by $y = \sqrt{x}$, y = 2 and x = 0 is revolved about the y-axis.

$$V =$$

Problem 4 (10 pts). Find the arclength of the curve $y = x^{3/2}$ from x = 1 to x = 2.

Problem 5 (10 pts). Find the area of the surface that is generated by revolving the portion of the curve $y = x^3$ between x = 0 and x = 1 about the x-axis.

$$A =$$

Problem 6 (10 pts). Find the average value of the function f(x) = 1/x over the interval [1, e].

Problem 7 (15 pts). Find a positive value of k such that the average value of $f(x) = \frac{1}{\sqrt{k^2 - x^2}}$ over the interval [-k, k] is π .

You may find the following table useful:										
angle θ	$-\frac{\pi}{2}$	$-\frac{\pi}{3}$	$-\frac{\pi}{4}$	$-\frac{\pi}{6}$	0	$\frac{\pi}{6}$	$\frac{\pi}{4}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$	
$\sin(\theta)$	-1	$-\frac{\sqrt{3}}{2}$	$-\frac{\sqrt{2}}{2}$	$-\frac{1}{2}$	0	$\frac{1}{2}$	$\frac{\sqrt{2}}{2}$	$\frac{\sqrt{3}}{2}$	1	

Problem 8 (10 pts). Evaluate the integral $\int x^2 \sqrt{x-1} dx$.

Problem 9 (15 pts). A spring exerts a force of 4N when stretched 2m beyond its natural length.

(a) How much work was performed in stretching the spring to this length?

$$W =$$

(b) How far beyond its natural length can the spring be stretched with 36J of work?

Problem 10 (40 pts). Evaluate each integral:

(a)
$$\int \csc^2 x \, dx =$$

(b)
$$\int \frac{1}{\sec x} \, dx =$$

(c)
$$\int \frac{1-x}{x} \, dx =$$

$$(d) \int \frac{x}{x+2} \, dx =$$

Problem 11 (10 pts). Use **integration by parts** to evaluate the integral $\int xe^{3x} dx$.

$$\int xe^{3x} dx = \boxed{}$$

Problem 12 (10 pts). Evaluate the improper integral $\int_1^\infty \frac{dx}{x^4}$.

$$\int_{1}^{\infty} \frac{dx}{x^4} =$$

Problem 13 (10 pts). Use a **trigonometric substitution** to evaluate the integral $\int \frac{dx}{\sqrt{x^2-4}}$.

$$\int \frac{dx}{\sqrt{x^2 - 4}} =$$

Problem 14 (10 pts). Evaluate the integral $\int \sin^2 x \cos^2 x \, dx$.

Use trigonometric simplification and one of the following reduction formulas.

$$\int \sin^n x \, dx = -\frac{1}{n} \sin^{n-1} x \cos x + \frac{n-1}{n} \int \sin^{n-2} x \, dx$$
$$\int \cos^n x \, dx = \frac{1}{n} \cos^{n-1} x \sin x + \frac{n-1}{n} \int \cos^{n-2} x \, dx$$

Problem 15 (20 pts). Use **partial fractions** to evaluate the integral $\int \frac{dx}{x^2 + 4x - 5}$.

$$\int \frac{dx}{x^2 + 4x - 5} =$$

Problem 16 (10 pts). Find a formula for the general term of the following sequences:

(a) $\frac{1}{2}, \frac{3}{4}, \frac{5}{6}, \frac{7}{8}, \dots$

 $x_n =$

(b) $1 - \frac{1}{2}, \frac{1}{3} - \frac{1}{2}, \frac{1}{3} - \frac{1}{4}, \frac{1}{5} - \frac{1}{4}, \dots$

 $x_n =$

Problem 17 (10pts). Write out the first five terms of the sequence $\left\{\frac{(-1)^{n+1}}{n^2}\right\}_{n=1}^{\infty}$ Determine whether the sequence converges, and if so find its limit.

First five terms:

 $\lim_{n \to \infty} x_n =$

Problem 18 (5 pts). Use $x_{n+1} - x_n$ to show that the sequence $\{n-2^n\}_{n=1}^{\infty}$ is strictly increasing or strictly decreasing.

Problem 19 (5 pts). Use x_{n+1}/x_n to show that the sequence $\left\{\frac{n^n}{n!}\right\}_{n=1}^{\infty}$ is strictly increasing or strictly decreasing.

Problem 20 (5 pts). Use **differentiation** to show that the sequence $\left\{\frac{n}{2n+1}\right\}_{n=1}^{\infty}$ is strictly increasing or strictly decreasing.

Problem 21 (20 pts). Determine whether the series converge, and if so find their sum:

(a)
$$\sum_{k=1}^{\infty} \left(-\frac{3}{4}\right)^{k-1}$$

$$\sum_{k=1}^{\infty} \left(-\frac{3}{4} \right)^{k-1} =$$

(b)
$$\sum_{k=1}^{\infty} \frac{1}{(k+2)(k+3)}$$

$$\sum_{k=1}^{\infty} \frac{1}{(k+2)(k+3)} = \boxed{}$$

Problem 22 (5 pts). Apply the divergence test and state what it tells you about the series.

$$\sum_{k=1}^{\infty} \frac{k^2 + k + 3}{2k^2 + 1}.$$

Problem 23 (10 pts). Use the **integral test** to determine whether the series $\sum_{k=1}^{\infty} \frac{1}{5k+2}$ converges.

Problem 24 (10 pts). Use the **ratio test** to determine whether the series $\sum_{k=1}^{\infty} \frac{4^k}{k^2}$ converges. If the test is inconclusive, then say so.

Problem 25 (10 pts). Use the **root test** to determine whether the series $\sum_{k=1}^{\infty} \left(\frac{3k+2}{2k-1}\right)^k$ converges. If the test is inconclusive, then say so.

Problem 26 (10 pts). Classify the series $\sum_{k=1}^{\infty} (-1)^k \frac{4k^2+1}{k^3+2}$ as absolutely convergent, convergent or divergent.