Ejemplo de R Markdown

Curso de Estadística Descriptiva

21/12/2018

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

summary(cars)

```
##
        speed
                        dist
                         : 2.00
          : 4.0
                   Min.
##
   Min.
##
   1st Qu.:12.0
                   1st Qu.: 26.00
##
   Median:15.0
                   Median : 36.00
   Mean
           :15.4
                   Mean
                         : 42.98
   3rd Qu.:19.0
                   3rd Qu.: 56.00
##
   Max.
           :25.0
                   Max.
                          :120.00
```

Including Plots

You can also embed plots, for example:

plot(pressure)

```
01-EjemploRMD_files/figure-latex/pressure-1.pdf
```

Note that the echo = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.

Nuestras propias chunks

```
Vamos a calcular \sqrt{2} - e^{-2}:
```

```
sqrt(2) - exp(-2)

## [1] 1.278878

x = 1:5
sqrt(x)
```

```
## [1] 1.000000 1.414214 1.732051 2.000000 2.236068
```

library(magic)

Loading required package: abind

magic(6)

```
##
         [,1] [,2] [,3] [,4] [,5] [,6]
## [1,]
            7
                 6
                      35
                           34
                                 15
                                       14
## [2,]
            8
                 5
                      33
                           36
                                 16
                                       13
## [3,]
           27
                26
                      19
                            18
                                 11
                                       10
## [4,]
           25
                28
                            17
                                  9
                      20
                                       12
## [5,]
           23
                22
                       3
                             2
                                       30
                                 31
## [6,]
           21
                24
                       1
                                 29
                                       32
```

Cuando queremos hacer la raíz cuadrada de dos, podemos hacerlo:

- En $ETEX:\sqrt{2}$
- En R haciendo 1.4142136
- La frase completa: $\sqrt{2} = 1.4142136$

El número π empieza por 3.1415927.

Este año he hecho n=9 examenes, con una media $\overline{x}=6.78$ y una desviación típica de s=2.39.