



# Jobs

Generated by Talend Open Studio for ESB

Project Name	Local_Project	GENERATION DATE	18-Mar-2021 22:05:11
AUTHOR	user@talend.com	Talend Open Studio VERSION	7.3.1.20200219_1130

## Summary

- [Project Description](#)
- [Description](#)
- [Preview Picture](#)
- [Settings](#)
- [Context List](#)
- [Component List](#)
- [Components Description](#)

## Project Description


Properties	Values
Name	Local_Project
Language	java
Description	

## Description

Properties	Values
Name	j015_SubPOPMail
Author	user@talend.com
Version	0.1
Purpose	Subjob containing TPOP component to handle timeout errors.
Status	
Description	
Creation	02-Feb-2021 01:19:15
Modification	05-Mar-2021 00:59:20

## Preview Picture

Child job to call e-mail send via imap,  
Component loops up to 5 times until mail correctly sent  
Returns number of mails sent to output buffers picked up by parent



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------


Folder	Folder?	false	id_String	context.Folder	
Password	Password?	false	id_String	context.Password	
Subject	Subject?	false	id_String	context.Subject	

## Component List

Component Name	Component Type
<a href="#">tBufferOutput_1</a>	tBufferOutput
<a href="#">tFixedFlowInput_1</a>	tFixedFlowInput
<a href="#">tFixedFlowInput_2</a>	tFixedFlowInput
<a href="#">tFixedFlowInput_3</a>	tFixedFlowInput
<a href="#">tFixedFlowInput_4</a>	tFixedFlowInput
<a href="#">tFlowTolterate_1</a>	tFlowTolterate
<a href="#">tJavaRow_1</a>	tJavaRow
<a href="#">tJavaRow_2</a>	tJavaRow
<a href="#">tJavaRow_3</a>	tJavaRow
<a href="#">tJava_1</a>	tJava
<a href="#">tJava_2</a>	tJava
<a href="#">tLogCatcher_1</a>	tLogCatcher
<a href="#">tLogRow_1</a>	tLogRow
<a href="#">tLogRow_2</a>	tLogRow
<a href="#">tLoop_1</a>	tLoop
<a href="#">tPOP_1</a>	tPOP

## Components Description

### Component tBufferOutput

	UNIQUE NAME	tBufferOutput_1	INPUT(S)	<a href="#">tFixedFlowInput_2</a>
	LABEL	<b>Output To Buffer</b> __ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tLogRow_1</a>

### Component Parameters:


Properties	Values
Unique Name	tBufferOutput_1
Component Name	tBufferOutput
Version	0.101 (ALPHA)
Family	Misc
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tBufferOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Label format	<b>Output To Buffer</b> __ UNIQUE_NAME __
Hint format	<b>__ UNIQUE_NAME __</b> __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tBufferOutput\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
LoopCount	false	Integer			true	
NoOfMails	false	Integer			true	

MailError	false	String			true	
-----------	-------	--------	--	--	------	--

Original Function Parameters:  
Component tFixedFlowInput

	UNIQUE NAME	tFixedFlowInput_1	INPUT(S)	tPOP_1
	LABEL	<b>Create Error Flow</b>  __ UNIQUE_NAME	OUTPUT(S)	tJavaRow_1


Component Parameters:

Properties	Values
Unique Name	tFixedFlowInput_1
Component Name	tFixedFlowInput
Version	0.102 (ALPHA)
Family	Misc
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFixedFlowInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Number of rows	1
Use Single Table	true
Values	{(SCHEMA_COLUMN=ErrorFound, VALUE="Y")}
Use Inline Table	false
Inline Table	[]
Use Inline Content(delimited file)	false
Row Separator	"\n"
Field Separator	","
Content	
Label format	<b>Create Error Flow</b>  __ UNIQUE_NAME __
Hint format	<b> __ UNIQUE_NAME __</b>  __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFixedFlowInput\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
ErrorFound	false	String			true	

Original Function Parameters:  
Component tFixedFlowInput

	UNIQUE NAME	tFixedFlowInput_2	INPUT(S)	tLoop_1
	LABEL	<b>Create Buffer Flow</b>  __ UNIQUE_NAME __	OUTPUT(S)	tBufferOutput_1

Component Parameters:

Properties	Values
Unique Name	tFixedFlowInput_2
Component Name	tFixedFlowInput
Version	0.102 (ALPHA)
Family	Misc
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFixedFlowInput
Update components	true
IREPORT_PATH	


JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Number of rows	1
Use Single Table	true
Values	{{SCHEMA_COLUMN=LoopCount, VALUE=((Integer)globalMap.get("LoopCount"))}, {SCHEMA_COLUMN=NoOfMails, VALUE=((Integer)globalMap.get("MailCount"))}, {SCHEMA_COLUMN=MailError, VALUE=((String)globalMap.get("MailError"))}}
Use Inline Table	false
Inline Table	[]
Use Inline Content(delimited file)	false
Row Separator	"\n"
Field Separator	","
Content	
Label format	<b>Create Buffer Flow</b>  __ UNIQUE_NAME __
Hint format	<b> __ UNIQUE_NAME __ </b>  __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFixedFlowInput\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
LoopCount	false	Integer			true	
NoOfMails	false	Integer			true	
MailError	false	String			true	

Original Function Parameters:

Component tFixedFlowInput

	UNIQUE NAME	tFixedFlowInput_3	INPUT(S)	none
	LABEL	<b>Create Arbitrary Flow</b>  __ UNIQUE_NAME __	OUTPUT(S)	<a href="#">tJavaRow_2</a>

Component Parameters:

Properties	Values
Unique Name	tFixedFlowInput_3
Component Name	tFixedFlowInput
Version	0.102 (ALPHA)
Family	Misc
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFixedFlowInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Number of rows	1
Use Single Table	true
Values	{{SCHEMA_COLUMN=MailSend, VALUE="Y"}}
Use Inline Table	false
Inline Table	[]
Use Inline Content(delimited file)	false
Row Separator	"\n"
Field Separator	","
Content	
Label format	<b>Create Arbitrary Flow</b>  __ UNIQUE_NAME __
Hint format	<b> __ UNIQUE_NAME __ </b>  __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFixedFlowInput\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
MailSend	false	String			true	

Original Function Parameters:  
Component tFixedFlowInput

	UNIQUE NAME	tFixedFlowInput_4	INPUT(S)	tPOP_1
	LABEL	<b>Create Found Flow</b>  __UNIQUE_NAME__	OUTPUT(S)	tJavaRow_3


Component Parameters:

Properties	Values
Unique Name	tFixedFlowInput_4
Component Name	tFixedFlowInput
Version	0.102 (ALPHA)
Family	Misc
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFixedFlowInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Number of rows	1
Use Single Table	true
Values	[{SCHEMA_COLUMN=MailFound, VALUE="Y"}]
Use Inline Table	false
Inline Table	[]
Use Inline Content(delimited file)	false
Row Separator	"\n"
Field Separator	","
Content	
Label format	<b>Create Found Flow</b>  __UNIQUE_NAME__
Hint format	<b> __UNIQUE_NAME__ </b>  __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFixedFlowInput\_4 :

Column	Key	Type	Length	Precision	Nullable	Comment
MailFound	false	String			true	

Original Function Parameters:  
Component tFlowTolterate

	UNIQUE NAME	tFlowTolterate_1	INPUT(S)	tJavaRow_2
	LABEL	<b>Create Iteration</b>  __UNIQUE_NAME__	OUTPUT(S)	tLoop_1

Component Parameters:

Properties	Values
Unique Name	tFlowTolterate_1
Component Name	tFlowTolterate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tFlowTolterate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Use the default (key, value) in global variables.	true
Customize	[]
Schema	Built-In
Label format	<b>Create Iteration</b>  __UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b>  __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFlowTolterate\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:

Component tJavaRow

	UNIQUE NAME	tJavaRow_1	INPUT(S)	tFixedFlowInput_1
	LABEL	<b>Error Data To Global</b>  __UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:


Properties	Values
Unique Name	tJavaRow_1
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	globalMap.put("MailError",((String)globalMap.get("tPOP_1_ERROR_MESSAGE"))); globalMap.put("MailCount",0);
Import	//import java.util.List;
Label format	<b>Error Data To Global</b>  __UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b>  __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaRow\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:

Component tJavaRow

	UNIQUE NAME	tJavaRow_2	INPUT(S)	tFixedFlowInput_3
	LABEL	<b>Add Loop Values To Global</b>  __UNIQUE_NAME__	OUTPUT(S)	tFlowTolterate_1

Component Parameters:

Properties	Values
Unique Name	tJavaRow_2
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code

Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	globalMap.put("Loopimap",true); globalMap.put("LoopCount",0);
Import	//import java.util.List;
Label format	<b>Add Loop Values To Global</b>  __ UNIQUE_NAME __
Hint format	<b> __ UNIQUE_NAME __ </b>  __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for ReadMail :

Column	Key	Type	Length	Precision	Nullable	Comment
FolderName	false	String			true	
Subject	false	String			true	

Original Function Parameters:  
Component tJavaRow

	UNIQUE NAME	tJavaRow_3	INPUT(S)	<a href="#">tFixedFlowInput_4</a>
	LABEL	<b>Write Good Data & End Loop</b>  __ UNIQUE_NAME __	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tJavaRow_3
Component Name	tJavaRow
Version	0.101 (ALPHA)
Family	Custom_Code
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJavaRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Code	globalMap.put("Loopimap",false);; globalMap.put("MailError","None"); globalMap.put("MailCount",((Integer)globalMap.get("tPOP_1_NB_EMAIL")));;
Import	//import java.util.List;
Label format	<b>Write Good Data & End Loop</b>  __ UNIQUE_NAME __
Hint format	<b> __ UNIQUE_NAME __ </b>  __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for tJavaRow\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:  
Component tJava

	UNIQUE NAME	tJava_1	INPUT(S)	<a href="#">tLoop_1</a>
--	-------------	---------	----------	-------------------------



	LABEL	<b>Increment & Test</b> _UNIQUE_NAME_	OUTPUT(S)	<a href="#">tPOP_1</a>

Component Parameters:

Properties	Values
Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Code	Integer iLoop =((Integer)globalMap.get("LoopCount")); iLoop = iLoop + 1; globalMap.put("LoopCount",iLoop); if(iLoop.equals(5)){ globalMap.put("Loopimap",false);; }
Import	//import java.util.List;
Schema	Built-In
Label format	<b>Increment & Test</b> _UNIQUE_NAME_
Hint format	<b>_UNIQUE_NAME_</b> _COMMENT_
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:

Component	tJava
-----------	-------

	UNIQUE NAME	tJava_2	INPUT(S)	<a href="#">tLogCatcher_1</a>
	LABEL	<b>Increment & Test</b> _UNIQUE_NAME_	OUTPUT(S)	<a href="#">tLogRow_2</a>

Component Parameters:

Properties	Values
Unique Name	tJava_2
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Code	Integer iLoop =((Integer)globalMap.get("LoopCount")); iLoop = iLoop + 1; globalMap.put("LoopCount",iLoop); if(iLoop.equals(5)){ globalMap.put("Loopimap",false);; }
Import	//import java.util.List;
Schema	Built-In
Label format	<b>Increment & Test</b> _UNIQUE_NAME_
Hint format	<b>_UNIQUE_NAME_</b> _COMMENT_
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false


Validation Rule Type	
----------------------	--

Schema for tJava\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:

Component	tLogCatcher
-----------	-------------

	UNIQUE NAME	tLogCatcher_1	INPUT(S)	none
	LABEL	<u>__UNIQUE_NAME__</u>	OUTPUT(S)	<a href="#">tJava_2</a>

Component Parameters:

Properties	Values
Unique Name	tLogCatcher_1
Component Name	tLogCatcher
Version	0.101 (ALPHA)
Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Catch Java Exception	true
Catch tDie	true
Catch tWarn	true
Catch tJobFailure	true
Label format	<u>__UNIQUE_NAME__</u>
Hint format	<b> <u>__UNIQUE_NAME__</u> </b>  <u>__COMMENT__</u>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogCatcher\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:  
Component   tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	<a href="#">tBufferOutput_1</a>
	LABEL	<b>Log Result</b> __UNIQUE_NAME__	OUTPUT(S)	none


Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	{{SCHEMA_COLUMN=LoopCount, LENGTH=10}, {SCHEMA_COLUMN=NoOfMails, LENGTH=10}, {SCHEMA_COLUMN=MailError, LENGTH=10}}
Print content with log4j	true
Min column number of optimize code	100
Label format	<b>Log Result</b> __UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
LoopCount	false	Integer			true	
NoOfMails	false	Integer			true	
MailError	false	String			true	

Original Function Parameters:  
Component   tLogRow

	UNIQUE NAME	tLogRow_2	INPUT(S)	<a href="#">tJava_2</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:


Properties	Values
Unique Name	tLogRow_2
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[(SCHEMA_COLUMN=moment, LENGTH=10), {SCHEMA_COLUMN=pid, LENGTH=10}, {SCHEMA_COLUMN=root_pid, LENGTH=10}, {SCHEMA_COLUMN=father_pid, LENGTH=10}, {SCHEMA_COLUMN=project, LENGTH=10}, {SCHEMA_COLUMN=job, LENGTH=10}, {SCHEMA_COLUMN=context, LENGTH=10}, {SCHEMA_COLUMN=priority, LENGTH=10}, {SCHEMA_COLUMN=type, LENGTH=10}, {SCHEMA_COLUMN=origin, LENGTH=10}, {SCHEMA_COLUMN=message, LENGTH=10}, {SCHEMA_COLUMN=code, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	_ UNIQUE_NAME _
Hint format	<b>_ UNIQUE_NAME _</b> _ COMMENT _
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:  
Component tLoop

	UNIQUE NAME	tLoop_1	INPUT(S)	tFlowTolterate_1
	LABEL	<b>Loop Until Mails Sent</b> _ UNIQUE_NAME _	OUTPUT(S)	tJava_1, tFixedFlowInput_2

Component Parameters:

Properties	Values
Unique Name	tLoop_1
Component Name	tLoop
Version	0.102 (ALPHA)
Family	Orchestration
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLoop
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
For	false
While	true
From	1
To	10
Step	1
Values are increasing	true
Declaration	
Condition	((Boolean)globalMap.get("Loopimap"))
Iteration	
Label format	<b>Loop Until Mails Sent</b>  __ UNIQUE_NAME __
Hint format	<b> __ UNIQUE_NAME __ </b>  __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:  
Component tPOP

	UNIQUE NAME	tPOP_1	INPUT(S)	tJava_1
	LABEL	<b>Send Mail</b>  __ UNIQUE_NAME __	OUTPUT(S)	tFixedFlowInput_1, tFixedFlowInput_4

Component Parameters:

Properties	Values
Unique Name	tPOP_1
Component Name	tPOP
Version	0.101 (ALPHA)
Family	Internet
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPOP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TalendESB\Studio\configuration\lib\java
Subjob color	
Title color	
Host	"imap.gmail.com"
Port	993
Username	"blastrocker@googlemail.com"
Password	context.Password
Output directory	context.Folder
Filename pattern	TalendDate.getDate("yyyyMMdd-hhmmss") + "_" + (counter_tPOP_1 + 1) + ".mail"
Retrieve all emails?	false
Newer email first	false
Number of emails to retrieve	10
Delete emails from server	true
Choose the protocol	imap
Specify Mail Folder	false
MAIL_FOLDER	"INBOX"
Use SSL	true
Filter	[(FILTER_TIEM=Subject, PATTERN=context.Subject)]
Filter condition relation	&&
Label format	<b>Send Mail</b>  __ UNIQUE_NAME __
Hint format	<b> __ UNIQUE_NAME __ </b>  __ COMMENT __
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: