# 

uruwi

# Dedicated to Isoraķatheð.

Branch: canon Version: 0.1 Date: 2017-09-12

(C)opyright 2017 Uruwi. See README.md for details.

# Contents

	0.1	Introduction	5
1	Phor	nology and orthography	7
	1.1	Phoneme inventory	7
	1.2	Hacmisation	8
	1.3	Phonotactics	8
	1.4	Stress	9
	1.5	Vowel harmony	9
	1.6	Allophony	9
	1.7	The script of Lek-Tsaro	10
2	Synt	ax	15
_	2.1	Basic word order	15
	2.2	Questions	15
	2.3	Multiple clauses	15
	2.5	with the clauses	13
3	Nou	ns	17
	3.1	Number	17
	3.2	Case	17
	3.3	Noun classes	17
		3.3.1 Countable	18
		3.3.2 Measurable	18
		3.3.3 Uncountable	18
	3.4	Definiteness	18
	3.5	Declension table	18
		3.5.1 Countable classes	18
		3.5.2 Measurable classes	19
		3.5.3 Uncountable classes	19
	3.6	Pronouns	20
	0.0	3.6.1 Last-clause pronouns	21
	3.7	Compounding	21
	3.8	Possession	21
	3.0	1035C331011	21
4	Verb		23
	4.1	Aspect	24
	4.2	Obliques	25
	4.3	Conjunctions	26

4 CONTENTS

	4.4		26
	4.5		. 7 !7
	4.6		27
	4.7		28
			-
	4.8		8.2
	4.9	The copula	9
5		F 1 1	1
	5.1	Conversion	1
6	Tree	mode 3	3
	6.1	Activation	3
	6.2	Branch-switching 3	3
	6.3	Anaphoric pronouns in joiner clauses 3	3
	6.4	Errors	3
	6.5	Example	4
7	Num	erals 3	5
	7.1	Single-digit numerals	5
	7.2		5
	7.3		6
	7.4		6
	7.5		7
	7.6		8
8	Deriv	vational morphology 3	9
•	8.1	1 65	9
	8.2		9
	8.3		9
	0.5	vers to hour conversions	,
9	Nam		1
	9.1		1
	9.2	Clausal names	1
10	Caler	ndar 4	3
	10.1	Tides	3
	10.2	Months	5
	10.3	Years	5
	10.4	Eras	5
			5
			6
			7
11	Misc	ellanea 4	9
			9

0.1	INTRODUCTION	5
J.1.	INTRODUCTION	J

A	A.1 A.2 A.3 A.4	workfil workfil workfil	orograms iles/7/tides.sage	 51 52 52 54
В	Arith B.1 B.2	Operat B.1.1 B.1.2 B.1.3 B.1.4 B.1.5	tion base v tions on small numbers Additions Subtraction Determining parity Dividing by two Multiplication tions on larger numbers Addition	 57 57
С	Dicti	onary		61

# 0.1 | Introduction

6 CONTENTS

# 1 | Phonology and orthography

# 1.1 | Phoneme inventory

Table 1.1: The consonants of Lek-Tsaro.

	Bilabial	Alveolar	Palatal	Velar	Glottal
Nasal	m	n	n	ŋ	
Plosive	рb	t d	СĴ	kg	?
Fricative	f	s	<b>S</b>	x	
(coarticulated)	θx	fx		f∫	
Affricate		ts	t∫		
Lateral fricative		ł			
Approximant		a	j	w	
Lateral approximant		1			
Trill		r			

Table 1.2: The vowels of Lek-Tsaro.

Spread	Half-rounded	Rounded
i	y <sub>c</sub>	у
ш	ų	u
ε		œ
Λ		Э
ä		

In addition to consonants and vowels, Lek-Tsaro has rod signals, represented by numbers. Rod A is blue and held by one's dominant hand and B is red and held by one's non-dominant hand.

- 1. Rod A is raised to one's chest, while B is pointed down.
- 2. Rods A and B are crossed in the front.
- 3. Rod B is raised upwards in front of the nondominant arm, while rod A is lowered.
- 4. Rod A is pointed sideways near one's nondominant arm, while rod B is lowered.
- 5. Rods A and B are extended to the sides.

- 6. Rods A and B are extended, facing forward.
- 7. Rod A is raised forward, while B is pointed to the side.
- 8. Rod B is raised forward, while A is pointed to the side.

Lowering both rods is interpreted as an absence of a rod signal. If the use of rods are unavailable, the numerals of the positions may be pronounced.

#### 1.2 | Hacmisation

Lek-Tsaro uses the hacm script with superscript letters to indicate phonemes not found in Arka. The transcriptions can be found in Tables 1.3 and 1.4.

Bilabial Alveolar Palatal Glottal Velar nЧ Nasal D n nφ d b Plosive ſΩ ſ4 Ω4 Ìφ Fricative l h a J  $a^h$ (coarticulated) al N Affricate Ŋ Lateral fricative s Approximant Ч 0 Lateral approximant Trill Ч

Table 1.3: The consonants of Lek-Tsaro.

Table 1.4: The vowels of Lek-Tsaro.

Spread	Half-rounded	Rounded
С	C <sub>e</sub>	Co
Э <sup>с</sup>	ə	ə <sup>o</sup> e <sup>o</sup>
e o <sup>e</sup>		e <sup>o</sup>
Эe		<b>၁</b>
I		

Rod signs are represented by the hacm digits  $\langle 1 \ J \ \rangle \ \Lambda \ \uparrow \ 9 \ \Delta \rangle$  attached to the end of the verbs they encompass. Proper words are preceded by a backslash  $\langle V \rangle$ .

Vowels that are inferrable from context are sometimes omitted. For example, /aɛ-fan/ (to speak) is written <pean>, but /aɛfin/ (to spread), which is less common, is written <peacn>, with the second vowel. Most of this grammar will leave all vowels written.

#### 1.3 | Phonotactics

An onset consists of one of the following:

any single consonant other than /l/ (the exceptions are <le)> [lɛk] and related words),

1.4. STRESS 9

- any obstruent followed by an approximant other than /l/,
- or any plosive followed by /r/,
- or any nasal followed by /j/ or /w/.

A nucleus consists of one vowel. A coda consists of one of the following:

- · nothing,
- · a nasal,
- a voiceless plosive (excluding /?/),
- /a/, /s/ or /l/

#### 1.4 Stress

Stress falls on the last syllable with a coda, or otherwise the second-to-last syllable. See table 1.5 for examples.

Table 1.5: Examples of stress locations.

	Location of stress
Orthography	(# from last)
DIJI	2
ni.cn	1
cleìce.	2
lijnedc <sup>ə</sup>	3

#### 1.5 | Vowel harmony

For the purposes of vowel harmony, vowels are divided into front and back vowels. /a/ is neutral. A root with neither front nor back vowels acts as if it has front vowels. If by some odd chance a word has both front and back vowels, it is treated as either by random chance.

#### 1.6 | Allophony

The following changes are made:

$$\begin{array}{ccc} s \to \xi & ( \blacklozenge \{w,j,u,y\}) & \textit{NB this is a whistled sibiliant.} \\ C_1\{n,\eta\}C_2\{k,g\} \to nC_2[+uv] & [2\mid \#\sigma] \\ & \\ C_1[+av] \to C_1[+rt] & \left[ \sum_{n \in \chi} n^2 \in \mathbb{P} \right] \end{array}$$

Some examples:

- $\langle 1^h cn \rangle = does \ not \ go / \theta xink \epsilon / [\theta xinq \epsilon] because the number of syllables is even$
- $\langle \text{ni.cn1} \rangle$  but was waiting /na?in{16}/ [na?in{16}] because  $1^2 + 6^2 = 37$  is prime

## 1.7 | The script of Lek-Tsaro

Lek-Tsaro also uses its own script, inspired by one of Uruwi's old childhood cyphers. The consonants within a word are divided into pairs (plus one single consonant at the end if applicable). Thus,  $\langle d = \mu \rangle$  would have  $\langle d = \mu \rangle$ . These pairs then get a glyph that combines the glyphs for their constituent consonants.

Table 1.6: Single consonants in the script.

The full table of consonant pairs can be found at tables 1.7 and 1.8. There are some general rules:

- Double consonants get their single-consonant glyphs with a ring below.
- d-coloured glyphs bear the characteristic middle bar of  $\langle 3 \rangle \langle d \rangle$ : 3 d + 4 d = 0
- f-coloured glyphs rest under the characteristic hilt of  $\langle \uparrow \rangle \langle f \rangle$ :  $\uparrow f + \triangle d \rightarrow \triangle f d$ .
- J-coloured glyphs bear the characteristic bar-and-circle of  $\langle + \rangle \langle j \rangle$ :  $+ j + @ b \rightarrow @ jb$ .
- $\alpha$ -coloured glyphs bear the characteristic double-swash of  $\langle \mathcal{A} \rangle \langle \alpha \rangle$ :  $\mathcal{A} \alpha + \mathcal{A} \cap^{\varphi} \rightarrow \mathcal{A} \cap^{\varphi}$ .
- D-coloured glyphs bear the characteristic brook of  $\langle E \rangle \langle D \rangle$ :  $E D + E d \rightarrow E D d$ .
- $J^h$ -coloured glyphs bear the characteristic arc of  $\langle x \rangle \langle J^h \rangle$ :  $x \rangle J^h + b \rangle D \rightarrow b \rangle J^h D$ .
- y-coloured glyphs rest under the characteristic triangle of  $\$  :  $\$  y +  $\$   $\$   $\phi$   $\rightarrow$   $\$  y  $\$  ,
- d-coloured glyphs rest under the characteristic overring of  $\langle \mathring{\triangle} \rangle \langle d \rangle$ :  $\mathring{\triangle} d + \mathring{\triangle} \alpha^l \rightarrow \mathring{\triangle} d\alpha^l$ .

8 N 55 Ô ?1 1  $\bowtie$ X Å 1 4 ₹ Å 귀 \$  $\bowtie$ ΠP 55 Ô Ť **Ž !** /\* | \*\* 丰 \$ **Š Ž** オ Ž ð Ť 衤 ? ∕° 2. 74 十·半 /<sub>M</sub> /\* **∕**∆ 1 1 1€ 1/5 10 /?I ≯ æ ₩ ₽ S  $\Diamond$ Å 갂 4. 渺 A 2 P  $\overset{\text{\tiny a}}{\bowtie}$ P ×  $\geq$ B  $\not\gg$ Ø 24 X § ¥ /× <del>☆</del> X X ڮ۠  $\bowtie$ 总作多件 Ŕ 38 対を必べる \*\*\* \$ × Щ \ \ \ \ \ \ SS ٥ 2  $\mathscr{R}$ Å [3 Ł . % # S\$ S\$ \$\tag{2} \tag{8} Ħ <u>\$</u>5 55 \$ Ŗ ⑧ *5*51 <u>`</u> € À 4 X  $\mathscr{H}$ 18 Q **( (** Ô **(3**) ¢ å **® ①** ≯ اړ اړ ş ↟ 4 å  $\mathring{\mathbb{Z}}$ گ s's Ł Å <u>7</u> 刊七本多户東色午 اله 91 K Ô۱ 件 24  $\bowtie$ 닏 55| 4.2 4. \$5,85 ٩ **٩** R R Ą **(** 1 Ę 少女分子米区袋 إ 苁  $\mathbb{X}$ 121 ۷ X H 女子 黑色彩 対対 老! 光豆 太田米子子 医浴浴 粉货级 8 光光光色浴 Άl Ó 틴 × ⊚ ≈ 胀 \ ⊗ ⊗ ⊗ ⊗ X [F] |F] (§) (%) Ø (?] ∑ ⊠ ?î ₽ £ X æ P. ずれずけ 七七日余 Á 女的食 Ţ Ą 全巴金 ٩ XΙ P 7 Š R R À R R R ₹ Z \$ K ٨ ΨI (3 33 彩 XB 迟 553  $\mathbb{X}$ 03 43 呇 313 16 1€ ટ ᢪ ₽  $\wedge$ 2  $\bowtie$ 95 × ٥ Å 71 €\_ چ Ť N X Œ \$ **(**| K.

Table 1.7: Consonant pairs in the script.

- l-coloured glyphs rest to the left of the characteristic vertical line of  $\langle ? | \rangle \langle l \rangle$ :  $? | l + P \Omega^{H} \rightarrow P | l \Omega^{H}$ .
- O-coloured glyphs are superimposed with a copy rotated either  $\pi$  or, in the case of a few glyphs,  $\pi/2$ :  $\bowtie$  O +  $\wedge$  D  $\rightarrow$   $\bowtie$  Ol;  $\bowtie$  O +  $\ll$  h  $\rightarrow$   $\Re$  Oh.
- $\Omega$ -coloured glyphs are superimposed with  $\langle X \rangle \langle \Omega \rangle$ :  $X \Omega + \not\leftarrow \Gamma^{I_1} \to \not\ll \Omega^{I_2}$ . In some cases, the cross might be rotated  $\pi/4$ :  $X \Omega + \boxtimes \Pi \to \not \cong \Omega \Pi$ .
- b-coloured glyphs rest inside the characteristic room of  $\langle @ \rangle \langle b \rangle$ :  $@ b + (3 \mu \to @ b\mu)$ .
- $\alpha^l$ -coloured glyphs rest under the characteristic flare of  $\langle \hat{\triangle} \rangle \langle \alpha^l \rangle$ :  $\hat{\triangle}$   $\alpha^l$  + ( .  $\rightarrow ($   $\alpha^l$  ...
- $\Omega^{\text{Y}}$ -coloured glyphs rest under the characteristic P-shape of  $\langle P \rangle \langle \Omega^{\text{Y}} \rangle$ :  $P \cap \Omega^{\text{Y}} + \mathcal{F} \cap \Omega^{\text{Y}} \cap \Omega^{\text{Y}} \cap \Omega^{\text{Y}}$ .
- $\mu$ -coloured glyphs rest to the left of the characteristic flare of  $\langle (3) \rangle \langle \mu \rangle$ :  $(3 \mu + \Lambda n^q \rightarrow \Lambda 3 \mu n^q)$ .

	***	X	닌	X	9	$\widetilde{\Delta}$	$\mathfrak{T}$	Pa	7	(3	$\wedge$	(
8	**	¥	된	X	<del>()</del>	Æ	Œ	R	7	$\Theta$	A	-
Ť	蓉	茎	Ť	Ž	(উ	菍	Ť	Ř	\$	Ğ	杰	₹
1	/☆	1/4	/H	X	/c	/2	1	/R		13	A	1
4	<b>☆</b>	/4 ¥	ન	$\times$	<del>(y</del> -	$\stackrel{\sim}{\sim}$	$\mathfrak{X}$	<del>[</del> 9°	7	$\Theta$	<i>A ★</i>	₹ /: +
2	寒	$\varkappa$	/² ₽³	*	$\mathscr{P}$		$\mathscr{Z}$	<b>₽</b>	とかる	8	A	$\mathcal{R}$
	$\boxtimes$	$\bowtie$	M	**		¥	20	Ŗ	***	XB	$\bowtie$	
<u>ا</u>	<b>☆</b>	¥	뒫	×	(3)	$\tilde{\tilde{x}}$	Œ	R	<u>*</u>	€3 ⊠	À	(F
<u></u>	¥5.	<b>%</b>	<del>65</del>	×	( <del>\$</del>	<del>2</del>	<b>3</b> £	P\$	*	553	, ` §S	\$
X L S X O L ? L & X F	\$\frac{\pi}{\pi}\$	×	1 1 0 1 0 1 W T	%	(A) (B) (B) (D) (O)		X	R	7	(3		
$\hat{\Diamond}$	<u></u>	¥ ⊗ ¥	(F)	Ŕ	Ĉ	<b>☆</b>	<b>©</b>	<b>®</b>	<b>®</b>	(3)	Â	Ô
$\mathring{\wedge}$	x <sup>*</sup> x	ý.	J. (	×	Ŷ	<u>*</u>	Ţ	Ļ	\$	<b>®</b>	Å	ð
71	<del> </del>	쇠	티	Χl	<u>છ</u>	$\simeq$	<b>X</b> I	[4 [7]	7	(3	٨١	(1
٩'	¶.	*	1	*	(€	₹	X	Ŗ	Æ	₹3	4	4
<del>₹</del> ₹	χ <sup>χ</sup>	%		×	<b>€</b> ⊗	₹ <b>\$</b>	<b>8€</b>		季	Ö	Ŵ	<b>(</b>
X	9 <u>k</u>	<i>7</i> 0	K		Œ	∞	<b>%</b>	Ŕ	圣	¥3	ж У	<b>X</b>
<u>-</u>	7Q	次 京 图 宋 张	<u>ال</u>	$\times \times $	四面等四层	\$P\$ \$P\$ \$B\$ \$P\$ \$P\$	Æ	Ŀ ĭ*	7	13 13 18		
\ \	II, <sup>2</sup>	1Ų	), M	, V	Ŕ	<b>≫</b>	<b>X</b>	<b>X</b> 7.4	∠Z/	K\$ ĽΣ	), W	X/
<b>★</b> 5 € 5 € 8 € 8 € 8 € 8 € 8 € 8 € 8 € 8 €	<del>∞</del>	70		Ŷ		<u>~</u>	<b>∞</b>	PA P	<b>★ ④</b>	<b>₩</b> @ <b>%</b>	<b>A</b>	XII.
×		%	<u>~</u>	⊗	<u>پ</u> چ	Š	Œ Ŷ	<u>~</u>	& &	⊗ %	<u>~</u>	<i>∞</i>
$\propto$	Δ <del>Δ</del> Δ ΔΩ	-35 102↑	7AC	X %*	® <b>ℰ</b>	<i>☆</i> ※	X	F O	<b>X</b>	(S	^\ ^\	<b>%</b>
	Ó	Ø	Ć Ć	X	Ó	ý	Ţ	Lã O	<b>SE</b>	R R	Š	
[9 ]	<b>₩</b>	R	17 -	R V	Te		Pac Tec	٩	R	TG	TA ~	R
(3	以 多 多 多 的 的 的 的 的 的 的 的 的 的 的 的 的	*	1.40年以四天1.	**	€.	**	& Æ	() ()	7	<del>(</del> )	7	<b>₹</b>
		\(\frac{1}{3}\)		X3	(F)	∑3 ~	$\mathfrak{Z}$	<u>P</u> 3	₹ ₹3	(3	W3	(5
$\wedge$	<b>\$</b>	X	Ŕ	X	િ (	<u>~</u>	<b>©</b>	<u>P</u>	7	(3	Ý	Ů (
(	Ø	*	Ŕ	X	Ć	Ţ	Æ	Ŗ	#	₫3	Ŕ	Ű

Table 1.8: Consonant pairs in the script.

- $n^q$ -coloured glyphs bear the characteristic inner circle of  $\langle A \rangle \langle n^q \rangle$ :  $A n^q + \mathfrak{D} a^h \to \mathfrak{D} n^q a^h$ .
- If all else has failed, the two consonants are superimposed. The default order is the same as the ordering used in table 1.6.
- In coloured-consonant pairs, the colourant is assumed to occur first unless the order is switched by an order reversal mark.
- A negative-sloping mark below a glyph means that the order of consonants is switched.

Thus in our case, we would have  $\langle \overrightarrow{\vdash} \hookrightarrow \rangle$ . The next step is to add vowels. In our case, they would be paired as  $\langle \overrightarrow{\ni} - i \rangle$ . Note that it is possible for a pair to not have both vowels. The diacritics for the vowels are quite irregular, and they are shown in table 1.9.

Thus, after adding vowels we get  $\langle \hat{+} \hat{+} \hat{+} \rangle$ .

Table 1.9: Vowel pairs in the script.

	Ø	1	С	$C_{9}$	$c_o$	е	e <sup>o</sup>	əc	ə	9 <sup>o</sup>	эe	Э
Ø		^	•	•	3	-	-	7	_	ے	7	_
ı	~	~	~~	<b>~</b> o	^₹	~	4	~	ىه	ده	9	^-,
	~	<b>*</b> *	w	w	vs-	~	<b>YP</b>	~	~	<b>ئ</b>	w	v
C	۸۵	-24	ىرو	-89	-04	ىق	94	æ	عد	دھ	я	اھ
$C_{9}$	43	ઋ	3V	<b>⊸</b>	786	7	-ar	784	The same	300	781	কা
$c_{2}$	_	_	~	٦.	4	>	Ze	<b>-</b> 2	zı	2	7	24
е				·				·			-	
eэ	14	*	t	*La	₽o	*	**	*N	**	<b>3</b> P	*	*
ə <sup>с</sup>	2	4	4	/10	43	4	44	∕øi	4	<b>√</b> >	শ্ব	41
ə	ы	^	ىر	مر	ক	1	ም	۸	نو	دع	м	Л
ə <sup>o</sup>	ص	s	ىو	مر	उक	5	عد	ы	ىي	ىي	<b>এ</b> 1	<b>5</b> 71
	и	10	1	19	<b>14</b> -	_		W	ىه	۵	м	<b>A</b> 1
Эe	_	٦,	~	76	76	~	٦φ.	7	-ب	-o	74	<b>3</b> 1
Э												

Table 1.10: Miscellaneous symbols.

comma

 $^{\circ}$  name mark (equiv. to  $\langle \rangle$ )

# 2 | Syntax

#### 2.1 | Basic word order

The basic word order is VSO. Descriptors follow what they modify.

#### 2.2 | Questions

Binary questions have the interrogative polarity marker and no change to syntax. In wh-questions, the wh-word is pulled to the front (i. e. before the verb). This requires case marking for the wh-word:

```
flen peac<sup>a</sup>jhi nc<sup>o</sup>8
who-acc speak-FAR.PAST-Q PR.FAR.SG
Whom did you speak to?
```

This applies only to questions, not interrogative-mood clauses that act as relative clauses:

```
μεασ<sup>9</sup>Jhi nc<sup>9</sup> flel, yif μο.
speak-far.past-q pr.far.sg who, see-near.past pr.anaph_obj.int
I saw the person whom you talked to.
```

#### 2.3 | Multiple clauses

A sentence might have multiple clauses. Each clause in a sentence follows the basic VSO order, and clauses are separated with commas.

# 3 Nouns

Nouns are declined for number, case and definiteness.

## 3.1 Number

Lek-Tsaro has many grammatical numbers:

Table 3.1: The discrete grammatical numbers of Lek-Tsaro.

Number	Constraint on $x \in \mathbb{Z}$
Integral	none
Nullary	x = 0
Singular	x =1
Dual	x =2

Table 3.2: The continuous grammatical numbers of Lek-Tsaro.

Number	Constraint on $x \in \mathbb{R}$
Nullary	x = 0
Subsingular	x  < 1
Supersingular	$1 \le  x  < 2$
Plural	$ x  \ge 2$ or x is unknown

#### 3.2 | Case

In a clause with both the subject and object directly expressed in that order, both the subject and object are declined in the nominative case (and their roles are inferred through word order). In a clause where only one is present, or where both are expressed in the opposite order, the subject will receive the nominative case and the object will receive the accusative case.

#### 3.3 | Noun classes

There are three overarching groups of noun classes.

18 CHAPTER 3. NOUNS

#### 3.3.1 | Countable

Nouns in these classes are declined for a discrete number.

- 1. Sentient such as humans, AIs, deities.
- 2. Animate nonsentient animals.
- 3. Inanimate anything else.

#### 3.3.2 | Measurable

Nouns in this class are declined for a continuous number.

4. Measure – all measurable nouns, especially units of measurement.

#### 3.3.3 Uncountable

Nouns in these classes are not declined for number, and require compounding with a countable or measurable noun in order to be quantified.

- 5. Fluid liquids and gases.
- 6. Edible edible (to humans) non-fluids.
- 7. Inedible inedible (to humans) non-fluids.
- 8. Abstract abstract ideas.

#### 3.4 Definiteness

#### 3.5 Declension table

#### 3.5.1 | Countable classes

Note that noun declensions respect vowel harmony. For nouns with back vowels, replace the front vowels with the back vowels of the same height and rounding, and vice versa.

Table 3.3: Declensions for countable nouns.

	Integral	Nullary	Singular	Dual	
Sentient: \DI	راز) "person"				
Nominative	DIJI	Dijile	DIJIJ	DIJI	
Accusative	DIJIN	⊳ıJın <sup>φ</sup> Je	DIJINCJ	DIJINI	
Sentient: < Jh	Sentient: (J <sup>h</sup> I.en) "magician"				
Nominative	J <sup>h</sup> ı.en	յ <sup>հ</sup> ı.eſe	յ <sup>հ</sup> ւ.eյ	J <sup>h</sup> ı.el	
Accusative	j <sup>h</sup> ı.eµcn	j <sup>h</sup> ι.en <sup>φ</sup> le	j <sup>h</sup> ı.eµcj	j <sup>h</sup> ı.eµcl	
(Note that the final consonant is preserved only in the integral nominative form.)					
Animate: ⟨pən <sup>φ</sup> ɔ⟩ "rabbit"					

	Integral	Nullary	Singular	Dual
Nominative	⊳ən <sup>ଡ଼</sup> ɔ	⊳ən <sup>o</sup> ojo <sub>e</sub>	⊳en <sup>φ</sup> ομ	Dən <sup>φ</sup> ɔ.ə <sup>c</sup>
Accusative	⊳enφon	oən <sup>o</sup> on(o	⊳ən <sup>φ</sup> on	⊳ən <sup>φ</sup> ɔnə <sup>c</sup>
Animate: ⟨JC	<sup>e</sup> l> "fox"			
Nominative	Jc <sup>ə</sup> l	Jc∍le	JC <sup>®</sup> J	JC <sup>ə</sup> .C
Accusative	jc <sup>ə</sup> µcn	յc <sup>ə</sup> n <sup>φ</sup> le	Jc <sub>e</sub> hcl	Jc <sup>ə</sup> þc
Inanimate: <	nıdə°> "stat			
Nominative	hıdə⁵	hıqə <sub>ɔ</sub> Jɔe	hıdə <sup>ɔ</sup> )	hıdə <sup>o</sup> j
Accusative	hıdə°D	hıdə° odoe	hıdə <sup>o</sup> do <sup>e</sup>	hıdə <sup>o</sup> aə <sup>c</sup>
Inanimate: <.coen> "house"				
Nominative	.coen	.cpeſe	.coeì	.cdej
Accusative	.coeµco	.cpeµcpde	.cpeµcde	.cpeµcac

# 3.5.2 | Measurable classes

Table 3.4: Declensions for measurable nouns.

	Plural	Nullary	Subingular	Supersingular	
Measure: <µ	Measure: ⟨µəDə <sup>c</sup> ⟩ "day (continuous)"				
Nominative	haba <sub>c</sub>	həpə <sub>c</sub> hə <sub>o</sub>	haba <sub>c</sub> (	həpə <sub>c</sub> u	
Accusative	þəbəcn	həpə <sub>c</sub> hə <sub>p</sub> u	hapa <sub>c</sub> ula <sub>e</sub>	papacuacu	
Measure: <d6< td=""><td colspan="4">Measure: ⟨Del⟩ "volume" (in expressions such as ⟨Del−Yəj⊃e⟩ "cupful")</td></d6<>	Measure: ⟨Del⟩ "volume" (in expressions such as ⟨Del−Yəj⊃e⟩ "cupful")				
Nominative	pel	pehc₂	pehcl	pehcu	
Accusative	pehcu	peµc⁵n	pehcule	pehcucu	
(Note that the final consonant is preserved only in the plural nominative form.)					

# 3.5.3 | Uncountable classes

Notably, uncountable-class noun declensions do not respect vowel harmony.

Table 3.5: Declensions for measurable nouns.

	Mass		
Fluid: <alphable control="" of="" t<="" td="" the=""></alphable>			
Nominative	α <sup>a</sup> μa <sup>o</sup>		
Accusative	a <sup>e</sup> µə <sup>o</sup> n		
Fluid: <Ωeler	nitrogen"		
Nominative	ΩeÌeD		
Accusative	Ωelepcn		
	(Here, the coda is preserved in the accusative as well.)		
Edible: <iep.< td=""><td>c°&gt; "beef"</td></iep.<>	c°> "beef"		
Nominative	leh.co		
Accusative	leh.con		
Edible: (DIN)	rice"		
Nominative	DIN		
Accusative	DINCN		
Inedible: <pe< td=""><td colspan="3">Inedible: 〈μəງ(ɔ〉 "gold"</td></pe<>	Inedible: 〈μəງ(ɔ〉 "gold"		
Nominative	h <del>ခ</del> ္ချပ		
Accusative	h <sub>9</sub> , lope		

20 CHAPTER 3. NOUNS

	Mass		
Inedible: 🗐 🖺	Inedible: (IIII) "stone"		
Nominative	Jirdij		
Accusative	Jidijde		
Abstract: <a^< td=""><td colspan="3">Abstract: <math>\langle Q^h \Theta^D D D \rangle</math> "empathy"</td></a^<>	Abstract: $\langle Q^h \Theta^D D D \rangle$ "empathy"		
Nominative			
Accusative	α <sup>h</sup> e <sup>o</sup> Don <sup>φ</sup>		
Abstract: 〈φc͡ʃ〉"[the number] five"			
Nominative	φCJ		
Accusative	φcjcn <sup>φ</sup>		

## 3.6 | Pronouns

Personal pronouns are not divided into first, second and third persons as in most languages. Instead, they fall into four categories which exhibit different behaviour depending on whether they occur as the first or second noun in the clause:

Table 3.6: Pronoun persons and their functions.

Person	Role in first position	Role in second position	
Near	The speaker.	The first argument of the	
Far	The listener.	sentence.  If the first argument is the speaker, then the	
Other	A third entity.	listener. Otherwise, the speaker. An entity that is neither the speaker, the listener nor the first argument.	
Generic	A generic entity (akin to "one").		
Anaphoric Subject	The subject of the previous clause.		
Anaphoric Object	The object of the previous clause.		

In wh-questions, the wh-word assumes the second position and the other argument becomes the first.

If a clause has no explicit arguments, the first argument is understood to be the subject.

Table 3.7: Personal pronouns.  $\langle -n \rangle$ ,  $\langle -en \rangle$  or  $\langle -3^en \rangle$  is suffixed for the accusative case.

(continuous)	Pl. / Sub. / Sup.	Nullary		
(discrete)	Integral	Nullary	Singular	Dual
Near	ſı	Jeli	Dе	achc
Far	do	Joedo	nə <sup>c</sup>	bui
Other	nc	lenc	SC <sup>o</sup>	Jihc
Anaph. Sub.	μι	Jehi	.CD	n <sup>o</sup> cµc n <sup>o</sup> evµo
Anaph. Obj.	μɔ	Jo <sub>e</sub> ho	.ə <sup>c</sup> D	n <sup>φ</sup> ə <sup>ċ</sup> μɔ
Generic		.ə <sup>o</sup>		

3.7. COMPOUNDING 21

(For the observant readers: notice the similarity to Kavinan's system.)

#### 3.6.1 | Last-clause pronouns

The anaphoric pronoun <code>\deltabj></code> (accusative: <code>\deltabj=n></code>) is grammatically an other pronoun, and it refers to the previous clause said. Likewise, <code>\deltabdcj></code> (accusative: <code>\deltabdcn></code>) refers to the clause before the previous one.

## 3.7 | Compounding

Nouns can be compounded together in a head-initial manner. When that happens, only the leftmost noun is the one to be declined.

```
Del-\muajo<sup>e</sup>-\alphala\muao-\phicj
volume-cup-water-five
five cupfuls of water
```

Note that integral pronouns can modify other nouns, in which personal possession is indicated:

```
Del-μəjɔ<sup>e</sup>-α<sup>l</sup>əμə<sup>ɔ</sup>-φcj-ſı
volume-cup-water-five-PR.NEAR.INTEGRAL
(arg1)'s five cupfuls of water
```

Descriptors can also compound on nouns. This compounding is productive in Lek-Tsaro.

```
DIJI-lə<sup>o</sup>(i
person-old
old people
(Compare to DIJI lə<sup>o</sup>(i "person old-SENTIENT".)
```

#### 3.8 | Possession

"X's Y" is translated as  $\langle Y=DI \mid JCI \mid X \rangle$ . The possessive construction is also used to create appositives.

Observe that possession marks the head, and  $\langle -DI \rangle$  is a clitic, not an affix, as in the following example:

```
Dədən^{\phi}JJ^{-}Q^{l}Ə^{-}PDI JCl J^{h}I.eJ
DEF~rabbit-SING-water=GEN POS magician-SING
the magician's water rabbit
In more casual speech, \langleJCl^{\diamond} may be dropped.
```

22 CHAPTER 3. NOUNS

# 4 Verbs

Verbs are conjugated for person of the subject, tense, polarity and tellicity, in two paradigms. Conjugation respects vowel harmony.

Table 4.1: Person-tense conjugations for verbs, using \Dilin\rangle "(S) eats (O)".

	Nonpast	Past
Near	DIJIN	DIJIL
Far	DIJIU	DIJC <sub>9</sub> J
Other	DIJI	DIJC <sub>9</sub>
Anaph. Sub.	ыle	Dilel
Anaph. Obj.	DI)C.e	Dilc.el
Generic	DIJC <sub>2</sub>	DIJC <sub>2</sub>

Table 4.2: Person-tense conjugations for verbs, using \( \peacn \rangle "(S) \) spreads (O)".

	Nonpast	Past
Near	μeacn	heacl
Far	peain	heacel
Other	μeαι	heace
Anaph. Sub.	μeαe	μeael
Anaph. Obj.	peac.e	μeac.el
Generic	heac <sub>e</sub>	heace

to which a suffix is added:

Table 4.3: Polarity-tellicity suffixes for verbs. The interrogative affix can also follow a negative affix.

	Positive	Negative	Interrogative
Telic	<b>-</b> ·	–le / –lɔe	–hı
Atelic	-DC / -DƏ <sup>C</sup>	_jı	−lc <sup>ə</sup> / −lə

#### Notes:

- "Negative atelic" means something akin to "unsuccessfully tried to avoid doing X".

24 CHAPTER 4. VERBS

• The interrogative polarity, in addition to marking questions, is used to mark clauses that may or may not be true but are referred to later in the sentence.

Some examples:

DIJIN SIME (LOPO).
eat-NEAR.NONPAST fish flower
Fish eat flowers.

Dilin side (lopo, Dilin nyipi pi. eat-NEAR.NONPAST cat PR.ANAPH\_SUB Fish eat flowers, and cats eat fish.

Dilin side (lopo, pile pilibe. eat-NEAR.NONPAST fish flower, eat-ANAPH\_SUB.NONPAST grass-ACC Fish eat flowers, and they eat grass. (Grass is inedible to humans, but edible to fish.)

eat-NEAR.NONPAST-NEG flower fish Flowers don't eat fish.

duch sc<sup>o</sup> huchucael, Jenin (i bej. carry-near.nonpast pr.other.sg def~book-sg, worry-near.nonpast pr.near.int pr.last\_clause
He has the book; that worries me.
or: That he has the book worries me.

ducnhi sc³ huchucael, jenin (i bej. carry-near.nonpast-interrogative pr.other.sg def~book-sg, worry-near.nonpast pr.near.int pr.last\_clause
He might have the book; that worries me.
or: That he might have the book worries me.

#### 4.1 Aspect

Verbs can also be marked for aspect, either using a rod sign directly on the verb, or a particle with a rod sign, placed anywhere between the verb it modifies and the next verb.

Table 4.4: Aspect markers. Those with hyphens are attached to verb. Those without hyphens are placed as separate particles anywhere after the verb.

Aspect name	Marking	Meaning
Imperfect	<b>–</b> 1	An action that is currently going on. Also
		used to distinguish static actions as opposed to dynamic (e. g. wear as opposed to
		put on).
Interrupted	(lcl1	An action that was interrupted.

4.2. OBLIQUES 25

Aspect name	Marking	Meaning		
Perfect -J		An action that has already finished.		
		Changes present tense to immediate past.		
		Also used to distinguish dynamic actions		
		as opposed to static (e. g. put on as opposed		
		to wear).		
Gnomic	<b>ا</b> _	A general truth or aphorism, or an action		
	(1 - 1)	done habitually.		
Gnomic dubitative	(lcl?	A general truth or aphorism that the		
Describe	_n	speaker considers to be false.		
Deontic necessity	וע—	An action that the speaker insists on hap-		
Epistemic necessity	Jəc DN	pening. An action that the speaker infers is happen-		
Episternic necessity	וועט פו	ing.		
Deontic potential	4_	An action that the speaker permits to occur.		
Epistemic potential		An action that the speaker infers that might		
2piecemie peceniciai		happen.		
Unexpected -9		An action that is unexpected (akin to using		
1		"but").		
Comparative	deโ	Indicates an action of greater intensity		
		than what was described in the previous		
		clause.		
Nonexclusive subject	ોc1	Indicates that the subject comprises not		
		only of what is explicitly mentioned, but		
1 . 1.	, ,	also other things.		
Nonexclusive object	JcJ	Indicates that the object comprises not		
		only of what is explicitly mentioned, but		
Namarahusiwa angu	<u>ໄ</u> ດທ	also other things.		
Nonexclusive argument	ICVI	Combination of both nonexclusive subject and nonexclusive object.		
		and nonexclusive object.		

#### An example:

IlliIoc1 de nc, lcnc.els dən $^{\phi}$ Id2 $^{e}$ — $^{\mu}$ I. fight-near.past-atelic-imperfect pr.near.sg pr.other.int, shoot-anaph\_obj.past-unexpected knee-sg.acc-pr.anaph\_sub.int I tried to fight them, but they shot my knee.

# 4.2 | Obliques

Lek-Tsaro lacks oblique arguments. Instead, equivalent expressions employ serial verb constructions. For instance, "he ate soup with a spoon" would be reduced to "he held a spoon and ate soup":

duce sco apeloel, bilel sidjon.
INST-OTHER.PAST PR.OTHER.SG spoon-SG, eat-ANAPH\_SUB.PAST soup-ACC
He held a spoon and ate soup.
or: He ate soup with a spoon.

26 CHAPTER 4. VERBS

Likewise:

```
ni.i nc jəjəl—hi.ip, ncde hihidə doe.

TEMPORAL-OTHER PR.OTHER.INT DEF~day-SG-spring, dance-ANAPH_SUB DEF~statue-SG.ACC

They will wait until the spring equinox and dance around the statue.
```

A similar construction can be used for the negation of obliques:

or: They will dance around the statue on the spring equinox.

```
dycele sco apeloel, dilels sidjen.

INST-OTHER.PAST-NEG PR.OTHER.SG spoon-SG, eat-ANAPH_SUB.PAST-UNEXPECTED soup-ACC

He did not hold a spoon, but ate soup.

or: He ate soup without a spoon.
```

#### 4.3 | Conjunctions

Conjunctions such as "and" are treated like obliques. For instance, "and" is represented by the verb (QCn), and precedes the clause in which the two are used:

```
and-other.past Ryse Tarul, eat-ANAPH_SUB.PAST beef-ACC Ryse and Tarul ate beef.
```

Sufficiently complex nesting may be unrepresentable using only anaphoric referents. The easiest way to resolve this issue is to use definite nouns in place of anaphoric referents.

```
ace \pue \fuel, ace \equiv \equiv \text{lipel}, ace \left(\text{ep.c}^2\) sidjc, dide didijil \pu. and-other.Past Ryse Tarul, and-other.Past beef soup, eat-other.Past def~persondu PR.Anaph_sub.cont [They,] Ryse and Tarul ate beef and soup.
```

#### 4.4 | Subordinate clauses

Ideas such as "if" or "because" are also expressed with verbs. For example, \n.cn\"wait, when" is also used for "if":

```
fepilehi, ni.cn fi bej, aehcn. rain-other-neg-q, wait-near pr.near.int anaph_clause, play-near if it doesn't rain, we will play.
```

Note the clausal argument to  $\langle \text{NI.CN} \rangle$ , since our condition is an entire clause instead of a noun.

4.5. COMPARATIVES 27

#### 4.4.1 | Conditions

Conditional ideas whose English translations contain "if" can also be expressed in a more concise way, but this usage can sometimes sound colloquial:

ſeμilehı, αehcn. rain-other-neg-Q, play-near If it doesn't rain, we will play.

#### 4.5 | Comparatives

The comparative is a function cmp :  $A \times A \times (A \to \mathbb{R}) \times (A \times A \to \{0,1\}) \to \{0,1\}$ , where cmp $(a,b,f,\Box) = f(a) \supset f(b)$ . Consider the following sentences:

Fish eat flowers more than cats. More fish eat flowers than cats.

Semantically, they can be translated to:

$$\operatorname{cmp}(\operatorname{fish},\operatorname{cats},a\mapsto (\operatorname{\#of\,flowers\,eaten\,by}\,a),>) \tag{4.1}$$

cmp(fish, cats, 
$$a \mapsto (\# \text{ of } a \text{ that eat flowers}), >)$$
 (4.2)

The heart of comparatives in Lek-Tsaro is the quadrivalent verb (no  $\mu$ ). Thus:

Dilc $^{\circ}$ hi (lohod $^{-}$ j $^{h}$ cn,  $\Omega$ ohin side nyihi ho nel. eat-generic-Q flower-acc.int-how\_many, CMP-near fish cat pr.anaph\_obj.int > Fish eat more flowers than cats.

DIÌC<sup>3</sup>hi .ə<sup>3</sup>-j<sup>h</sup>cn (lapa, <u>napin side nuipi pi nef.</u> eat-generic-q pr.generic-how\_many flower, <u>cmp-near fish</u> cat pr.anaph\_sub.int > More fish eat flowers than cats.

Note that we place a clause whose argument is the generic pronoun before the comparative clause. From the doran-clause, we refer to the function using the anaphoric pronoun referring to the position of the return value.

#### 4.6 Ditransitive-like constructions

In English, some verbs such as *give* take two objects: the item being given and the recipient of the item. Since clauses in Lek-Tsaro can take only one object, translating such verbs requires multiple clauses:

fiuif de hychycoen, nebel \pc<sup>a</sup>jen.
lose-near.past pr.near.sg def~book, give\_to-anaph\_sub.past Ri<sup>u</sup>se-acc I gave the book to Ryse.

28 CHAPTER 4. VERBS

Table 4.5: Comparators in Lek-Tsaro.

	Comparator
>	neſ
<	a၁ <sup>e</sup> )
=	ſe <sup>o</sup> n <sup>φ</sup>
$\geq$	MI
<u></u>	DCJ
$\neq$	.c <sup>ə</sup> j
` ≈	μej
-	α <sup>h</sup> e
<i>//</i>	dın

#### 4.7 | Transitivisation

Verbs that are intransitively (i. e. have no object passed at this time) can be turned into a causative form with the prefix  $\langle \phi c - \rangle$ :

```
flall-NEAR.PAST DEF~coin
The coins fell.
```

```
De pc(lcdc<sup>a</sup> apeapen<sup>4</sup>e
PR.NEAR.SG TRANS-fall-OTHER.PAST DEF~coin
I dropped the coins.
```

Note that the word order changes to SVO. In addition, the verb is conjugated for its object, rather than the subject as expected. If the following clause uses an anaphoric subject, it refers to the object of the current clause.

Moreover, the verb does not need to be one that can never take an object. In the above example, (Chcn) means "(S) falls on (O)". However, if the verb in question is taking an object, it cannot be transitivised directly and a more roundabout way is required:

```
Ilcric opeopen e pili. fall-NEAR.PAST DEF~coin grass. The coins fell on the grass.
```

```
De pc(lcrlc<sup>a</sup> apeapen<sup>4</sup>e, lcrlel pullbe.

PR.NEAR.SG TRANS-fall-OTHER.PAST DEF~coin, fall-ANAPH_SUB.PAST grass-ACC I dropped the coins; they fell on grass.

or: I dropped the coins on grass.
```

#### 4.8 | Clauses with nullary arguments

A clause with one or more arguments that are nullary or modified by nullary-number nouns (either through compounding or possession) will have a negative verb as well:

palinle pijile.

4.9. THE COPULA 29

recall-NEAR-NEG person-NULL No one knows.

fiction de jiptidi jel j<sup>h</sup>i.ele.
want-near-neg pr.near.sg ring=gen pos magician-null
I don't want the rings of any magician.

# 4.9 | The copula

The copula  $\langle JCN \rangle$  can take a noun as an object, in which case it can mean identity or membership. (Location is expressed with  $\langle JIN \rangle$  "be at".) With no object at all, it is used to denote existence.

It can also accept a descriptor, in which case the descriptor is attached before  $\langle \text{jcn} \rangle$  in the dictionary form.

30 CHAPTER 4. VERBS

# 5 Descriptors

Descriptors act as adjectives or adverbs. They follow what they modify, and are inflected for the noun class or verbal person of their antecedents.

Table 5.1: Descriptor declensions, using the descriptors  $\langle heDfi \rangle$  "large" and  $\langle le^{2}fi \rangle$  "old".

Class or person	Declined form	
Sentient	hebli	ام <sub>د</sub> ور
Animate	hebli	ام <sub>ە</sub> را
Inanimate	hebíe	Jອ <sup>ວ</sup> ໄວ <sup>e</sup>
Measure	heblij	ງອ <sup>ວ</sup> ໃນ
Fluid	hebſej	]ອ <sup>ວ</sup> ໄວ <sup>e</sup> ງ
Edible	hebíc	Jə <sub>ɔ</sub> [əc̩
Inedible	he⊳ſe⁵	ງອ <sup>ວ</sup> ໃວ
Abstract	hebíc <sup>ə</sup>	Jə <sub>ɔ</sub> [ə
Near	heblih	hارeور
Far	heblip	Jə <sub>ɔ</sub> lıh
Other	heblep	Jə <sub>ɔ</sub> (eh
Anaph. Sub.	heblip	J9 <sub>2</sub> (lh
Anaph. Obj.	heblep	Jə <sub>ɔ</sub> (e̩p
Generic	heb(c <sup>5</sup> p	Jə <sub>ɔ</sub> (əˌɔh

# 5.1 | Conversion

A noun can be converted to a descriptor by appending  $\langle -\mu \rangle$ .

A descriptor can be converted to an abstract noun meaning "the nature of being  $\sim$ " by replacing the final  $\langle -1 \rangle$  with  $\langle -cnel \rangle$ .

# 6 Tree mode

As mentioned in section 4.3, anaphoric referents in a linked-list sentence are sometimes insufficient for expressing even simple sentence structures. While the easiest method of resolving this issue is using definite nouns, Lek-Tsaro also provides a mode where sentences are not linked lists of clauses, but rather (binary) trees.

#### 6.1 Activation

Tree mode is enabled automatically when the treeing particle  $\langle n^{q_1}q \rangle$  is used, and disabled at the end of a sentence.

#### 6.2 Branch-switching

The aforementioned particle  $\langle \Pi^{4} | \Psi \rangle$  marks the beginning of the right branch of the tree. The right branch is ended by the particle  $\langle \Pi^{4} | \Delta \rangle$ , which causes the next clause to join the left and right branches.

(N. B.  $\langle n^{4}I^{9} \rangle$  and  $\langle n^{4}I^{4} \rangle$  can occur only between clauses. If the particles are represented by left and right brackets, respectively, then the brackets should match.)

#### 6.3 Anaphoric pronouns in joiner clauses

In clauses that join two branches, anaphoric pronouns require marking whether the antecedent occurs in the left predecessor  $\langle n^{q_1}q \rangle$  or the right predecessor  $\langle n^{q_1}\Delta \rangle$ . This is done by marking the pronoun with  $\langle -q \rangle$  or  $\langle -\Delta \rangle$ .

Likewise, verbs can be modified with  $\langle -9 \rangle$  or  $\langle -\Delta \rangle$  to indicate which branch the subject came from.

#### 6.4 Errors

The following are ungrammatical:

- Using the particle  $\langle n^{q} \text{I}\Delta \rangle$  or the branched anaphoric pronouns when tree mode is disabled
- Using the particle  $\langle n^{4}I\Delta \rangle$  other than to close a corresponding  $\langle n^{4}I^{9}\rangle$
- · Using the unbranched anaphoric pronouns in clauses with two predecessors

- Using the branched anaphoric pronouns in clauses with one predecessor
- Starting a new branch with  $\langle n^{q_1} ^{q_2} \rangle$  when the current branch is empty

# 6.5 | Example

The second example in section 4.3 can be expressed as follows:

$$ac^{\circ}$$
 \µc^{\circ}je \(ij\)el,  $n^{4}i^{9}$   $ac^{\circ}$  je $\mu.c^{\circ}$  sidjc,  $n^{4}i\Delta$  di\)el9  $\mu$ cn $\Delta$ .

The resulting tree is shown below:

# 7 Numerals

Lek-Tsaro uses a mixed-base system for its numerals. Numerals are abstract nouns. A Perl 6 program to convert numerals can be found in Section A.3.

# 7.1 | Single-digit numerals

Here are the numerals for n < 17:

Table 7.1: The cardinal numbers from 0 – 16.

base 10	base v	word
0	0	þab
1		acəl
2 3	]	ſij
3	۲	Ω <sup>q</sup> e <sup>o</sup> n
4 5	η 4 9 Δ L F	a <sup>l</sup> ıµ
5	4	φοί
6	١	bye
7	9	ſjcj
6 7 8	Δ	φcj bye (jcj də <sup>o</sup> n
9	L	hed
10	F	bən <sup>φ</sup>
11	7	nə <sup>c</sup> le <sup>o</sup>
12	£	leº
13	ш	յ <sup>հ</sup> cd
14	Α	qın
15	ф А У	diu Jel
16	ψ	.ıµ

Note that digits above 9 use capital hacm letters.

## 7.2 Numerals up to 19 · 17

These are represented by two digits. The multiples of 17 are shown below:

36 CHAPTER 7. NUMERALS

Table 7.2: Multiples of 17, up to  $18 \cdot 17$ .

base 10	base v	word
17	10	selc <sup>ə</sup>
34	JO	DIIC9
51	70	ω <sup>μ</sup> e <sup>ο</sup> lc <sup>ə</sup>
68	NO	liDlC <sub>9</sub>
85	04	φcյſc <sup>ə</sup>
102	10	byelc
119	90	ljcj(c <sup>ə</sup>
136	Δ0	də <sup>ʻə</sup> nə
153	L0	helc <sup>ə</sup>
170	F0	bən <sup>®</sup> ə
187	70	nə <sup>c</sup> lə
204	£0	leºlcə
221	#0	ر ا
238	A0	yınc <sup>ə</sup>
255	A0	)ėlyc <sup>ə</sup>
272	40	.ılyċ <sup>ə</sup>
289	<del>D</del> 0	Jilsc <sup>ə</sup>
306	₩0	he⊳dcª

Thus  $y \cdot 17 + x$  is written  $\langle x-y \rangle$ .

# 7.3 Numerals up to $13 \cdot 19 \cdot 17 = 4199$

These are represented by three digits. The multiples of 19  $\cdot$  17 are listed below:

Table 7.3: Multiples of  $19 \cdot 17$ , up to  $12 \cdot 19 \cdot 17$ .

base 10	base v	word
323	100	hıjılın
646	100	fijifin
969	900	α <sup>q</sup> e <sup>o</sup> jelin
1292	NOO	a <sub>r</sub> ıhı <u>ı</u> ıu
1615	004	φοίιδιη
1938	100	byejilin
2261	900	ſjcjilin
2584	Δ00	də <sup>ʻo</sup> nılın
2907	L00	heaıſın
3230	F00	bən <sup>φ</sup> ıſın
3553	700	nə <sup>c</sup> Jılın
3876	£00	le <sup>o</sup> jilin

Thus  $(z \cdot 19 \cdot 17) + (y \cdot 17) + x$  is written  $\langle z-x-y \rangle$ .

7.4 | Numerals up to and including  $4199 \cdot (4199 + 1)/2 = 8817900$ The numeral for 4199 is  $\langle 19.019^c \rangle$ , written as  $\langle 1.000 \rangle$ . 7.5. HIGHER NUMERALS 37

Likewise, two  $\langle la. | a^c \rangle$  is written as  $\langle l. 000 \rangle$  and pronounced  $\langle la. | a^c - l_J \rangle$ , but the second  $\langle la. | a^c \rangle$  is one smaller than the first. In other words,  $\langle l. 000 \rangle = 4199 + (4199 - 1) = 8397$ .

"Multiple"	Difference from last	Total
(0)		0
1:000	4199	4199
1:000	4198	8397
7:000	4197	12594
Ø:000	4196	16790
000:4	4195	20985
£#A:000	3	8817897
£₩Ψ:000	2	8817899
1::000:000	1	8817900

Table 7.4: "Multiples" of  $\langle \exists \exists \exists \exists c \rangle$ .

Thus the *n*th "multiple" differs from the (n-1)th multiple by (4199+1-n) (given  $1 \le n \le 4199$ ), and the sum of the first n "multiples" is

$$y(n) = \sum_{i=1}^{n} (4200 - n)$$
$$= \frac{1}{2} \cdot (8399 \cdot n - n^{2})$$
(7.1)

And likewise, for some given y, the largest "multiple" of  $\langle le. ole^c \rangle$  not smaller than y has the index

$$N(y) = \left[ \frac{1}{2} \cdot \left( 8399 - \sqrt{70543201 - 8 \cdot y} \right) \right] \tag{7.2}$$

In other words, for any numeral  $\langle n_1:n_2\rangle$ ,  $n_1+n_2$  must be less than 4199.

## 7.5 | Higher numerals

The bases of higher numerals  $b_i$  can be derived from the recurrence relation

$$b_{i} = \begin{cases} 4199 & \text{if } i = 1\\ \frac{b_{i-1} \cdot (b_{i-1} + 1)}{2} & \text{otherwise} \end{cases}$$
 (7.3)

Then  $b_i$  acts as a new triangular base. Equations 7.1 and 7.2 can be generalised to the following:

$$y(n,b_i) = \sum_{i=1}^{n} (b_i + 1 - n)$$
(7.4)

$$=\frac{1}{2}\cdot(n\cdot(2\cdot b_i+1-n))\tag{7.5}$$

$$N(y, b_i) = \left[ \frac{1}{2} \cdot \left( 2 \cdot b_i - \sqrt{4 \cdot b_i^2 + 4 \cdot b_i + 1 - 8 \cdot y} \right) \right]$$
 (7.6)

It follows that  $y(n_1, b_i) + n_2$  is represented as  $\langle n_1 : i n_2 \rangle$  (i colons), and such a numeral must satisfy  $n_1 + n_2 < b_i$ .

Here are the names of the bases themselves:

Table 7.5: Names of higher bases.

Base	base v	word
$b_1$	1:000	Jə.ələ <sup>c</sup>
$b_2$	1::000:000	pehcoli
$b_3$	1:::000:000::000:000	(Ilha)
$b_4$		Ωencoi

# 7.6 | Cardinal and ordinal numerals

Cardinal numerals compound to their antecedents; ordinal numerals use the possessive  $\langle -DI \ JCI \rangle$  construction:

DCQI—Ω<sup>4</sup>e<sup>3</sup>n child-three three children

38

DCQIJDI JCl  $\Omega^{q}e^{3}n$  child-SG=GEN POS three the third child

# 8 Derivational morphology

The following methods are used to derive related terms from existing ones.

### 8.1 Abstraction

Abstraction is a derivation that takes a non-abstract noun and returns the abstract noun representing the concept of the argument. This formation appends  $\langle -ne \rangle$  or  $\langle -ne \rangle$  to the noun.

Examples:

- ⟨hµcΩen⟩ book → ⟨hµcΩene⟩ literature
- ⟨hɔlı⟩ cart → ⟨hɔlınɔ<sup>e</sup>⟩ transportation

Note that any double letters collapse into a single.

#### 8.2 Dematuration

Dematuration is a derivation that takes a noun and returns a noun of the same class that represents an immature form of the argument (not necessarily a diminuitive).  $\langle fc-\rangle$  or  $\langle f\partial^c-\rangle$  are prepended to nouns that begin in  $\langle J\rangle$  or  $\langle l\rangle$ , or  $\langle Jc-\rangle$  or  $\langle J\partial^c-\rangle$  otherwise.

Examples:

- $\langle DIJI \rangle$  person  $\rightarrow \langle JCDIJI \rangle$  child
- $\langle \text{IJO} \text{Pe}^{\text{O}} \rangle$  fruit  $\rightarrow \langle \text{Je}^{\text{C}} \text{IJO} \text{Pe}^{\text{O}} \rangle$  unripe fruit
- $\langle \text{jedilcn} \rangle \text{ essay} \rightarrow \langle \text{fcjedilcn} \rangle \text{ draft}$

### 8.3 | Verb-to-noun conversions

Verb-to-noun conversions involve an operation called *inversion*; this operation swaps certain phonemes of a word:

- front vowels  $\leftrightarrow$  back vowels
- voiceless plosives  $\leftrightarrow$  voiced plosives (in any position other than in a coda)
- $f \leftrightarrow f$ ,  $d \leftrightarrow f$  (in coda position)

- $a \leftrightarrow j^h$
- J  $\leftrightarrow \alpha^h$  (in any position other than in a coda)
- $h \leftrightarrow a^l$
- $\nu \leftrightarrow d$  (in any position other than after a fricative in an onset or in a coda)
- $s \leftrightarrow l$  (in any position other than in a coda)
- $\mu \leftrightarrow I$  (in coda position)
- $q \leftrightarrow o$

For instance,  $\langle \mu | .Cln \rangle$  would be inverted to  $\langle n | .e^{c} \Omega | n \rangle$ .

All other phonemes are unchanged.

Since all of the conversions below are straightforward, only their names will be mentioned.

Table 8.1: Verb-to-noun conversions, from the inversion of the verb stem.

Name	Affix
Agent	−e <sup>o</sup> n <sup>o</sup> / −on <sup>o</sup>
Patient	–e°d / –ɔd
Location	–e <sup>э</sup> µ / –эµ
Instrument	<b>–</b> ıſjı

Table 8.2: An example with  $\langle n \Theta^{\circ} b i n \rangle$  to steal.

Name	Derivation	Meaning
Agent	nc°de°nφ	thief
Patient	ncºdeºd	stolen goods
Location	ncºdeºµ	site of theft
Instrument	ncºdıſjı	tool used for theft

# 9 Names

Names fall into two grammatical categories:

- Nominal names act as nouns. They are usually single words.
- Clausal names are entire clauses. These names usually refer to places, although a
  few people have clausal names. In extreme cases, such a name can span multiple
  clauses.

### 9.1 | Nominal names

These names act as nouns, and they are preceded by a backslash  $\langle \backslash \rangle$ . If the name spans multiple words (as common in foreign names), spaces are escaped by backslashes. No distinction is made between native and foreign names.

Only personal names can stand on their own, and even then, only given or full names. Other names must modify a common noun describing the nature of what is named, in the integral number without definiteness.

Table 9.1: Some examples of nominal names.

Name	Туре
\hc <sub>e</sub> le	Personal (native)
/lihal	Personal (native)
\pepcn	Personal (foreign)
dµe°De-\oili.c	Place (foreign)

Native names will usually respect vowel harmony. Children of parents who work in professions demanding physical labour (e. g. bricklaying) will usually have names with back vowels. In contrast, those born to parents of professions that do not demand physical strength (e. g. computer programming) will usually bear names with front vowels.

#### 9.2 | Clausal names

These names comprise of one or more clauses. Due to the nature of clausal names, they are all considered native. Most of these names refer to places; personal clausal names are almost always nicknames or such. Orthographically, they are put into square brackets  $\langle [] \rangle$ .

42 CHAPTER 9. NAMES

Clausal names are used by saying them as their own clauses, then using an anaphoric pronoun to backreference the entity described by the name in question. The type of anaphoric pronoun used varies from name to name. It might be the anaphoric subject pronoun, the object pronoun or the last-clause pronoun.

We call the *referent* the subject, the object or the verb of the last clause, respectively depending on the type of anaphoric pronoun used to refer to the name. If the referent is a noun, it must be declined in the integral number without definiteness.

Here, as common in maps and such, the referent will be capitalised. However, other contexts that make the type of anaphoric pronoun to use clear do not use this type of capitalisation.

Name	Туре	Literal meaning
[(ac) Iراباhb E∋4KaA	Place	The trees covered the ground
[coli φ¥E <sub>3</sub> ĐE hc <sub>9</sub> J−/ſeσhc <sub>2</sub> ]	Place	The <i>city</i> remembers the Šedrŷ
·		star
[acə ]hılə-Dı 1cl 1əh 1 <sub>p</sub> ı:eu-Dı	Place	The city was founded by the war-
ງcl ໄιດc <sup>o</sup> , φoejc.el Φ <del>X</del> E <sup>϶</sup> ĐΕĐ]		rior of the sun and the wizard of
, ,		the moon
[peji \Ψ∃TF→ jc <sup>ə</sup> l-selc <sup>ə</sup> ]	Personal	Gulto takes care of 17 foxes

Table 9.2: Some examples of clausal names.

An example of usage:

ni.i binen-bəj, [dəli dµedde µcəl-\lenµcd], jhi didijij .cd. wait-other year-future, (name), go-other def~person-sg pr.Anaph\_sub.sg He will go to Muta Pröme Ryk-Šedrŷ next year.

# 10 | Calendar

Domain II, which contains *Rymako*, has a day that is 26.99410 hours long. Other figures are given in terms of local days:

Table 10.1: Astronomical measures for Domain II.

Period	Length in local days
Local (synodic) day	1.00000
Sidereal day	0.99699
Tropical year $(l_y)$	301.94714
Sidereal year	302.03719
Synodic month $(l_m)$	30.80152
Sidereal month	27.95032

### 10.1 | Tides

In Domain II, the offset of the sea level due to the tide can be modeled by the following equations:

$$y = y_s + y_m \tag{10.1}$$

$$y_s = A_s \cdot (1 + A_{sa} \cdot \cos(\tau \cdot t)) \cdot \cos(2 \cdot \tau \cdot t)$$
 (10.2)

$$y_m = A_m \cdot \left(1 + A_{ma} \cdot \cos\left(\frac{\tau \cdot t}{l_m}\right)\right) \cdot \cos\left(\frac{2 \cdot \tau \cdot (1 - l_m) \cdot t}{l_m}\right)$$
 (10.3)

where:

$$\tau = 2 \cdot \pi$$

$$A_s \approx 0.675$$

$$A_{sa} \approx 0.0532$$

$$A_m \approx 1.267$$

$$A_{ma} \approx 0.176$$

y = offset of sea level in metres

t = time since HAT in local synodic days

An exact solution to dy/dt=0 is not known to exist. However, the solutions to this equation can be found numerically. Consult Section A.1 for a Sage program to do so.

As the calendar used by Lek-Tsaro uses the high and low tides to count time, it is not synchronised even with days. The basic unit of time in the calendar is the *tidal day*  $\langle PDD^{c} \rangle$  ( $l_t$ ) – the amount of time between a high tide and the second high tide thereafter, which is, on average, 1.03356 local synodic days, but can vary considerably. Thus:

$$l_m/l_t \approx 29.80148$$
 (10.4)

$$\approx 4053/136$$
 (10.5)

$$l_{y}/l_{m}\approx 9.80299\tag{10.6}$$

$$\approx 7215/736$$
 (10.7)

This suggests that:

- 1. most months will have 30 days, but every 136 months, 27 months will have only 29.
- 2. most years will have 10 months, but every 736 years, 145 years will have only 9.

10.2. MONTHS 45

#### 10.2 Months

Months follow a 136-month cycle wherein the 5n+2-numbered months (zero-indexed,  $n \in \mathbb{N}$ ) have 29 days and the other months have 30.

The names of months, on the other hand, are determined from their positions relative to the first month of the year:

Table 10.2: The months of the year.

#	Name
0	σ9 <sub>2</sub> p9 <sub>3</sub>
1	µc <sup>ə</sup> .e⊅
2	lcφιί
3	Dəµəji
4	Jyehip
5	ໂວ <sup>e</sup> ⊅ອໂ
6	n <sup>ø</sup> əµə <sup>c</sup> ſ
7	lcbcli
8	f <sup>c</sup> eacd
9*	.cje <sup>o</sup> µi

Days within a month are indexed from one.

#### 10.3 | Years

The lengths of the year follow a 736-year cycle as specified in Figure 10.1. The code used to generate this table can be found in Section A.2.

#### 10.4 | Eras

Years are grouped further into <code>eras</code> (Iu), which change on major historical events. The start of a new era resets the month and year cycle. Eras can also start in the middle of a year of the previous era; thus, the start of the year is different for each era. The <code>crossover date</code> of an era is the date of the era that coincides with the first day of the next; in other words, it is the date immediately after the last day of the era.

Table 10.3: The months of the year.

Name	Crossover date	Days between	Cumulative
Jirli-Jilueqc <sub>e</sub> Jirli-Je <sub>o</sub> (i Jirli-heJo <sub>e</sub>	LΔJ aryehl N PP Icpul) L1 L1 IJdoJ Δ	889726 642508 207366	889726 1532234 1739600
1141-nchel	(to present)	207300	2,3,000

The first day of \(\lambda\) coincides with the founding of the (not yet named).

### 10.5 | Subdivisions of the day

Lek-Tsaro has two systems for subdividing the day.

46 CHAPTER 10. CALENDAR

Figure 10.1: Table of year lengths in a cycle.


	0123456789	1		0123456789	1		0123456789	1		0123456789
0	XXXX9XXXX	1	19	XX9XXXX9XX	1	38	9XXXX9XXXX	1	57	XXX9XXXX9X
1	9XXXX9XXXX	1	20	XXX9XXXX9X	1	39	9XXXX9XXXX	1	58	XXX9XXXX9X
2	9XXXX9XXXX	1	21	XXX9XXXX9X	1	40	9XXXXX9XXX	1	59	XXX9XXXX9X
3	9XXXX9XXXX	1	22	XXX9XXXX9X	1	41	X9XXXX9XXX	1	60	XXXX9XXXX9
4	9XXXX9XXXX	1	23	XXX9XXXX9X	1	42	X9XXXX9XXX	1	61	XXXX9XXXX9
5	9XXXX9XXXX	1	24	XXX9XXXX9X	1	43	X9XXXX9XXX	1	62	XXXX9XXXX9
6	9XXXX9XXXX	1	25	XXX9XXXX9X	1	44	X9XXXX9XXX	1	63	XXXX9XXXX9
7	X9XXXX9XXX	1	26	XXX9XXXXX9	1	45	X9XXXX9XXX	1	64	XXXX9XXXX9
8	X9XXXX9XXX	1	27	XXXX9XXXX9	1	46	X9XXXX9XXX	1	65	XXXX9XXXX9
9	X9XXXX9XXX	1	28	XXXX9XXXX9	1	47	XX9XXXX9XX	1	66	XXXX9XXXXX
10	X9XXXX9XXX	1	29	XXXX9XXXX9	1	48	XX9XXXX9XX	1	67	9XXXX9XXXX
11	X9XXXX9XXX	1	30	XXXX9XXXX9	1	49	XX9XXXX9XX	1	68	9XXXX9XXXX
12	X9XXXX9XXX	1	31	XXXX9XXXX9	1	50	XX9XXXX9XX	1	69	9XXXX9XXXX
13	X9XXXXX9XX	1	32	XXXX9XXXX9	1	51	XX9XXXX9XX	1	70	9XXXX9XXXX
14	XX9XXXX9XX	1	33	XXXX9XXXX	1	52	XX9XXXX9XX	1	71	9XXXX9XXXX
15	XX9XXXX9XX	1	34	9XXXX9XXXX	1	53	XX9XXXXX9X	1	72	9XXXX9XXXX
16	XX9XXXX9XX	1	35	9XXXX9XXXX	1	54	XXX9XXXX9X	1	73	9XXXX9
17	XX9XXXX9XX	1	36	9XXXX9XXXX	1	55	XXX9XXXX9X	1		
18	XX9XXXX9XX	1	37	9XXXX9XXXX	1	56	XXX9XXXX9X	1		

9: 9 months X: 10 months

### 10.5.1 | Traditional timekeeping

The traditional system of timekeeping relies on subdivisions of the solar day. As shown in Figure 10.2, the period between sunrise and sunset are divided into six equally-sized parts  $\zeta JD$ , and the night is considered a separate category. This implies that the length of the "hours" depends on the seasons.

Figure 10.2: Hours in traditional timekeeping.



The traditional timekeeping system is vague – typically, the most precise interval used is a quarter or eighth of an "hour".


### 10.5.2 | Modern timekeeping

The need for precise schedules necessitated another standard for subdividing the day. The modern system is based on the tidal day, rather than the solar day. In theory, each tidal day is divided into 23 equal parts (IIN), each of which is divided into 80 equal parts (ICNe), which are each divided into 40 equal parts (DINe).

# 11 Miscellanea

# 11.1 | Colour

Lek-Tsaro has eleven non-derived colour terms:



Note that "grey" refers generically to a loss of chroma. There is no distinction between a decrease in saturation and a decrease in value.

Lek-Tsaro works with colour transitions, not static colours, and uses abstract nouns to represent them. See table 11.1.

 $Table \ 11.1: \ Colour \ transitions \ in \ Lek-Ts aro. \ Each \ row \ represents \ a \ different \ starting \ colour; \ each \ column \ represents \ a \ different \ ending \ colour.$ 

	RO	YG	Gn	Aq	Tu	Су	SB	Az	Bl	Vi	Gy
RO	hıj	реÌ	Ω <sup>y</sup> en	aıl	J <sub>p</sub> ch	dəl	beっใ	Ы	a <sup>l</sup> aed	ſen <sup>φ</sup>	DC
YG	Doel	hə₂⊳	hɔed	$\Omega C_{\Theta}$	n <sup>ಥ</sup> c <sup>၁</sup> յ	ſeì	n4ıµ	α <sup>h</sup> eſ	ſjeºnЧ	yed	də⁵
Gn	( <sup>4</sup> 2en	a <sup>l</sup> e۲۹	sel	aeh	φ၁ <sup>e</sup> ſ	nə <sup>c</sup> l	Pncd	le <sup>ગ</sup> ી	JC <sup>ອ</sup> l	ر <sup>د</sup> Ghور	Jo
Aq	J <sup>h</sup> ıP	ſəµ	hc <sub>e</sub> D	ocj	۱۹۶۱	.ə <sup>c</sup> l	llah	Jhal	noed	lyld	be <sup>o</sup>
Tu	αəcl	n <sup>ಥ</sup> ə <sup>၁</sup> յ	lel	$n_{e}$	byen	µсј	hop	ſϥel	Jocl	$^{\mathrm{o}}$	ь
Су	pc∍h	ດລ <sub>ອ</sub> ໂ	ncºµ	.cl	də <sup>c</sup> )	pyej	(col	n <sup>ų</sup> ıì	aµcn	bəcl	no
SB	dɔ)	n <sup>y</sup> ıl	de <sup>o</sup> n4	ſſe⊃l	$a^le^2D$	$h_{c}$	oıd	J <sup>h</sup> µɔd	den	<b>dcd</b>	ſjc <sup>ə</sup>
Az	ыh	၂၁ <sup>e</sup> )	bcJ	γde <sup>ͻ</sup> Ϳ	οο၁ <sub>e</sub> h	n <sup>y</sup> ıſ	ape <sup>of4</sup>	acj	lch	μəd	ΟI
Bl	heſЧ	ſjɔnЧ	a <sup>h</sup> əµ	nyo <sup>e</sup> ſ <sup>y</sup>	a <sup>h</sup> yə <sup>c</sup> l	J <sup>h</sup> µə <sup>c</sup> n	bo <sup>e</sup> n	Ωə <sup>c</sup> l	hij	Ĵc <sup>ə</sup> n <sup>φ</sup>	чə <sup>э</sup>
Vi	Ω၁ <sup>e</sup> n <sup>φ</sup>	o၁ <sup>e</sup> ပြ	ac <sup>o</sup> j	αμίι <sup>(4</sup>	(c <sup>o</sup> l	qc <sub>o</sub> )	рэсы	qc <sub>9</sub> l4	φən <sup>φ</sup>	hon	a.
Gy	ΩϽ	рс <sub>э</sub>	le	ďə	μe	JС	اراً	ЧI	α <sup>h</sup> e	J <sup>h</sup> с	.cj

# A Listings of programs

# A.1 | workfiles/7/tides.sage

```
1 # How many values to output
  limit = int(sys.argv[1]) if len(sys.argv) > 1 else 1000
5
  # :P
  tau = 2 * pi
  t = var("t")
10
11
12
13 A_s = 0.675; A_sa = 0.0532; A_m = 1.267; A_ma = 0.176; l_m = 30.80152
14
15 # Solar component
16 y_s2 = A_s * (1 + A_sa * cos(tau * t)) * cos(2 * tau * t)
17 # Lunar component
18 y_m2 = A_m * (1 + A_ma * cos(tau * t / l_m)) * cos(2 * tau * t / l_m - l_m)
      2 * tau * t)
19 y = y_s2 + y_m2
20 | yp = diff(y, t)
22 # High and low tides occur at values of t where dy/dt = 0.
23
24 i = 0
25 time = 0
26 print(0)
27 while i < limit:
28
29
      time2 = find_{root}(yp == 0, time + 0.000000001, time + 0.35)
      print(time2)
30
31
      time = time2
32
      i += 1
33
    except:
      time += 0.01
```

workfiles/7/tides.sage

### A.2 | workfiles/7/bins.pl6

```
# CONSTANTS
  constant \MONTHS_PER_YEAR_CYCLE = 7215;
  constant \YEARS_PER_YEAR_CYCLE = 736;
  constant \AVG_MONTHS_PER_YEAR = MONTHS_PER_YEAR_CYCLE /
      YEARS_PER_YEAR_CYCLE;
  # COMPUTATION
  \mbox{\tt\#} For each year, take as many months as are needed
  # in order to cycle to the next.
11 my c = 0;
12 my @k;
13
14 for 0 ... YEARS_PER_YEAR_CYCLE -> $i {
    my $need = 1 - ($c - floor($c));
15
    my $objs = ceiling($need * AVG_MONTHS_PER_YEAR);
17
    @k[$i] = $objs;
18
    $c += $objs / AVG_MONTHS_PER_YEAR;
19 }
20
  # DISPLAY
21
23 my \cols = 4;
24 my $len = @k.elems;
25
           0123456789" xx cols).join(" | ");
26
27
  my \total-rows = ceiling($len / 10);
  my \rows = ceiling(total-rows / cols);
29
30
31
  for 0 ... rows -> $j {
    for 0 ... cols -> $p {
32
      print(" | ") if $p != 0;
33
      my $q = $j + rows * $p;
34
      next if $q >= total-rows;
35
      printf("%3d ", $q);
36
      for 0 ... 10 {
   my $i = 10 * $q + $_;
37
38
39
         if $i >= $len { print " "; }
40
         else {
41
           print "0123456789XE".substr(@k[$i], 1);
42
43
      }
44
    }
    say "";
45
46
  }
```

workfiles/7/bins.pl6

## A.3 | workfiles/7/conno.pl6

```
my $digits-str = "0123456789TKXSNVFMD";
my @digits = $digits-str.comb;
3
```

```
4 sub convert-small-fwd($n, $pad = False) {
    die "$n must be < 4199" if $n >= 4199;
     my $a = $n div (19 * 17);
     my $b = ($n div 17) % 19;
     my $c = $n \% 17;
 8
9
     return
       (!$pad && $a == 0 ?? "" !! @digits[$a]) ~
10
       (!$pad && $b == 0 && $a == 0 ?? "" !! @digits[$b]) ~
11
12
       @digits[$c];
13
14
  sub convert-small-back($s) {
    die "$s must be 3 chars or fewer" if $s.chars > 3;
16
   my $c = $digits-str.index($s.substr(* - 1, 1) // "0");
my $b = $digits-str.index($s.substr(* - 2, 1) // "0");
18
    my $a = $digits-str.index($s.substr(* - 3, 1) // "0");
19
20
    return $c + 17 * ($b + 19 * $a);
21 }
23
  sub triangle($n, $p) {
    return ($n * (2 * $p + 1 - $n)) div 2;
24
25 }
26
27 sub sqrt-floor($y) {
28
   die "$y is negative" if $y < 0;</pre>
    return $y if $y < 2;</pre>
29
    my $small = sqrt-floor($y +> 2) +< 1;</pre>
30
31
    my $large = $small + 1;
32
    return $small if $large * $large > $y;
33
    return $large;
34 }
35 sub sqrt-ceil($y) {
36
    my $n = sqrt-floor($y);
    return $n if $n * $n == $y;
37
38
    return $n + 1;
39 }
40
41 sub untriangle($y, $p) {
    return (2 * $p + 1 - sqrt-ceil(4 * $p * $p + 4 * $p - 8 * $y + 1))
42
       div 2;
43 }
44
  my @powers = (4199);
45
46
47
  for 0 .. 10 {
    my $p = @powers[* - 1];
48
49
     @powers.push: $p * ($p + 1) div 2;
50 }
  sub convert-large-fwd-h($n, $i, $pad = False) {
    # base case
53
54
    if $i == 0 {
55
      return convert-small-fwd($n, $pad);
    }
56
57
     # recursive
     my $super = untriangle($n, @powers[$i - 1]);
58
59
     my $infra = $n - triangle($super, @powers[$i - 1]);
     if $super == 0 && !$pad {
60
61
      return convert-large-fwd-h($infra, $i - 1, False);
62
     }
63
     return
       convert-large-fwd-h($super, $i - 1, $pad) ~
64
```

```
(":" x $i) ~
       convert-large-fwd-h($infra, $i - 1, True);
66
  }
67
68
69 sub convert-large-fwd($n, $pad = False) {
70
    my $i = 0;
    ++$i while @powers[$i] <= $n;
    convert-large-fwd-h($n, $i, $pad);
73 }
74
75
  sub convert-large-back($s) {
76
    # Find the longest run of colons
    my @matches = ($s ~~ m:g/":"+/); #/"
    if (!@matches) {
78
79
     return convert-small-back($s);
    }
80
81
    my $longest-match = @matches.max(*.chars);
82
    my $i = (~$longest-match).chars;
83
    my $left = $s.substr(0, $longest-match.from);
    my $right = $s.substr($longest-match.to);
85
    my $sup = convert-large-back($left);
    my $inf = convert-large-back($right);
86
87
    return triangle($sup, @powers[$i - 1]) + $inf;
88 }
89
  multi MAIN(Int :$fwd) {
91
    say convert-large-fwd($fwd);
92 }
93 multi MAIN(Str : $back) {
94
    say convert-large-back($back);
```

workfiles/7/conno.pl6

## A.4 | workfiles/7/count-days.pl6

```
# Count the number of days between 1/0/0 and D/M/Y, inclusive.
  # CONSTANTS
  constant \MONTHS_PER_YEAR_CYCLE = 7215;
  constant \YEARS_PER_YEAR_CYCLE = 736;
  constant \AVG_MONTHS_PER_YEAR = MONTHS_PER_YEAR_CYCLE /
      YEARS_PER_YEAR_CYCLE;
8 constant \MONTHS_PER_MONTH_CYCLE = 136;
  constant \DAYS_PER_MONTH_CYCLE = 4053;
11 # COMPUTATION
12 # For each year, take as many months as are needed
13 # in order to cycle to the next.
14
15 | my $c = 0;
16 | my @k = (0);
18 for 0 .. YEARS_PER_YEAR_CYCLE -> $i {
    my $need = 1 - ($c - floor($c));
19
20
    my $objs = ceiling($need * AVG_MONTHS_PER_YEAR);
21
    0k[$i + 1] = $objs;
    $c += $objs / AVG_MONTHS_PER_YEAR;
```

```
23 }
24
25 my @cumk = [\+] @k;
26
27 sub months-before-year($year) {
   my $whole-cycles = $year div YEARS_PER_YEAR_CYCLE;
28
29
    my $remainder = $year % YEARS_PER_YEAR_CYCLE;
    return $whole-cycles * MONTHS_PER_YEAR_CYCLE + @cumk[$remainder];
30
31 }
32
33 my @m = (0);
34
35 for 0 .. ^ MONTHS_PER_MONTH_CYCLE -> $i {
   @m.push: ($i % 5 == 2) ?? 29 !! 30;
36
37 }
38
39 my @cumm = [\+] @m;
40
41 sub days-before-month($month) {
42
    my $whole-cycles = $month div MONTHS_PER_MONTH_CYCLE;
    my $remainder = $month % MONTHS_PER_MONTH_CYCLE;
43
44
    return $whole-cycles * DAYS_PER_MONTH_CYCLE + @cumm[$remainder];
45
46
47
  sub days-before-date($d2, $m, $y) {
   my $d = $d2 - 1; # d is 0-indexed
48
   my $bm = months-before-year($y) + $m;
49
50
    return days-before-month($bm) + $d;
51 }
52
53 sub MAIN($d2, $m, $y) {
    say days-before-date($d2, $m, $y);
54
55 }
```

workfiles/7/count-days.pl6

# B Arithmetic in base v

This chapter describes algorithms for performing arithmetic operations in Lek-Tsaro's number system.

## B.1 | Operations on small numbers

#### B.1.1 | Additions

If both addends are smaller than 4199, then it is sufficient to use mixed-base addition:



#### B.1.2 | Subtraction

If both of the operands are smaller than 4199, then it is sufficient to use mixed-base subtraction.

#### B.1.3 | Determining parity

A number less than 4199 is even iff the sum of its digits in base v is even – that is, either none of its digits are odd, or if exactly two are.

### B.1.4 | Dividing by two

If a number's base- $\nu$  representation contains only even digits, then divide each digit by two.

If the representation has two odd digits, then take advantage of the identities

$$11_{\nu}/2 = 9_{\nu}$$
  
 $101_{\nu}/2 = 99_{\nu}$   
 $110_{\nu}/2 = T0_{\nu}$ 

This operation is written as  $\langle D \rangle$ , short for  $\langle D \vee D \rangle$  "one half". Thus, in hacm:

- b11 = L
- D101 = LL
- b110 = F0

### B.1.5 | Multiplication

With the previous two operations, it is now possible to use peasant multiplication to multiply small numbers.

# B.2 | Operations on larger numbers

### B.2.1 | Addition

For some  $i \in \mathbb{N}$ , and two numbers number  $a = x_a :^i y_a$  and  $b = x_b :^i y_b$ , we take advantage of the fact that

$$x_a : {}^{i} y_a + x_b : {}^{i} y_b = (x_a + 1) : {}^{i} y_a + (x_b - 1) : {}^{i} y_b + (x_a - x_b + 1)$$
 (B.1)

$$x_a : {}^i y_a + x_b : {}^i y_b = (x_a + x_b) : {}^i y_a + 0 : {}^i y_b + x_a \cdot x_b$$
 (B.2)

$$= (x_a + x_b) : (y_a + y_b) + x_a \cdot x_b$$
 (B.3)

# Romanisation

In this text, the romanisation is used only to transcribe names into English. Whenever possible, the hacmisation should be used.

Table B.1: The consonants of Lek-Tsaro.

	Bilabial	Alveolar	Palatal	Velar	Glottal
Nasal	m	n	ñ	ŋ	
Plosive	рb	t d	ťď	kg	,
Fricative	f	S	š	h	
(coarticulated)	þh	fh		fš	
Affricate		ts	tš		
Lateral fricative		ł			
Approximant		r	j	w	
Lateral approximant		1			
Trill		ř			

Table B.2: The vowels of Lek-Tsaro.

Spread	Half-rounded	Rounded
i	у	ŷ
ï	u	û
e		ö
ë		0
a		

Rod signs are represented by the Arabic digits  $\langle 1\,2\,3\,4\,5\,6\,7\,8 \rangle$  attached to the end of the verbs they encompass. Proper words are preceded by a backslash  $\langle \backslash \rangle$ .

 $\langle \eta \rangle$  should be capitalised as  $\langle N \rangle$  only if one can depend on the majuscule glyph appearing like an N with a hook. Otherwise, it should be spelled  $\langle Ng \rangle$ .

# C Dictionary

```
fəlli nsent coward, knave
                                               facus nined blood vessels
                                            J
   .coen ninanim house
   .c<sup>ə</sup>dc<sup>ə</sup>.cn v
                 (S) perceives, detects,
                                               luis nsent warrior
finds (0)
                                               loo<sup>e</sup>lı desc
                                                            potent, powerful
   .ədə.c nabst
                  perception, detection
                                           in a physical sense
   .ə<sup>o</sup>lələ nabst
                  sadness, grief
                                               li.cdi nabst south
                                               \lim v (S) makes a loud noise
                                               lijnedc<sup>ə</sup> ninanim mirror
                                               \lim v (S) is at (O), locational verb
                                               In nmeas subdivision of the day
   (Ipc) ninanim river
                                           cf Grammar / Calendar / Subdivisions of
   f(l) = v (S) fights (O)
                                           the day / Modern timekeeping
   f(cdcn v) (S) falls on (O)
                                               liαc<sup>o</sup> ninanim moon
   Nower flower
                                               lıyı ninanim era
   Noedi desc
                    sufficient, wanted,
                                               Indij nined stone
wished-for
                                               icli desc all, every
   (le) i desc complete, full, mature
                                               lon desc
                                                        whole, entire
   (lel nsent who?
                                               le^{\circ}.in v (S) needs (O)
   sudo nabst
                 power, magic, motiva-
                                               fjclcn v (S) stabs, stings (O)
   İjclin v (S) wants (O), benefactive
                                            Ιl
   Íjopə<sup>o</sup> ninanim fruit
   fdijcn v (S) answers to (O)
                                               l_{\mu}e^{3}ncn v (S) hunts for (O)
   fregic nsent child (young person)
                                               cnin v (S) shoots an arrow to (O)
   fiφin v (S) loses, frees (O); (O) es-
                                               lcl nabst nature, disposition
capes
   ſibµi desc heavy
   Social ninanim tree
                                            J
   Social mined wood
                                               JIPII ninanim ring
   fedcn v (S) buys (O)
   seµ.c<sup>o</sup> nedib beef
                                               JCD v (S) is (O)
   fe\muin \nu rain (S = other)
                                               JCnCn v (S) attaches to, loves (O)
```

nə <sup>o</sup> biµo <sup>e</sup> n <i>nsent</i> thief	
n <sup>φ</sup>	
$n^{\varphi}$ $\nu$ (S) thinks, ponders about (O)	
u	
uɔ <sup>e</sup> pɔ <i>nfluid</i> poison	
a	
αμen <sup>y</sup> e ninanim coin αcjcn v (S) obeys (O) αcn v (S) joins (O), and αcnαι desc early	
acµcn v touch acµe nabst what ac <sup>ə</sup> l desc female	
$\Omega_{0}^{e}$	
a <sup>ا</sup> بe nabst quote, words, speech	
α <sup>l</sup> e ninanim what α <sup>l</sup> əµə <sup>ɔ</sup> nfluid water	
ah	
Q <sup>h</sup> ə³DЭ <i>nabst</i> empathy	
D	
Dyine nabst one half  Dilin v (S) eats (O)  Diji nsent person  Din nedib rice  DCQI nsent child (offspring)  DCPDe nanim tongue  DCPC nabst evening  DOIn v (S) produces (O)	

Doeped nanim scorpion  Delcn v (S) gives birth to (O), (O) is born (S) is not necessarily the mother; this can be either parent  Dejcn v (S) raises, takes care of, tends to (O)  Denle nabst morning  Deopin v (S) stands on, is on (O)  Depin v (S) drowns in (O), (O) fills (S)	dine ninanim landmass, domain dosin v (S) chases away (O), (O) flees from (S)  depin v (S) wears, experiences (O) depeonedib noodles delbeonebst sentence, utterance down nanim large animal donglin ninanim knee
Dedi desc in return Dedcn v (S) succeeds at (O), (S)  does something to (O) Debc nabst shape, structure Debc-delbe nabst grammar Deµce ninam opposite side Del nmeas volume in expressions such as Del-µəjɔe "cupful" Delli desc similar Dellcn v (S) imitates (O) Dəlin v (S) recalls (O) Dən nanim rabbit	bine ninanim year bindal nmeas subdivision of the day cf Grammar / Calendar / Subdivisions of the day / Modern timekeeping bcjcn v (S) walks to (O) baj nabst future, next (time period) baan of the day / Modern timekeeping bcjcn v (S) succumbs to their impulses baan of the day / Modern timekeeping bcjcn v (S) succumbs to their impulses baan of the day / Subdivision of t
Ω  Ωιη(ιη ν (S) is inside (O) Ωιας ninanim back (body part) Ωιβθ nabst life, existence Ωθ led nfluid nitrogen Ωθ η (S) sleeps Ωθ η ν (S) sleeps Ωθ η η η η η η η η η η η η η η η η η η η	hucoen ninanim book hi.ip nabst spring (season) hijno ninanim nose hijde ninanim leaf hideo ninanim statue hon v (S) claims that (O) hopon v (S) is named (O) hoeod holi ninanim cart heoin v (S) asks for, requests (O) hedi desc large heod nalicious
d	lч
drlíji nabst ground, floor drlen nanim owl drlen v hold, carry, instrumental verb drled ninanim city drípin v (S) sits at (O) drín v (S) dislikes, objects to, disapproves of (O)	<ul> <li>yın v (S) sees (O), because</li> <li>yın[O=Jəµ] ("see the sun") = "wish"</li> <li>  d</li> <li>diyin v discipline, punish, constrain</li> <li>dcn v (S) allows (O)</li> </ul>

```
paolo nined gold
þ
   \muI.clin v (S) is beside (O)
                                           S
   uli nined grass
   Pısıbı ninanim blade of grass
                                              sidjc nfluid
                                                            soup
   \muilin \nu (S) climbs, rises in (O)
                                              side nanim
                                                            fish
   \muc(s) is (0) old
                                              se\Omega^{q}in v
                                                            (S) perceives (O) non-
   pc<sup>o</sup>l ninanim star
                                           visually
   \nu (S) speaks to (O), (S) asks
(0)
                                           0
   peacn v (S) spreads (O)
   pelli ninanim place
                                              oelje nined forest
   Pe<sup>o</sup>JI desc friendly, kind, consider-
ate, nice
   pəli desc late
                                           pəloe nabst nighttime
   pəjo<sup>e</sup> ninanim cup
                                              leì nabst language
   µəDə<sup>c</sup> nmeas tidal day
                                              lelebi ninanim a language
```