AIPMT - 2011

Q.1	The dimension of $(\mu_0 \in 0)^{-1/2}$ are :

- (1) $[L^{-1/2}T^{1/2}]$
- (2) $[L^{1/2} T^{-1/2}]$
- (3) $[L^{-1}T]$
- $(4) [LT^{-1}]$

Q.2 The moment of inertia of a thin uniform rod of mass M and length L about an axis passing through its midpoint and perpendicular to its length is I₀. Its moment of inertia about an axis passing through one of its ends and perpendicular to its length is:

- $(1) I_0 + ML^2$
- (2) $I_0 + ML^2/2$
- (3) $I_0 + ML^2/4$
- (4) $I_0 + 2ML$
- Q.3 A boy standing at the top of a tower of 20 m height drops a stone. Assuming $g = 10 \text{ ms}^{-2}$, the velocity with which it hits the ground is:
 - (1) 5.0 m/s
- (2) 10.0 m/s
- (3) 20.0 m/s
- (4) 40.0 m/s
- **Q.4** A person of mass 60 kg is inside a lift of mass 940 kg and presses the button on control panel. The lift starts moving upwards with an acceleration 1.0 m/s². If $g = 10 \text{ ms}^{-2}$, the tension in the supporting cable is:
 - (1) 1200 N
- (2) 8600 N
- (3) 9680 N
- (4) 11000 N
- Q.5 A body projected vertically from the earth reaches a height equal to earth's radius before returning to the earth. The power exerted by the gravitational force is greatest:
 - (1) at the instant just after the body is projected.
 - (2) at the highest position of the body
 - (3) at the instant just before the body hits the earth.
 - (4) it remains constant all through.
- **Q.6** The instantaneous angular position of a point on a rotating wheel is given by the equation $\theta(t) = 2t^3 - 6t^2$

The torque on the wheel becomes zero at:

- (1) t = 2 s
- (2) t = 1 s
- (3) t = 0.5 s (4) t = 0.25 s


- **Q.7** A particle moves in a circle of radius 5 cm with constant speed and time period 0.2 π s. The acceleration of the particle is:
 - $(1) 5 \text{ m/s}^2$
- (2) 15 m/s^2
- $(3) 25 \text{ m/s}^2$
- $(4) 36 \text{ m/s}^2$
- 0.8 A body of mass M hits normally a rigid wall with velocity V and bounces back with the same velocity. The impulse experienced by the body is -
 - (1) Zero
- (2) MV
- (3) 1.5 MV (4) 2 MV
- **Q.9** A planet moving along an elliptical orbit is closest to the sun at a distance r_1 and farthest away at a distance of r_2 . If v_1 and v_2 are the linear velocities at these points respectively,

then the ratio $\frac{V_1}{V_2}$ is:

- (1) r_1/r_2 (2) $(r_1/r_2)^2$ (3) r_2/r_1 (4) $(r_2/r_1)^2$
- Q.10 A radioactive nucleus of mass M emits a photon of frequency v and the nucleus recoils. The recoil energy will be -
 - (1) hv

- $(2) \text{ Mc}^2-\text{hv}$
- (3) $h^2v^2/2Mc^2$
- (4) Zero
- Q.11 The potential energy of a system increases if work is done:
 - (1) Upon the system by a conservative force.
 - (2) Upon the system by a nonconservative force.
 - (3) by the system against a conservative force.
 - (4) by the system against a nonconservative force
- Q.12A body is moving with velocity 30 m/s towards east. After 10 seconds its velocity becomes 40 m/s towards north. The average acceleration of the body is:
 - $(1) 5 \text{ m/s}^2$
- (2) 1 m/s^2
- $(3) 7 \text{ m/s}^2$
- (4) $\sqrt{7}$ m/s²
- A missile is fired for maximum range with an Q.13 initial velocity of 20 m/s. If $g = 10 \text{ m/s}^2$, the range of the missile is:
 - (1) 20 m
- (2) 40 m
- (3) 50 m
- (4) 60 m

Q.14 Force F on a particle moving in a straight line varies with distance d as shown in the figure. The work done on the particle during its displacement of 12 m is:




(1) 13 J

(2) 18 J


(3) 21 J

- (4) 26 J
- Q.15 A charge Q is enclosed by a Gaussian spherical surface of radius R. If the radius is doubled, then the outward electric flux will:
 - (1) be doubled
- (2) increase four time
- (3) be reduced to half
- (4) remain the same
- Q.16 Four electric charge + q, + q, - q and - q are placed at the corners of a square of side 2L. (see figure). The electric potential at point A, midway between the two charge +q and +q, is:




- (1) Zero
- (2) $\frac{1}{4\pi \in_{\Omega}} \frac{2q}{L} (1 + \sqrt{5})$
- (3) $\frac{1}{4\pi \in_0} \frac{2q}{L} \left(1 + \frac{1}{\sqrt{5}} \right)$
- (4) $\frac{1}{4\pi \in \Omega} \frac{2q}{L} \left(1 \frac{1}{\sqrt{5}} \right)$
- Q.17 A parallel plate condenser has a uniform electric field E (V/m) in the space between the plates. If the distance between the plates is d (m) and area of each plate is A (m²) the energy (joules) stored in the condenser is:
 - $(1) \frac{1}{2} \in {}_{0}E^{2} Ad \qquad (2) E^{2}Ad / \in {}_{0}$
 - $(3) \frac{1}{2} \in {}_{0}E^{2}$

Q.18 If power dissipated in the 9Ω resistor in the circuit shown is 36 Watt, the potential difference across the 2 Ω resistor is :



- (1) 2 Volt
- (2) 4 Volt
- (3) 8 Volt
- (4) 10 Volt
- Q.19 A current of 2 A flows through a 2 Ω resistor when connected across a battery. The same battery supplies a current of 0.5 A when connected across a 9 Ω resistor. The internal resistance of the battery is:
 - $(1) 1 \Omega$


- (2) 0.5Ω
- (3) $1/3 \Omega$
- (4) $1/4 \Omega$
- The rate of increase of thermo-e.m.f. with Q.20 temperature at the neutral temperature of a thermocouple:
 - (1) is negative
 - (2) is positive
 - (3) is zero
 - (4) depends upon the choice of the two materials of the thermocouple.
- Q.21 A current carrying closed loop in the form of a right angle isosceles triangle ABC is placed in a uniform magnetic field acting along AB. If the magnetic force on the arm BC is \vec{F} , the force on the arm AC is:



- (1) $\sqrt{2} \vec{F}$

 $(3) - \vec{F}$

- The power obtained in a reactor using U²³⁵ **O.22** disintegration is 1000 kW. The mass decay of U²³⁵ per hour is:
 - (1) 1 microgram
- (2) 10 microgram
- (3) 20 microgram
- (4) 40 microgram



- (a) A is feebly repelled
- (b) B is feebly attracted
- (c) C is strongly attracted
- (d) D remains unaffected

Which one of the following is true?

- (1) A is of a non-magnetic material
- (2) B is of a paramagnetic material
- (3) C is of a diamagnetic material
- (4) D is of a ferromagnetic material
- Q.24 The electric and the magnetic field, associated with an e.m. wave, propagating along the +z-axis, can be represented by :


(1)
$$[\overrightarrow{E} = E_0 \hat{j}, \overrightarrow{B} = B_0 \hat{k}]$$


(2)
$$[\overrightarrow{E} = E_0 \hat{i}, \overrightarrow{B} = B_0 \hat{j}]$$

(3)
$$[\overrightarrow{E} = E_0 \hat{k}, \overrightarrow{B} = B_0 \hat{i}]$$

(4)
$$[\overrightarrow{E} = E_0 \hat{j}, \overrightarrow{B} = B_0 \hat{i}]$$


- Q.25 A uniform electric field and a uniform magnetic field are acting along the same direction in a certain region. If an electron is projected in the region such that its velocity is pointed along the direction of fields, then the electron:
 - (1) will turn towards left of direction of motion
 - (2) will turn towards right of direction of motion
 - (3) speed will decrease
 - (4) speed will increase
- Q.26 The current i in a coil varies with time as shown in the figure. The variation of induced emf with time would be:





- Q.27 In an ac circuit an alternating voltage $e = 200\sqrt{2}$ sin 100 t volts is connected to a capacitor of capacity 1 μ F. The r.m.s. value of the current in the circuit is :
 - (1) 20 mA
- (2) 10 mA
- (3) 100 mA
- (4) 200 mA
- Q.28 An ac voltage is applied to a resistance R and an inductor L in series. If R and the inductive reactance are both equal to 3Ω , the phase difference between the applied voltage and the current in the circuit is:
 - (1) zero
- (2) $\pi/6$
- (3) $\pi/4$
- (4) $\pi/2$
- Q.29 When 1 kg of ice at 0°C melts to water at 0°C, the resulting change in its entropy, taking latent heat of ice to be 80 Cal/gm, is:
 - (1) 293 Cal /K
- (2) 273 Cal/K
- (3) $8 \times 10^4 \text{ Cal/K}$
- (4) 80 Cal/K
- Q.30 During an isothermal expansion, a confined ideal gas does 150 J of work against its surroundings. This implies that:
 - (1) 150 J of heat has been added to the gas
 - (2) 150 J of heat has been removed from the gas
 - (3) 300 J of heat has been added to the gas
 - (4) no heat is transferred because the process is isothermal.

A particle of mass m is released from rest and follows a parabolic path as shown. Assuming that the displacement of the mass from the origin is small which graph correctly depicts the position of the particles as a function of time?



- Q.32 Two waves are represented by the equations $y_1 = a \sin (\omega t + kx + 0.57) \text{ m and } y_2 = a \cos (\omega t +$ kx)m, where x is in meter and t in sec. The phase difference between them is:
 - (1) 0.57 radian

Q.31

- (2) 1 radian
- (3) 1.25 radian
- (4) 1.57 radian
- Q.33 Out of the following functions representing motion of a particle which represents SHM:


(A)
$$y = \sin \omega t - \cos \omega t$$
 (B) $y = \sin^3 \omega t$

(C)
$$y = 5 \cos\left(\frac{3\pi}{4} - 3\omega t\right)$$

- (D) $y = 1 + \omega t + \omega^2 t^2$
- (1) Only (A) and (B)
- (2) Only (A)
- (3) Only (D) does not represent SHM
- (4) Only (A) and (C)
- Q.34 Sound waves travel at 350 m/s through a warm air and at 3500 m/s through brass. The wavelength of a 700 Hz acoustic wave as it enters brass from warm air:
 - (1) decreases by a factor 20
 - (2) decreases by a factor 10
 - (3) increases by a factor 20
 - (4) increases by a factor 10

- Q.35 The decreasing order of wavelength of infrared, microwave, ultraviolet and gamma rays is:
 - (1) infrared, microwave, ultraviolet, gamma rays
 - (2) microwave, infrared, ultraviolet, gamma rays
 - (3) gamma rays, ultraviolet, infrared, microwaves
 - (4) microwaves, gamma rays, infrared, ultraviolet
- Q.36 The wavelength of the first line of Lyman series for hydrogen atom is equal to that of the second line of Balmer series for a hydrogen like ion. The atomic number Z of hydrogen like ion is:
 - (1) 2
- (2) 3
- (3)4
- (4) 1
- Q.37 Which of the following is not due to total internal reflection?
 - (1) brilliance of diamond
 - (2) working of optical fibre
 - (3) difference between apparent and real depth of a pond
 - (4) mirage on hot summer days
- Q.38 A biconvex lens has a radius of curvature of magnitude 20 cm. Which one of the following options describe best the image formed of an object of height 2 cm placed 30 cm from the lens?
 - (1) Real, inverted, height = 1 cm
 - (2) Virtual, upright, height = 1 cm
 - (3) Virtual, upright, height = 0.5 cm
 - (4) Real, inverted, height = 4 cm
- Q.39 In photoelectric emission process from a metal of work function 1.8 eV, the kinetic energy of most energetic electrons is 0.5 eV. The corresponding stopping potential is:

- (1) 2.3 V (2) 1.8 V (3) 1.3 V (4) 0.5 V
- Q.40 Electrons used in an electron microscope are accelerated by a voltage of 25 kV. If the voltage is increased to 100 kV then the de-Broglie wavelength associated with the electrons would (1) increase by 4 times (2) increase by 2 times
 - (3) decrease by 2 times (4) decrease by 4 times
- Q.41 Light of two different frequencies whose photons have energies 1 eV and 2.5 eV respectively illuminate a metallic surface whose work function is 0.5 eV successively. Ratio of maximum speeds of emitted electrons will be:
 - (1) 1:5
- (2) 1 : 4
- (3) 1 : 2
- (4) 1 : 1



(2) it becomes a p-type semiconductor


the semiconductor

(3) the antimony becomes an acceptor atom

(4) there will be more free electrons than holes in

gaseous molecule increase when the temperature (in Kelvin) is doubled?

(1) 1.4 (2) 2.0 (3) 2.8 (4) 4.0





- (1) 8.73
- (2)9.08
- (3) 9.43
- (4) 11.72
- Q.56 Two gases A and B having the same volume diffuse through a porous partition in 20 and 10 seconds respectively. The molecular mass of A is 49 u. Molecular mass of B will be:
 - (1) 25.00 u
- (2) 50.00 u
- (3) 12.25 u
- (4) 6.50 u
- Q.57 Which of the following is correct option for free expansion of an ideal gas under adiabatic condition?
 - (1) $q = 0, \Delta T < 0, w \neq 0$
 - (2) $q = 0, \Delta T \neq 0, w = 0$
 - (3) $q \neq 0$, $\Delta T = 0$, w = 0
 - (4) q = 0, $\Delta T = 0$, w = 0
- For the reaction $N_2(g) + O_2(g) \rightleftharpoons 2NO(g)$, Q.58 the equilibrium constant is K_1 . The equilibrium constant is K_2 for the reaction $2NO(g) + O_2(g)$ \longrightarrow 2NO₂(g). What is K for the reaction $NO_2(g) = 1/2 N_2(g) + O_2(g)$?
 - $(1) 1/(K_1K_2)$
- (2) $1/(2 K_1 K_2)$
- $(3) 1/(4 K_1K_2)$
- (4) $[1/K_1K_2]^{1/2}$
- Q.59 If x is amount of adsorbate and m is amount of adsorbent, which of the following relations is not related to adsorption process?
 - (1) $\frac{x}{m} = p \times T$
 - (2) $\frac{x}{m} = f(p)$ at constant T
 - (3) $\frac{x}{m} = f(T)$ at constant p
 - (4) p = f(T) at constant $\left(\frac{x}{m}\right)$
- Q.60 If the enthalpy change for the transition of liquid water to steam is 30 kJ mol⁻¹ at 27°C, the entropy change for the process would be:
 - (1) $100 \text{ J mol}^{-1} \text{ K}^{-1}$ (2) $10 \text{ J mol}^{-1} \text{ K}^{-1}$
 - (3) $1.0 \text{ J mol}^{-1} \text{ K}^{-1}$
- (4) 0.1 J mol⁻¹ K⁻¹

- Q.61 The Van't Hoff factor i for a compound which undergoes dissociation in one solvent and association in other solvent is respectively:
 - (1) greater than one and greater than one
 - (2) less than one and greater than one
 - (3) less than one and less than one
 - (4) greater than one and less than one
- Standard electrode potential for Sn⁴⁺/Sn²⁺ Q.62 couple is +0.15 V and that for the Cr^{3+}/Cr couple is -0.74 V. These two couples in their standard state are connected to make a cell. The cell potential will be:
 - (1) + 1.83 V
- (2) + 1.19 V
- (3) + 0.89 V
- (4) + 0.18 V
- Q.63 A gaseous mixture was prepared by taking equal mole of CO and N₂. If the total pressure of the mixture was found 1 atmosphere, the partial pressure of the nitrogen (N₂) in the mixture is:
 - (1) 1 atm
- (2) 0.5 atm
- (3) 0.8 atm
- (4) 0.9 atm
- Q.64 If the E^ocell for a given reaction has a negative value, then which of the following gives the correct relationships for the values of ΔG^o and K_{eq}?

 - (1) $\Delta G^{\circ} > 0$; $K_{eq} < 1$ (2) $\Delta G^{\circ} > 0$; $K_{eq} > 1$

 - (3) $\Delta G^{\circ} < 0$; $K_{eq} > 1$ (4) $\Delta G^{\circ} < 0$; $K_{eq} < 1$
- 0.65 The freezing point depression constant for water is -1.86°Cm⁻¹. If 5.00 g Na₂SO₄ is dissolved in 45.0g H₂O, the freezing point is changed by -3.82°C. Calculate the Van't Hoff factor for Na₂SO₄.
 - (1) 0.381
- (2) 2.05
- (3) 2.63
- (4) 3.11
- **Q.66** The energies E_1 and E_2 of two radiations are 25 eV and 50 eV respectively. The relation between their wavelengths i.e. λ_1 and λ_2 will be:
 - $(1) \lambda_1 = \frac{1}{2} \lambda_2 \qquad (2) \lambda_1 = \lambda_2$
 - (3) $\lambda_1 = 2\lambda_2$
- Standard electrode potential of three metals X, Q.67 Y and Z are -1.2 V, +0.5 V and -3.0 V respectively. The reducing power of these metals will be:
 - (1) X > Y > Z
- (2) Y > Z > X
- (3) Y > X > Z
- (4) Z > X > Y





- (1) $[Cr(H_2O)_6]^{2+}$
- (2) $[Mn(H_2O)_6]^{2+}$
- (3) $[Fe(H_2O)_6]^{2+}$ (4) $[Co(H_2O)_6]^{2+}$
- (At. Nos. Cr = 24, Mn = 25, Fe = 26, Co = 27)
- Of the following complex ions, which is Q.84 diamagnetic in nature?
 - $(1) [CoF_6]^3$
- (2) $[NiCl_4]^{2-}$
- (3) $[Ni(CN)_4]^{2-}$
- (4) $[CuCl_4]^{2-}$
- Q.85 Which of the following has the minimum bond length?
 - $(1) O_2$

- (2) O_2^+ (3) O_2^- (4) O_2^{2-}
- **Q.86** The value of ΔH for the reaction $X_{2(g)} + 4Y_{2(g)} \rightleftharpoons 2XY_{4(g)}$ is less than zero. Formation of $XY_{4(g)}$ will be favoured at :
 - (1) High pressure and low temperature
 - (2) High temperature and high pressure
 - (3) Low pressure and low temperature
 - (4) High temperature and low pressure
- **Q.87** Of the following which one is classified as polyester polymer?
 - (1) Nylon 66
- (2) Terylene
- (3) Backelite
- (4) Melamine
- **Q.88** What is the product obtained in the following reaction:

$$(3)\bigcirc N$$

$$(4) \bigcirc N = N - \bigcirc$$

Q.89 In a set of reactions m-bromobenzoic acid gave a product D. Identify the product D.

COOH
$$A \longrightarrow B \xrightarrow{SOCl_2} B \xrightarrow{NH_3} C \xrightarrow{NaOH} D$$

$$A \longrightarrow Br$$

$$CONH_2 \longrightarrow SO_2NH_2$$

$$Br \longrightarrow Br$$

$$COOH \longrightarrow Br$$

$$COOH \longrightarrow COOH$$

In Dumas' method of estimation of nitrogen Q.90 0.35 g of an organic compound gave 55 mL of nitrogen collected at 300 K temperature and 715 mm pressure. The percentage composition of nitrogen in the compound would be:

(Aqueous tension at 300 K = 15 mm)

NH₂

- (1) 14.45 (2) 15.45 (3) 16.45 (4) 17.45
- Q.91 Which one of the following is most reactive towards electrophilic reagent?

$$(1) \bigcirc CH_3$$

$$CH_2OH$$

$$(2) \bigcirc CH_3$$

$$CH_3$$


- Q.92 Which one is a nucleophilic substitution reaction among the following?
 - (1) $CH_3CHO + HCN \rightarrow CH_3CH(OH)CN$

(2)
$$CH_3 - CH = CH_2 + H_2O \xrightarrow{H^+} CH_3 - CH - CH_3$$

OH

(3) RCHO + R'MgX
$$\rightarrow$$
 R - CH - R' OH

$$(4) CH3 - CH2 - CH - CH2Br + NH3 \rightarrow CH3 - CH3 - CH2 - CH - CH2NH2$$



(1)
$$CH_3 - CH_2 - CH_2 - CH_3$$

$$(2) CH3 - CH = CH - CH3$$

(3)
$$CH_3 - C \equiv C - CH_3$$

(4)
$$CH_2 = CH - CH_2 - C \equiv CH$$

Q.94 In the following reactions,

$$(a) \ CH_{3} - CH - CH - CH_{3} \xrightarrow{H^{+}/Heat} \xrightarrow{A} A + A \\ OH \qquad \qquad (b) \ A \xrightarrow{HBr, dark} C + D \\ \stackrel{Major}{Product} + \begin{pmatrix} Minor \\ Product \end{pmatrix}$$

the major products (A) & (C) are respectively:

$$CH_3$$
(1) $CH_2 = C - CH_2 - CH_3$ and CH_3
 $CH_3 - C - CH_2 - CH_3$
 $CH_3 - C - CH_2 - CH_3$
 CH_3
 CH_3
 CH_3
 CH_3
 CH_3
 CH_3
 CH_3
 CH_3

$$\begin{array}{c} \text{CH}_3\\ \text{CH}_2\\ \text{CH}_2-\text{CH}-\text{CH}_2-\text{CH}_3\\ \text{Br} \end{array}$$

(3)
$$CH_3 - C = CH - CH_3$$
 and $CH_3 - C - CH_2 - CH_3$
Br
 CH_3

$$CH_3$$

 $(4) CH_3 - C = CH - CH_3$ and CH_3
 $CH_3 - CH - CH - CH_3$
 Br

- Q.95 The Lassaigne's extract is boiled with conc. HNO₃ while testing for halogens. By doing so it:
 - (1) increases the concentration of NO₃⁻ ions
 - (2) decomposes Na₂S and NaCN, if formed
 - (3) helps in the precipitation of AgCl
 - (4) increases the solubility product of AgCl

Q.96 The correct IUPAC name of the compound

- (1) 3-(1-ethyl propyl) hex-1 ene
- (2) 4-Ethyl-3-propyl hex-1-ene
- (3) 3-Ethyl-4-ethenyl heptane
- (4) 3-Ethyl-4-propyl hex-5-ene
- Q.97 Clemmensen reduction of a ketone is carried out in the presence of which of the following?
 - (1) H₂ and Pt as catalyst
 - (2) Glycol with KOH
 - (3) Zn-Hg with HCl
 - (4) Li Al H₄
- Q.98 Which one of the following is employed as Antihistamine?
 - (1) Omeprazole
- (2) Chloramphenicol
- (3) Diphenyl hydramine(4) Norothindrone
- Which one of the following statements is not Q.99 true regarding (+) Lactose?
 - (1) (+) Lactose, $C_{12}H_{22}O_{11}$ contains 8-OH groups
 - (2) On hydrolysis (+) Lactose gives equal amount of D(+) glucose and D(+) galactose
 - (3) (+) Lactose is a β -glycoside formed by the union of a molecule of D(+) glucose and a molecule of D(+) galactose
 - (4) (+) Lactose is a reducing sugar and does not exhibit mutarotation
- Q.100Which one of the following statement is not true
 - (1) Oxide of sulphur, nitrogen and carbon are the most widespread air pollutant
 - (2) pH of drinking water should be between 5.5 - 9.5
 - (3) Concentration of DO below 6 ppm is good for the growth of fish
 - (4) Clean water would have a BOD value of less than 5ppm
- The "Eyes" of the potato tuber are: O.101
 - (1) axillary buds
- (2) root buds
- (3) flower buds
- (4) shoot buds

Q.102	Organisms called I abundant in a :	Methanogens are most	Q.112	Which one of the following also acts as a
	(1) Hot spring	(2) Sulphur rock		catalyst in a bacterial cell ?
	(3) Cattle yard	(4) Polluted stream		(1) 23 s RNA (2) 5 s RNA
				(3) sn RNA (4) hn RNA
Q.103		llowing have the highest	Q.113	Which one of the following statements is
	number of species in na		C	correct?
	(1) Angiosperms	(2) Fungi		(1) Flower of tulip is a modified shoot
	(3) Insects	(4) Birds		(2) In tomato, fruit is a capsule
Q.104	Arahaganinhara ig prag	ant in :		(3) Seeds of orchids have oil-rich endosperm
Q.10 4	Archegoniphore is pres (1) Funaria (2) Marche			(4) Placentation in primose is basal
	(3) <i>Chara</i>	(4) Adiantum	0.114	The count formal formula of chilling
	(3) Chara	(¬) // // // // // // // // // // // // //	Q.114	The correct floral formula of chilli is:
Q.105	Compared with the	gametophytes of the		(1) $\bigoplus \Phi K_5 C_5 A_{(5)} \underline{G}_2$ (2) $\bigoplus \Phi K_{(5)} C_5 A_5 \underline{G}_{(2)}$
		ophytes of vascular plants		$\oplus \mathcal{O}_{S} K_{(5)} C_5 A_5 \underline{G}_{(2)}$
	tend to be	~~~ 11 ~~ ~ ~~ ~ ~~ ~~ ~		
	(1) smaller and to have	=		$(3) \oplus \not \circ K_{(5)}C_{(5)}A_5\underline{G}_{(2)} (4) \oplus \not \circ K_5C_{(5)}A_{(5)}\underline{G}_2$
	(2) smaller but to have(3) larger but to have si		0.115	
	(4) larger and to have la	•	Q.115	Nitrifying bacteria:
	(4) larger and to have is	arger sex organs		(1) reduce nitrates to free nitrogen
Q.106	The gametophyte is not an independent, free			(2) oxidize ammonia to nitrates(3) convert free nitrogen to nitrogen to compounds
	living generation in :	1 ,		(4) convert proteins into ammonia
	(1) Pinus	(2) Polytrichum		(4) convert proteins into animonia
	(3) Adiantum	(4) Marchantia	Q.116	The function of leghaemoglobin in the root
				nodules of legumes is :
Q.107	Important site for formation of glycoproteins and			(1) expression of nif gene
	glycolipids is:			(2) inhibition of nitrogenase activity
	(1) Lysosome	(2) Vacuole		(3) oxygen removal
	(3) Golgi apparatus	(4) Plastid		(4) nodule differentiation
Q.108	Peptide synthesis inside	e a cell takes place in :	Q.117	Which one of the following elements is plants is
		(2) Chloroplast		not remobillised?
	(3) Mitochondria	(4) Chromoplast		(1) Sulphur (2) Phosphorus
0.100	Ŧ 1	11.1		(3) Calcium(4) Potassium
Q.109		ellular component that		
	resembles eukaryotic c (1) Cell wall	(2) Plasma membrane	Q.118	A drupe develops in :
	(3) Nucleus	(4) Ribosomes		(1) Tomato (2) Mango
	(3) Nucleus	(4) Kibosomes	0.110	(3) Wheat (4) Pea Ground tissue includes :
Q.110	Mutations can be induc	ed with:	Q.119	(1) All tissues internal to endodermis
	(1) Gamma radiation	(2) Infra Red radiations		(2) All tissues external to endodermis
	(3) IAA	(4) Ethylene		(3) All tissues except epidermis and vascular
	, ,	•		bundles
Q.111	A collection of plants and seeds having diverse			(4) Epidermis and cortex
	alleles of all the genes	_		
	(1) Genome (2) Herbari			
	(3) Germplasm	(4) Gene library		

Q.120	epidermal cells in havin (1) Chloroplasts (2) Cytoskeleton	rd cells differ from other g:	Q.130	What would be the nur the aleurone cells chromosomes in its roo (1) 21 (2) 42	•	
Q.121	(3) Mitochondria(4) Endoplasmic reticulThe ovary is half inferio		Q.131	Wind pollination is con (1) Orchids (3) Lilies	nmon in : (2) Legumes (4) Grasses	
Q.121	(1) Guava	(2) Peach	Q.132	In which one of the	following pollination is	
Q.122	(3) Cucumber	(4) Cotton ork and secondary cortex	Q.132	autogamous ? (1) Cleistogamy (3) Xenogamy	(2) Geitonogamy (4) Chasmogamy	
Q.122	are collectively called:	rk and secondary cortex				
	(1) Phellem (2) Phellod	erm	Q.133	•	at a trophic level in an	
	(3) Phellogen	(4) Periderm		area at any time is calle (1) Standing state (3) Detritus	d: (2) Standing crop (4) Humus	
Q.123	Which one of the follow	ving is wrongly matched?	0.124			
Q.124	 (1) Cassia – Imbricate aestivation (2) Root pressure-Guttation (3) Puccinia – Smut (4) Root –Exarch protoxylem 		Q.134	Which one of the following statements is wrong in case of Bhopal tragedy? (1) It took place in the night of December 2/3, 1984 (2) Methyl Isocyanate gas leakage took place (3) Thousands of human beings died (4) Radioactive fall out engulfed Bhopal		
Q.124	Flowers are Zygomorph (1) Datura	(2) Mustard	Q.135	Secondary sewage treat	ment is mainly a :	
	(3) Gulmohur	(4) tomato	Q.155	(1) Biological process (3) Mechanical process	(2) Physical process	
Q.125	CAM helps the plants in	1:	Q.136	Eutrophication is often	seen in :	
	(1) Reproduction	(2) Conserving water		(1) Mountains	(2) Deserts	
	(3) Secondary growth	(4) Disease resistance		(3) Fresh water lakes	(4) Ocean	
Q.126	Of the total incide proportion of PAR is (1) More than 80%	nt solar radiation the (2) About 70%	Q.137	Large Woody Vines are n (1) Alpine forests (3) Mangroves	nore commonly found in : (2) Temperate forests (4) Tropical rainforests	
	(3) About 60%	(4) Less than 50%	Q.138	Which one of the follo	wing expanded forms of	
Q.127	A prokaryotic autot symbiont is found in (1) Pisum (3) Cycas	rophic nitrogen fixing (2) Alnus (4) Cicer		Conservation of Resources (2) IPCC = Internation Change	rnational Union for Nature and Natural onal Panel for Climate	
Q.128	Nucellar polyembryony is reported in species of : (1) Brassica(2) Citrus			(3) UNEP = United policy(4) EPA = Environment	Nations Environmental ntal Pollution Agency	
O 120	(3) Gossypium	(4) Triticum	Q.139	correct for secondary su (1) It is similar to pri	mary succession except	
Q.129	Filiform apparatus is a (1) Zygote	(2) Suspensor		that it has a relative		
	(1) Zygote (3) Egg	(4) Synergid		(2) It begins on a bare r(3) It occurs on defores(4) It follows primary s	ted site	

Q.140	Which one of the foll genetic diversity in India (1) Mango (3) Rice	owing shows maximum a? (2) Groundnut (4) Maize
Q.141	Which one of the following (1) Mycorrhiza (3) Rhizobium	ng is not a biofertilizer? (2) Agrobacterium (4) Nostoc
Q.142	Which one of the physiological barrier microorganisms in huma (1) Skin (2) Epithelium of Uroge (3) Tears (4) Monocytes	an body?
Q.143	Which one of the follo of phosphorus from soil (1) Anabaena (3) Rhizobium	wing helps in absorption by plants? (2) Glomus (4) Frankia
Q.144	'Himgiri' developed selection for disease pathogens is a variety of (1) Wheat (3) Maize	resistance against rust
Q.145	Which of the following the activity of anaerobic (1) Marsh gas (3) Propane (4) Mustard	(2) Laughing gas
Q.146	Agarose extracted from (1) Gel electrophoresis (3) Tissue Culture	(2) Spectrophotometry
Q.147	Maximum number of exis of: (1) Pig (3) Mice	(2) Fish (4) Cow
Q.148	fermentation is done to	(2) produce methane

The process of RNA interference has been used

(2) Nematodes

(4) Viruses

in the development of plants resistant to:

Q.149

(1) Insects

(3) Fungi

Q.150

Q.151

Q.152

Q.153

(1)

(2)

(3)

(4)

(1) Bajra (3) Rice

(a) segmented Males and Ascaris Annelida (b) females distinct A tympanum (a) represents ear Amphibia Salamandra Fertilization is (b) external skin possesses (a) Pteropus hair Mammalia (b) Oviparous Which one of the following groups of animals is 0.154 correctly matched with its one characteristic feature without even a single exception? (1) Mammalia: give birth to young ones. (2) Reptilia: possess 3-chambered heart with one incompletely divided ventricle (3) Chordata: possess a mouth provided with an upper and a lower jaw (4) Chondrichthyes: possess cartilaginous endoskeleton

"Jaya" and "Ratna" developed for green

Which one of the following organisms is **not** an

Which one of the following animals is **correctly** matched with its particular named taxonomic

In which one of the following the genus name, its two characters and its class/phylum are

Two characters

Cnidoblasts

organization Body

Organ level of

Class /

Phylum

Coelenterata

(2) Maize

(4) Wheat

revolution in India are the varieties of:

example of eukaryotic cells?

(1) Housefly – Musca, an order (2) Tiger –tigris, the species (3) Cuttlefish- Mollusca, a class (4) Humans – Primata, the family

(1) Amoeba proteus (2) Paramccium caudatum

(3) Escheria coli (4) Euglena viridis

correctly matched?

(a)

(b)


Genus

name

Aurelia

category?


- Q.155 What will you look for to identify the sex of the following?
 - (1) Male shark Claspers borne on pelvic fins
 - (2) Female Ascaris Sharply curved posterior end
 - (3) Male frog- A copulatory pad on the first digit of the hind limb
 - (4) Female cockroach Anal cerci
- Q.156 The curve given below shows enzymatic activity with relation to three conditions (pH, temperature and substrate concentration)



What do the two axises (x and y) represent?

	x-axis	y-axis
(1)	enzymatic activity,	temperature
(2)	enzymatic activity,	рН
(3)	temperature	enzyme activity
(4)	substrate concentration	enzymatic
		activity

- Q.157 The ciliated columnar epithelial cells in humans are known to occur in:
 - (1) Fallopian tubes and urethra
 - (2) Eustachian tube and stomach lining
 - (3) Bronchioles and Fallopian tubes
 - (4) Bile duct and oesophagus
- **Q.158** Select the correct option with respect to mitosis.
 - (1) Chromosomes move to the spindle equator and get aligned along equatorial plate in metaphase
 - (2) Chromatids separate but remain in the centre of the cell in anaphase
 - (3) Chromatids start moving towards opposite poles in telophase
 - (4) Golgi complex and endoplasmic reticulum are still visible at the end of prophase
- Q.159 Which one of the following structural formulae of two organic compounds is correctly identified along with its related function?



- (1) **A**: Lecithin-a component of cell membrane
- (2) **B**: Adenine-a nucleotide that makes up nucleic acids
- (3) A: Triglyceride-major source of energy
- (4) **B**: Uracil-a component of DNA
- Q.160 What was the most significant trend in the evolution of modern man (Homo sapiens) from his ancestors?
 - (1) Increasing brain capacity
 - (2) Upright posture
 - (3) Shortening of jaws
 - (4) Binocular vision
- Q.161 Which one of the following conditions correctly describes the manner of determining the sex in the given examples?
 - (1) Homozygous sex chromosomes (XX) produce male in Drosophila
 - (2) Homozygous sex chromosomes (ZZ) determine female sex in Birds
 - (3) XO type of sex chromosomes determine male sex in grasshopper
 - (4) XO condition in humans as found in Turner Syndrome, determines female sex
- Q.162 A person with unknown blood group under ABO system, has suffered much blood loss in an accident and needs immediate blood transfusion. His one friend who has a valid certificate of his own blood type, offers for blood donation without delay. What would have been the type of blood group of the donor friend
 - (1) Type A
- (2) Type B
- (3) Type AB
- (4) Type O
- Q.163 What are those structures that appear as 'beadson-string' in the chromosomes when viewed under electron microscope?
 - (1) Base pairs
- (2) Genes
- (3) Nucleotides
- (4) Nucleosomes

Q.164	Match	the	source	gland	with	its	respective	
	hormone as well as the function.							

	Source gland	Hormone	Function
(1)	Thyroid	Thyroxine	Regulates
			blood calcium
			level
(2)	Anterior	Oxytocin	Contraction of
	pituitary		uterus muscles
			during child
			birth
(3)	Posterior	Vasopressin	Stimulates
	pituitary		resorption of
			water in the
			distal tubules in
			the nephron
(4)	Corpus	Estrogen	Supports
	luteum		pregnancy

- Q.165 Which of the following is correctly stated as it happens in the common cockroach?
 - (1) The food is ground by mandibles and gizzard
 - (2) Malpighian tubules are excretory organs projecting out from the colon
 - (3) Oxygen is transported by haemoglobin in blood
 - (4) Nitrogenous excretory product is urea
- Q.166 A large proportion of oxygen is left unused in the human blood even after its uptakes by the body tissues. This O_2 :
 - (1) helps in releasing more O_2 to the epithelial tissues
 - (2) acts as a reserve during muscular exercise
 - (3) raises the pCO₂ of blood to 75 mm of Hg
 - (4) is enough to keep oxyhaemoglobin saturation at 96%
- Q.167 Which one of the following enzymes carries out the initial step in the digestion of milk in humans
 - (1) Trypsin
- (2) Pepsin
- (3) Rennin
- (4) Lipase
- **Q.168** Which one of the following is **not** a part of a renal pyramid?
 - (1) Loops of Henle
 - (2) Peritubular capillaries
 - (3) Convoluted tubules
 - (4) Collecting ducts

- **Q.169** One very special feature in the earthworm pheretima is that:
 - (1) It has a long dorsal tubular heart
 - (2) Fertilisation of eggs occurs inside the body
 - (3) The typhlosole greatly increases the effective absorption area of the digested food in the intestine
 - (4) The S-shaped state embedded in the integument are the defensive weapons used against the enemies
- Q.170 Two friends are eating together on a dining table. One of them suddenly starts coughing while swallowing some food. This coughing would have been due to improper movement of:
 - (1) Tongue
- (2) Epiglottis
- (3) Diaphragm
- (4) Neck
- **Q.171** Arteries are best defined as the vessel which:
 - (1) carry blood from one visceral organ to another visceral organ
 - (2) supply oxygenated blood to the different organs
 - (3) carry blood away from the heart to different organs
 - (4) break up into capillaries which reunite to form a vein
- Q.172 'Bundle of Hiss' is a part of which one of the following organs in humans?
 - (1) Pancreas
- (2) Brain
- (3) Heart
- (4) Kidney
- Q.173 The purplish red pigment rhodopsin contained in the rods type of photo receptor cells of the human eye, is a derivative of:
 - (1) Vitamin A
- (2) Vitamin B₁
- (3) Vitamin C
- (4) Vitamin D
- **Q.174** Which one of the following plasma proteins is involved in the coagulation of blood?
 - (1) Fibrinogen
- (2) an albumin
- (3) serum amylase
- (4) a globulin
- Q.175 When a neuron is in resting state i.e. not conducting any impulse, the axonal membrane is:
 - (1) Comparatively more permeable of K⁺ ions and nearly impermeable to Na⁺ ions
 - (2) Comparatively more permeable to Na⁺ ions and nearly impermeable to K⁺ ions
 - (3) Equally permeable to both Na⁺ and K⁺ ions
 - (4) Impermeable to both Na⁺ and K⁺ ions


- Q.176 Which one of the following correctly explains the function of a specific part of a human nephron?
 - (1) Afferent arteriole : carries the blood away from the glomerulus towards renal vein
 - (2) Podocytes: Create minute spaces (slit pores) for the filtration of blood into the Bowman's capsule
 - (3) Henle's loop: most reabsorption of the major substances from the glomerular filtrate
 - (4) Distal convoluted tubule : re-absorption of K⁺ ions into the surrounding blood capillaries
- Q.177 Given below is an incomplete table certain hormones, their source glands and one major effect of each on the body in humans. Identify the correct option for the three blanks A, B and C.

Glands	Secretion	Effect on Body		
A	Oestrogen	Maintenance of secondary sexual characters		
Alpha cells of Islets of Langerhans	В	Raises blood sugar level		
Anterior pituitary	С	Over section leads to gigantism		

Options:

A B C

- (1) Placenta Glucagon Calcitionin
- (2) Ovary Glucagon Growth hormone
- (3) Placenta Insulin Vasopressin
- (4) Ovary Insulin Calcitonin
- **Q.178** Uricotelic mode of passing out nitrogenous wastes is found in :
 - (1) Insects and Amphibians
 - (2) Reptiles and Birds
 - (3) Birds and Annelids
 - (4) Amphibians and Reptiles
- Q.179 The figure given below shows a small part of human lung where exchange of gases takes place. In which one of the options given below, the one part A, B, C or D is correctly identified along with its function,




Options:

- (1) **B**: red blood cell transport of CO₂ mainly
- (2) C: arterial capillary passes oxygen to tissues
- (3) **A**: alveolar cavity main site of exchange of respiratory gases
- (4) **D**: Capillary wall exchange of O₂ and CO₂ takes place here
- Q.180 Which one of the following statements is correct regarding blood pressure:
 - (1) 190/110 mm Hg may harm vital organs like brain and kidney
 - (2) 130/90 mm Hg is considered high and requires treatment
 - (3) 100/55 mm Hg is considered an ideal blood pressure
 - (4) 105/50 mm Hg makes one very active
- Q.181 Which one of the following statements is correct with respect to kidney function regulation?
 - (1) During summer when body loses of lot of water by evaporation, the release of ADH is suppressed
 - (2) When someone drinks lot of water, ADH release is suppressed
 - (3) Exposure to cold temperature stimulates ADH release
 - (4) An increase in glomerular blood flow stimulates formation of Angiotensin II.


The figure given below depicts a diagrammatic sectional view of the female reproductive system of humans. Which one set of three parts out of I-VI have been correctly identified?

Q.182



- (1) (I) Perimetrium, (II) Myometrium, (III) Fallopian tube
- (2) (II) Endometrium, (III) Infundibulum, (IV) Fimbriage
- (3) (III) Infundibulum, (IV) Fimbriae, (V) Cervix
- (4) (IV) Oviducal funnel, (V) Uterus (VI) Cervix
- Q.183 The testes in humans are situated outside the abdominal cavity inside a pouch called scrotum. The purpose served is for:
 - (1) providing a secondary sexual feature for exhibiting the male sex
 - (2) maintaining the scrotal temperature lower than the internal body temperature
 - (3) escaping any possible compression by the visceral organs
 - (4) providing more space for the growth of epididymis
- Q.184 Which one of the following is the most wide accepted method of contraception in India, as at present?
 - (1) IUDs' (Intra uterine devices)
 - (2) Cervical caps
 - (3) Tubectomy
 - (4) Diaphragms
- Q.185 If for some reason, the vasa efferentia in the human reproductive system get blocked, the gametes will not be transported from:
 - (1) Vagina to uterus
 - (2) Testes to epididymis
 - (3) Epididymis to vas deferens
 - (4) Ovary to uterus

- **Q.186** Medical Termination of Pregnancy (MTP) is considered safe up to how many weeks of pregnancy?
 - (1) Six weeks
- (2) Eight weeks
- (3) Twelve weeks
- (4) Eighteen weeks
- **Q.187** Which one of the following is categorised as a parasite in **true sense**?
 - (1) The cuckoo (koel) lays its eggs in crow's nest
 - (2) The female anopheles bites and sucks blood from humans
 - (3) Human foetus developing inside the uterus draws nourishment from the mother
 - (4) Head louse living on the human scalp as well as laying eggs on human hair
- **Q.188** What type of human population is represented by the following age pyramid?



- (1) Expanding population
- (2) Vanishing population
- (3) Stable population
- (4) Declining population
- **Q.189** Which one of the following statements for pyramid of energy is incorrect, whereas the remaining three are correct?
 - (1) It is upright in shape
 - (2) Its base is broad
 - (3) It shows energy content of different trophic level organisms
 - (4) It is inverted in shape
- **Q.190** Ethanol is commercially produced through a particular special of:
 - (1) Aspergillus
- (2) Sanccharomyces
- (3) Clostridium
- (4) Trichoderma

Q.191	 Q.191 Consider the following four conditions (a – d) and select the correct pair of them as adaptation to environment in desert lizards. The conditions: (a) burrowing in soil to escape high temperature (b) losing heat rapidly from the body during high temperature (c) bask in sun when temperature is low 		Q.196	 At which stage of HIV infection does one usually shown symptoms of AIDS? (1) Within 15 days of sexual contact with an infected person (2) When the infecting retrovirus enters host cells (3) When viral DNA is produced by reverse transcriptase 		
	(d) insulating body due Options: (1) (a), (b)	to thick fatty dermis (2) (c), (d)			eplicates rapidly in helper damages larger number of	
	(3)(a),(c)	(4) (b), (d)	Q.197	Civon balow is a s	ample of a portion of DNA	
Q.192	Which one of the followmajor cause of "Green (1) CO ₂ and N ₂ O (3) CO ₂ and CO	wing pairs of gases are the house effect"? (2) CO ₂ and O ₃ (4) CFCs and SO ₂	Q.177		se sequence on the opposite special shown in it? C	
Q.193	 Where will you look for the sporozoites of the malarial parasite? (1) Salivary glands of freshly moulted female Anopheles mosquito (2) Saliva of infected female Anopheles mosquito (3) red blood corpuscles of humans suffering 		Q.198	for the production of ethanol is : (1) Molasses (2) Corn meal		
	from malaria (4) spleen of infected h	_	Q.199	(3) Soyabean An organism used	(4) Ground gram as a Biofertilizer for raising	
Q.194	When two unrelated individuals or lines are crossed, the per romance of F_1 hybrid is often superior to both parents. This phenomenon is			soyabean crop is : (1) Nostoc (3) Azospirillum	(2) Azotobacter(4) Rhizobium	
	called: (1) Metamorphosis (3) Transformation	-		EcoRl. What does "(1) coli	()	
Q.195	from Acquired Immur	uspected to be suffering no Deficiency Syndrome. nique will you recommend (4) Ultra Sound		(3) coelom	(4) coenzyme	
	Which diagnostic techr for its detection? (1) WIDAL(2) ELISA	nique will you recommend				