AIPMT - 2003

- Q.1 If a ball is thrown vertically upwards with speed u, the distance covered during the last 't' seconds of its ascent is:
 - (1) ut
- (2) $\frac{1}{2}$ gt²
- (3) ut $-\frac{1}{2}$ gt²
- (4) (u + gt)t
- Q.2 A particle moves along a circle of radius $\left(\frac{20}{\pi}\right)$ m with constant tangential acceleration. If

the velocity of the particle is 80 m/s at the end of the second revolution after motion has begun, the tangential acceleration is: -

- (1) 40 m/s^{-2} (2) $640 \text{ } \pi \text{ ms}^{-2}$ (3) $160 \text{ } \pi \text{ ms}^{-2}$ (4) $40 \text{ } \pi \text{ ms}^{-2}$
- Q.3A thin circular ring M and radius 'r' is rotating about its axis with a constant angular velocity ω . Four objects each of mass m, are kept gently to the opposite ends of two perpendicular diameters of the ring. The angular velocity of the ring will be -

 - $(1) \frac{M\omega}{4m} \qquad (2) \frac{M\omega}{M+4m}$

 - (3) $\frac{(M+4m)\omega}{M}$ (4) $\frac{(M+4m)\omega}{M+4m}$
- 0.4 A stationary particle explodes into two particles of masses m₁ and m₂ which move in opposite directions with velocities v₁ and v₂. The ratio of their kinetic energies E_1/E_2 is :
 - $(1) m_2/m_1$
- $(2) m_1/m_2$

(3) 1


- $(4) m_1 v_2 / m_2 v_1$
- **Q.5** A solid cylinder of mass M and radius R rolls without slipping down an inclined plane of length L and height h. What is the speed of its centre of mass when the cylinder reaches its bottom -

 - $(1) \sqrt{2gh} \qquad (2) \sqrt{\frac{3}{4}gh}$
 - (3) $\sqrt{\frac{4}{2}gh}$ (4) $\sqrt{4gh}$
- 0.6 When a long spring is stretched by 2 cm, its potential energy is U. If the spring is stretched by 10 cm, the potential energy stored in it will be:


 - (1) U/5 (2) 5 U
- (3) 10 U (4) 25 U


- **Q.7** The acceleration due to gravity on the planet A is 9 times the acceleration due to gravity on planet B. A man jumps to a height of 2m on the surface of A. What is the height of jump by the same person on the planet B.
 - (1) 2/9 m
- (2) 18 m
- (3) 6 m
- (4) 2/3 m
- 0.8 A monkey of mass 20 kg is holding a vertical rope. The rope will not break when a mass of 25 kg is suspended from it but will break if the mass exceeds 25 kg. What is the maximum acceleration with which the monkey can climb up along the rope ? $(g = 10 \text{ m/s}^2)$
 - (1) 5 m/s^2
- (2) 10 m/s^2
- (3) 25 m/s^2
- $(4) 2.5 \text{ m/s}^2$
- 0.9 A man weighs 80 kg He stands on a weighing scale in a lift which is moving upwards with a uniform acceleration of 5m/s². What would be the reading on the scale ? $(g = 10 \text{ m/s}^2)$
 - (1) Zero
- (2) 400 N
- (3) 800 N
- (4) 1200 N
- Q.10 A ball rolls without slipping. The radius of gyration of the ball about an axis passing through its centre of mass is K. If radius of the ball be R, then the fraction of total energy associated with its rotational energy will be:
 - (1) $\frac{K^2 + R^2}{R^2}$ (2) $\frac{K^2}{R^2}$

 - (3) $\frac{K^2}{K^2 + R^2}$ (4) $\frac{R^2}{K^2 + R^2}$
- Q.11 The vector sum of two forces is perpendicular to their vector differences. In that case, the forces:
 - (1) Are equal to each other
 - (2) Are equal to each other in magnitude
 - (3) Are not equal to each other in magnitude
 - (4) Cannot be predicted
- Two spheres of masses m and M are situated in Q.12 air and the gravitational force between them is F. The space around the masses in now filled with a liquid of specific density 3. The gravitational force will now be:
 - (1) 3F
- (2) F
- (3) F/3
- (4) F/9



- (1) More than 19.6 m/s
- (2) At least 9.8 m/s
- (3) Any speed less than 19.6 m/s
- (4) Only with speed 19.6 m/s
- Q.14 A convex lens is dipped in a liquid whose refractive index is equal to the refractive index of the lens. Then its focal length will
 - (1) Become zero
 - (2) Become infinite
 - (3) Become small, but non-zero
 - (4) Remain unchanged
- An observer moves towards a stationary source Q.15 of sound with a speed 1/5th of the speed of sound. The wavelength and frequency of the source emitted are λ and f respectively. The apparent frequency and wavelength recorded by the observer are respectively:
 - (1) 1.2f, 1.2λ
- (2) 1.2f, λ
- (3) f, 1.2λ
- (4) 0.8f, 0.8λ
- Q.16 The time period of a mass suspended from a spring is T. If is the spring is cut into four equal parts and the same mass is suspend from one of the parts, then the new time period will be -
 - (1) T/4
- (2) T
- (3) T/2
- (4) 2T
- A particle of mass m oscillates with simple Q.17 harmonic motion between points x_1 and x_2 , the equilibrium position being O. Its potential energy is plotted. It will be as given below in the graph:











- Q.18 In case of a forced vibration, the resonance wave becomes very sharp when the:
 - (1) Damping force is small
 - (2) Restoring force is small
 - (3) Applied periodic force is small
 - (4) Quality factor is small

Q.19 A equiconvex lens is cut into two halves along (i) XOX' and (ii) YOY' as shown in the figure. Let f, f' f" be the focal lengths of the complete lens, of each half in case (i), and of each half in case (ii), respectively



the correct statement from the following-

- (1) f' = f, f'' = 2f
- (2) f' = 2f, f'' = f
- (3) f' = f, f'' = f (4) f' = 2f, f'' = 2f
- Q.20 We consider the radiation emitted by the human body. Which of the following statements is true:
 - (1) The radiation emitted is in the infrared region
 - (2) The radiation is emitted only during the day
 - (3) The radiation is emitted during the summers and absorbed during the winters
 - (4) The radiation emitted lies in the ultraviolet region and hence is not visible
- 0.21 An ideal gas heat engine operates in a carnot cycle between 227°C and 127°C. It absorbs 6 kcal at the higher temperature. The amount of heat (in kcal) converted into work is equal to -
 - (1)4.8
- (2) 3.5
- (3) 1.6(4) 1.2
- Q.22 Consider a compound slab consisting of two different materials having equal thicknesses and thermal conductivities K and 2K, respectively. The equivalent thermal conductivity of the slab is -
 - (1) 2/6 K
- $(2) \sqrt{2}K$
- (3) 3K
- (4) 4/3 K
- Q.23 The potential energy of a simple harmonic oscillator when the particle is half way to its end point is -
 - (1) 2/3 E
- (2) 1/8 E
- (3) 1/4 E
- (4) 1/2 E
- Q.24 A charge q is located at the centre of a cube. The electric flux through any face is -
- $(1) \ \frac{2\pi q}{6(4\pi\epsilon_0)} \qquad \qquad (2) \ \frac{4\pi q}{6(4\pi\epsilon_0)}$ $(3) \ \frac{\pi q}{6(4\pi\epsilon_0)} \qquad \qquad (4) \ \frac{q}{6(4\pi\epsilon_0)}$



$$(1) K \frac{e^2}{r^2} \hat{r}$$

Q.25

$$(2) - K \frac{e^2}{r^3} \hat{r}$$


(3)
$$K \frac{e^2}{r^3}$$

(3)
$$K \frac{e^2}{r^3} \vec{r}$$
 (4) $-K \frac{e^2}{r^3} \vec{r}$

(where
$$K = \frac{1}{4\pi\epsilon_0}$$
)

- **Q.26** A long solenoid carrying a current produces a magnetic field B along its axis. If the current is doubled and the number of turns per cm is halved, the new value of the magnetic field is -
 - (2) B(1) B/2
- (3) 2B
- A charged particle moves through a magnetic Q.27 field in a direction perpendicular to it. Then the
 - (1) Speed of the particle remains unchanged (2) Direction of the particle remains unchanged
 - (3) Acceleration remains unchanged
 - (4) Velocity remains unchanged
- Q.28 A bar magnet is oscillating in the Earth's magnetic field with a period T. What happens to this period and motion if this mass is quadrupled -
 - (1) Motion remains S.H. with time period = T/2
 - (2) Motion remains S.H. with time period = 2T
 - (3) Motion remains S.H. with time period = 4T
 - (4) Motion remains S.H. with time and period remains nearly constant
- Q.29 Two 220 volt, 100 watt bulbs are connected first in series and then in parallel. Each time the combination is connected to a 220 volt a.c. supply line. The power drawn by the combination in each case respectively will be:
 - (1) 50 watt, 100 watt
 - (2) 100 watt, 50 watt
 - (3) 200 watt, 150 watt
 - (4) 50 watt, 200 watt
- Q.30 An electric kettle has two heating coils. When one of the coils is connected to an a.c. source, the water in the kettle boils in 10 minutes. When the other coil is used the water boils in 40 minutes. If both the coils are connected in parallel, the time taken by the same quantity of water to boil will be:
 - (1) 8 min
- (2) 4 min
- (3) 25 min
- (4) 15 min

- Q.31 In a Wheatstone's bridge all the four arms have equal resistance R. If the resistance of the galvanometer arm is also R, the equivalent resistance of the combination as seen by the battery is:
 - (1) R/4
- (2) R/2
- (3) R
- (4) 2R
- Q.32 Three capacitors each of capacity 4 µF are to be connected in such a way that the effective capacitance of 6µF. This can be done by -
 - (1) connecting all of them in series
 - (2) connecting them in parallel
 - (3) connecting two in series and one in parallel
 - (4) connecting two in parallel and one in series
- Q.33 Solar energy is mainly caused due to:
 - (1) burning of hydrogen in the oxygen
 - (2) fission of uranium present in the sun
 - (3) fusion of protons during synthesis of heavier elements
 - (4) gravitational contraction
- Q.34 Fuse wire is a wire of
 - (1) high resistance and high melting point
 - (2) high resistance and low melting point
 - (3) low resistance and low melting point
 - (4) low resistance and high melting point
- Q.35 The volume occupied by an atom is greater than the volume of the nucleus by a factor of about
 - $(1) 10^1$
- $(2) 10^5$
- $(3) 10^{10}$
- $(4) 10^{15}$
- Q.36 A photoelectric cell is illuminated by a point source of light 1 m away. When the source is shifted to 2m then -
 - (1) each emitted electron carries one quarter of the initial energy
 - (2) number of electrons emitted is half the initial number
 - (3) each emitted electron carries half the initial
 - (4) number of electrons emitted is a quarter of the initial number
- O.37 A sample of radioactive element has a mass of 10 gm at an instant t = 0. The approximate mass of this element in the sample after two mean lives is:
 - (1) 1.35 gm
- (2) 2.50 gm
- (3) 3.70 gm
- (4) 6.30 gm



The value of Planck's constant is $6.63 \times 10^{-34} \text{Js}$. Q.53 The velocity of light is $3.0 \times 10^8 \text{ ms}^{-1}$. Which value is closest to the wavelength in nanometers of a quantum of light with frequency of $8 \times 10^{15} \, \mathrm{s}^{-1}$: $(1) 2 \times 10^{-25}$ (2) 5×10^{-18} $(3) 4 \times 10^{1}$ (4) 3×10^7

- Which of the following statements is not correct Q.54 for sigma- and pi- bonds formed between two carbon atoms:
 - (1) Sigma-bond is stronger than a pi-bond
 - (2) Bond energies of sigma- and pi-bonds are of the order of 264 KJ/mol and 347 KJ/mol, respectively
 - (3) Free rotation of atoms about a sigma bond is allowed but not in case of a pi-bond
 - (4) Sigma-bond determines the direction between carbon atoms but a pi-bond has no primary effect in this regard
- The oxidation states of sulphur in the anions Q.55 SO_3^{2-} , $S_2O_4^{2-}$ and $S_2O_6^{2-}$ follow the order -
 - (1) $S_2O_4^{2-} < SO_3^{2-} < S_2O_6^{2-}$ (2) $SO_3^{2-} < S_2O_4^{2-} < S_2O_6^{2-}$
 - $(3) S_2O_4^{2-} < S_2O_6^{2-} < SO_3^{2-}$
 - $(4) S_2 O_6^{2-} < S_2 O_4^{2-} < SO_3^{2-}$
 - The pyknometric density of sodium chloride
 - crystal is 2.165×10^3 kg m⁻³ while its X-ray density is 2.178×10^3 kg m⁻³. The fraction of unoccupied sites in sodium chloride crystal is:
 - $(2) 5.96 \times 10^{-2}$ (1) 5.96
 - $(3) 5.96 \times 10^{-1}$ $(4) 5.96 \times 10^{-3}$
- Q.57 For the reaction:

O.56

 $C_3H_8(g) + 5O_2(g) \rightarrow 3CO_2(g) + 4H_2O(\ell)$ at constant temperature, $\Delta H - \Delta E$ is :

- (1) + RT
- (2) 3RT
- (3) + 3RT
- (4) RT
- Q.58 In Haber process 30 litres of dihydrogen and 30 litres of dinitrogen were taken for reaction which yielded only 50% of the expected product. What will be the composition of gaseous mixture under the above condition in the end:
 - (1) 20 litres ammonia, 20 litres nitrogen, 20 litres hydrogen
 - (2) 10 litres ammonia, 25 litres nitrogen, 15 litres hydrogen
 - (3) 20 litres ammonia, 10 litres nitrogen, 30 litres hydrogen
 - (4) 20 litres ammonia, 25 litres nitrogen, 15 litres hydrogen

- Q.59 The densities of graphite and diamond at 298 K are 2.25 and 3.31 g cm⁻³, respectively. If the standard free energy difference (\Delta G^o) is equal to 1895 J mol⁻¹, the pressure at which graphite will be transformed into diamond at 298 K is -(1) $9.92 \times 10^8 \, \text{Pa}$ (2) $9.92 \times 10^7 \text{ Pa}$
- (3) $9.92 \times 10^6 \text{ Pa}$ (4) $9.92 \times 10^5 \text{ Pa}$ What is the entropy change (in JK⁻¹ mol⁻¹) Q.60
 - when one mole of ice is converted into water at 0°C? (The enthalpy change for the conversion of ice to liquid water is 6.0 KJ mol⁻¹ at 0°C)
 - (1) 20.13(2) 2.013
- (3) 2.198Q.61 The reaction quotient (Q) for the reaction:


$$N_2(g) + 3H_2(g) \Longrightarrow 2NH_3(g)$$

is given by $Q = \frac{[NH_3]^2}{[N_2][H_2]^3}$. The reaction will

(4) 21.98

proceed from right to left if:

- (2) $Q < K_C$ (1) $Q = K_C$
- (3) $Q > K_C$ (4) Q = 0
- (where K_C is the equilibrium constant)
- Q.62 The activation energy for a simple chemical reaction $A \rightarrow B$ is E_a in forward direction. The activation energy for reverse reaction:
 - (1) Is negative of E_a
 - (2) Is always less than E_a
 - (3) Can be less than or more than E_a
 - (4) Is always double of E_a
- 0.63 Which of the following statements is not true:
 - (1) Among halide ions, iodide is the most powerful reducing agent
 - (2) Fluorine is the only halogen that does not show a variable oxidation state
 - (3) HOCl is a stronger acid than HOBr
 - (4) HF is a stronger acid than HCl
- Q.64 The method of zone refining of metals is based on the principle of:
 - (1) Greater mobility of the pure metal than that of the impurity
 - (2) Higher melting point of the impurity than that of the pure metal
 - (3) Greater noble character of the solid metal than that of the impurity
 - (4) Greater solubility of the impurity in the molten state than in the solid



$$\frac{4}{3}$$
Al+O₂ $\to \frac{2}{3}$ Al₂O₃, Δ G = -827KJ mol⁻¹ of

O₂, the minimum e.m.f. required to carry out electrolysis of Al_2O_3 is (F = 96500 C mol⁻¹)

- (1) 2.14 V
- (2) 4.28 V
- (3) 6.42 V
- (4) 8.56 V
- The reaction $A \rightarrow B$ follows first order kinetics. **Q.66** The time taken for 0.8 mole of A to produce 0.6 mole of B is 1 hour. What is the time taken for conversion of 0.9 mole of A to produce 0.675 mole of B
 - (1) 1 hour
- (2) 0.5 hour
- (3) 0.25 hour
- (4) 2 hour
- The solubility product of AgI at 25°C is Q.67 $1.0 \times 10^{-16} \text{ mol}^2 \text{ L}^{-2}$. The solubility of AgI in 10^{-10} ⁴ N solution of KI at 25°C is approximately (in $mol L^{-1}$):
 - (1) 1.0×10^{-16} (2) 1.0×10^{-12} (3) 1.0×10^{-10} (4) 1.0×10^{-8}
- Formation of a solution from two components Q.68 can be considered as:
 - (i) Pure solvent \rightarrow separated solvent molecules, ΔH_1
 - (ii) Pure solvent \rightarrow separated solvent molecules,
 - (iii) Separated solvent and solute molecules → solution, ΔH_3

Solution so formed will be ideal if: -

- (1) $\Delta H_{Soln} = \Delta H_1 + \Delta H_2 + \Delta H_3$
- (2) $\Delta H_{Soln} = \Delta H_1 + \Delta H_2 \Delta H_3$
- (3) $\Delta H_{Soln} = \Delta H_1 \Delta H_2 \Delta H_3$
- (4) $\Delta H_{Soln} = \Delta H_3 \Delta H_1 \Delta H_2$
- 0.69 For which one of the following equations is ΔH_{react}° equal to ΔH_{f}° for the product :
 - (1) $N_2(g) + O_3(g) \rightarrow N_2O_3(g)$
 - (2) $CH_4(g) + 2Cl_2(g) \rightarrow CH_2Cl_2(l) + 2HCl(g)$
 - (3) $Xe(g) + 2F_2(g) \rightarrow XeF_4(g)$
 - (4) 2CO(g) + O₂(g) \rightarrow 2CO₂(g)
- **O.70** The following equilibria are given:

$$N_2 + 3H_2 \rightleftharpoons 2NH_3 K_1$$

$$N_2 + O_2 \rightleftharpoons 2NO \quad K_2$$

$$H_2 + \frac{1}{2}O_2 \rightleftharpoons H_2O K_3$$

The equilibrium constant of the reaction

$$2NH_3 + \frac{5}{2}O_2 \rightleftharpoons 2NO + 3H_2O$$
 in terms of

 K_1 , K_2 and K_3 is:

- (1) $K_1 K_1 K_3$ (2) $\frac{K_1 K_2}{K_2}$
- (3) $\frac{K_1 K_3^2}{K_2}$ (4) $\frac{K_2 K_3^3}{K_1}$
- Q.71 The molar heat capacity of water at constant pressure, C, is 75 JK⁻¹ mol⁻¹. When 1.0 KJ of heat is supplied to 100 g of water which is free to expand, the increase in temperature of water is:
 - (1) 1.2 K
- (2) 2.4 K
- (3) 4.8 K
- (4) 6.6 K
- Q.72 If the rate of the reaction is equal to the rate constant, the order of the reaction is -
 - (1) 0
- (2) 1
- (3)2
- (4) 3
- Q.73 The temperature dependence of rate constant (k) of a chemical reaction is written in terms of Arrhenius equation, $k = A.e^{-E^*/RT}$. Activation energy (E*) of the reaction can be calculated by plotting
 - (1) k vs T
- (2) k vs $\frac{1}{\log T}$
- (3) $\log k \text{ vs } \frac{1}{T}$ (4) $\log k \text{ vs } \frac{1}{\log T}$
- IUPAC name of the compound given below is: 0.74


- (1) 4-Ethyl-3-methyloctane
- (2) 3-Methyl-4-ethyloctane
- (3) 2, 3-Diethylheptane
- (4) 5-Ethyl-6-methylocatane
- Q.75 In this reaction:

CH₃CHO + HCN
$$\rightarrow$$
 CH₃CH(OH)CN
 $\xrightarrow{\text{H.OH}}$ CH₃CH(OH)COOH

an asymmetric centre is generated. The acid obtained would be:

- (1) D-isomer
- (2) L-isomer
- (3) 50% D + 50% L -isomer
- (4) 20% D + 80% L -isomer

Q.76 Which of the following pairs of compounds are enantiomers:



Q.77 In a set of the given reactions, acetic acid yielded a product C.

$$\begin{array}{cccc} CH_3COOH & + & PCl_5 & \rightarrow & A & \xrightarrow{C_6H_6} & B \\ & \xrightarrow{C_2H_5MgBr} & C', & product C & would be \end{array}$$

(1) CH₃CH(OH)C₂H₅ (2) CH₃COC₆H₅

$$C_2H_5$$

(3) CH₃CH(OH)C₆H₅ (4) CH₃ — C(OH)C₆H₅

Q.78 The compound $CH_3 - \dot{C} = CH - CH_3$ on reaction with NaIO₄ in the presence of KMnO₄ given:

- (1) CH₃COCH₃
- (2) CH₃COCH₃ + CH₃COOH
- (3) CH₃COCH₃ + CH₃CHO
- (4) CH₃CHO + CO₂

Q.79 The e.m.f. of a Daniell cell at 298 K is E_1 .

 $Zn/SO_4(0.01 \text{ M}) \parallel CuSO_4(1.0 \text{ M})/Cu$

When the concentration of $ZnSO_4$ is 1.0 M and that of $CuSO_4$ is 0.01 M, the e.m.f. is changed to E_2 . What is the relationship between E_1 and E_2 :

- (1) $E_1 > E_2$
- (2) $E_1 < E_2$
- (3) $E_1 = E_2$
- (4) $E_2 = 0 \neq E_1$

- **Q.80** According to the adsorption theory of catalysis, the speed of the reaction increase because :
 - (1) The concentration of reactant molecules at the active centers of the catalyst becomes high due to adsorption
 - (2) In the process of adsorption, the activation energy of the molecules becomes large
 - (3) Adsorption produces heat which increases the speed of the reaction
 - (4) Adsorption lowers the activation energy of the reaction.
 - Q.81 Which one of the following characteristics of the transition metals is associated with their catalytic activity:
 - (1) High enthalpy of atomization
 - (2) Paramagnetic behaviour
 - (3) Colour of hydrated ions
 - (4) Variable oxidation states
 - Q.82 The basic character of the transition metal monoxides follows the order:
 - (1) VO > CrO > TiO > FeO
 - (2) CrO > VO > FeO > TiO
 - (3) TiO > FeO > VO > CrO
 - (4) TiO > VO > CrO > FeO
 - (Atomic nos. Ti = 22, V = 23, Cr = 24, Fe = 26)
 - **Q.83** The correct order of ionic radii of Y^{3+} , La^{3+} , Eu^{3+} , and Lu^{3+} is:
 - (1) $Y^{3+} < La^{3+} < Eu^{3+} < Lu^{3+}$
 - (2) $Y^{3+} < Lu^{3+} < Eu^{3+} < La^{3+}$
 - (3) $Lu^{3+} < Eu^{3+} < La^{3+} < Y^{3+}$
 - (4) $La^{3+} < Eu^{3+} < Lu^{3+} < Y^{3+}$
 - Atomic nos. Y = 39, La = 57, Eu = 63, Lu = 71.
 - Q.84 According to IUPAC nomenclature sodium nitroprusside is named as:
 - (1) Sodium nitroferricyanide
 - (2) Sodium nitroferrocyanide
 - (3) Sodium pentacyanonitrosyl ferrate (II)
 - (4) Sodium pentacyanonitrosyl ferrate (III)

(3)4

- Q.85 The number of unpaired electrons in the complex ion $[CoF_6]^{3-}$ is : (A + No = Co = 27)
 - (1) 2
- (2) 3

- (4) zero
- Q.86 Which one of the following octahedral complexes will not show geometric isomerism?
 - (A and B are monodentate ligands)
 - (1) [MA₂B₄]
- (2) $[MA_3B_3]$
- $(3) [MA_4B_2]$
- (4) [MA₅B]

Q.87 Vitamin B_{12} contains:

(1) Fe(II)

(2) Co(III)

(3) Zn(II)

(4) Ca(II)

Q.88 Among the following which is not the π -bonded organometallic compound:

(1)
$$K[PtCl_3(\eta^2-C_2H_4)]$$

(2)
$$Fe(\eta^5 - C_5H_5)_2$$

(3)
$$Cr(\eta^6 - C_6H_6)_2$$

 $(4) (CH_3)_4Sn$

Q.89 The radioisotope, tritium (³₁H) has a half-life of 12.3 years. If the initial amount of tritium is 32 mg, how many milligrams of its would remain after 49.2 years:

(1) 1 mg

(2) 2 mg

(3) 4 mg

(4) 8 mg

Q.90 Which one of the following is a free-radical substitution reaction:

$$(3) \bigcirc CH_2Cl + AgNO_2 \rightarrow CH_2NO_2$$

(4) $CH_3CHO + HCN \rightarrow CH_3CH(OH)CN$

Q.91 The final product C, obtained in this reaction, would be:

$$\begin{array}{c}
NH_2 \\
Ac_2O \\
CH_3
\end{array}$$

$$A \xrightarrow{Br_2} B \xrightarrow{H_2O} C$$

$$(1) \begin{array}{c} \text{NH}_2 \\ \text{COCH}_3 \\ \text{CH}_3 \end{array} \qquad (2) \begin{array}{c} \text{COCH}_3 \\ \text{Br} \\ \text{CH}_3 \end{array}$$

$$(3) \underbrace{ \begin{array}{c} NH_2 \\ NHCOCH_3 \\ \\ CH_3 \end{array}}$$

$$(4) \underbrace{ \begin{array}{c} NHCOCH_3 \\ \\ CH_3 \end{array}}$$

When m-chlorobenzaldehyde is treated with 50% KOH solution, the product(s) obtained is (are)

$$(1) \begin{array}{c} COO \\ OH \\ OH \\ (2) \begin{array}{c} COO^{-} \\ CI \end{array} + \begin{array}{c} CH_{2}OH \\ CI \\ CI \end{array}$$

Q.93 The correct order of reactivity towards the electrophilic substitution of the compounds aniline (I), benzene (II) and nitrobenzene (III) is

(1) III > II > I

Q.92

- (2) II > III > I
- (3) I < II > III
- (4) I > II > III

Q.94 Which of the following orders of acid strength is correct:

- (1) $RCOOH > ROH > HOH > HC \equiv CH$
- (2) $RCOOH > HOH > ROH > HC \equiv CH$
- (3) $RCOOH > HOH > HC \equiv CH > ROH$
- (4) $RCOOH > HC \equiv CH > HOH > ROH$

Q.95 Acrolein is a hard, horny and a high melting point material. Which of the following represent its structure:

$$(2) \begin{pmatrix} CH_3 \\ -CH_2 - C - \\ COOC_2H_5 \end{pmatrix}_n$$

$$(3) \begin{pmatrix} -CH_2 - CH - \\ COOC_2H_5 \end{pmatrix}_{n}$$

$$(4) \begin{pmatrix} -CH_2 - CH - \\ CI \end{pmatrix}_{\mathbf{n}}$$



(1)
$$A = RR'C$$
 OH OH , $B = NH_3$ (2) $A = RR'C$ OH OH , $B = H_3O^{\oplus}$

(2)
$$A = RR'C \xrightarrow{CN} H = H_3O^{\oplus}$$

(3)
$$A = RR'CH_2CN$$
 , $B = NaOH$

(4)
$$A = RR'C CN$$
 , $B = LiAlH_4$

- Q.97 Which one of the following monomers gives the polymer neoprene on polymerization : -
 - (1) $CH_2 = CHC1$
 - (2) $CCl_2 = CCl_2$
 - CH₂=C-CH=CH₂ (4) $CF_2 = CF_2$
- Q.98 Glycolysis is: -

Q.96

- (1) Oxidation of glucose to glutamate
- (2) Conversion of pyruvate to citrate
- (3) Oxidation of glucose to pyruvate
- (4) Conversion of glucose to haem
- 0.99 Phospholipids are esters of glycerol with:-
 - (1) Three carboxylic acid residues
 - (2) Two carboxylic acid residues and one phosphate group
 - (3) One carboxylic acid residue and two phosphate groups
 - (4) Three phosphate groups
- O.100 Chargaff's rule states that in an organism : -
 - (1) Amount of adenine (A) is equal to that of thymine (T) and the amount of guanine (G) is equal to that of cytosine (C)
 - (2) Amount of adenine (A) is equal to that of guanine (G) and the amount of thymine (T) is equal to that of cytosine (C)
 - (3) Amount of adenine (A) is equal to that of cytosine (C) and the amount of thymine (T) is equal to that of guanine (G)
 - (4) Amounts of all bases are equal
- Q.101 Cellular totipotency is demonstrated by :-
 - (1) Only gymnosperm cells
 - (2) All plant cells
 - (3) All eukaryotic cells
 - (4) Only bacterial cells


- Viruses are no more "alive" than isolated chromosomes because: -
 - (1) They require both RNA and DNA
 - (2) They both need food molecules
 - (3) They both require oxygen for respiration
 - (4) Both require the environment of a cell to replicate
- Q.103Given below are four matchings of an animal and its kind of respiratory organ:
 - A. Silver fish trachea
 - B. Scorpion book lung
 - C. Sea squirt pharyngeal gills
 - D. Dolphin skin

The correct matchings are: -

- (1) A and D
- (2) A, B and C
- (3) B and D
- (4) C and D
- Q.104 Convergent evolution is illustrated by : -
 - (1) Rat and dog
 - (2) Bacterium and protozoan
 - (3) Starfish and cuttle fish
 - (4) Dogfish and whale
- Which one of the following sequences was Q.105proposed by Darwin and Wallace for organic evolution: -
 - (1) Overproduction, variations, constancy of population size, natural selection
 - (2) Variations, constancy of population size, overproduction, natural selection
 - (3) Overproduction, constancy of population size, variations, natural selection
 - (4) Variations, natural selection, overproduction, constancy of population size
- Q.106 Random genetic drift in a population probably results from: -
 - (1) Highly genetically variable individuals
 - (2) Interbreeding within this population
 - (3) Constant low mutation rate
 - (4) Large population size
- Bundle of His is a network of: -O.107
 - (1) Muscle fibres distributed throughout the heart walls
 - (2) Muscle fibres found only in the ventricle wall
 - (3) Nerve fibres distributed in ventricles
 - (4) Nerve fibres found throughout the heart

During prolonged fasting, in what sequence are **Q.115** Test tube baby means a baby born when the following organic compounds used up by the (1) It is developed in a test tube body:-(2) It is developed through tissue culture method (1) First carbohydrates, next fats and lastly (3) The ovum is fertilised externally and proteins thereafter implanted in the uterus (2) First fats, next carbohydrates and lastly (4) It develops from a non-fertilized egg proteins In which one of the following do the two names (3) First carbohydrates, next proteins and lastly refer to one and the same thing: -(1) Kreb's cycle and Calvin cycle (4) First proteins, next lipids and lastly (2) Tricarboxylic acid cycle and citric acid cycle carbohydrates (3) Citric acid cycle and Calvin cycle Q.109 Which one of the following contains the largest (4) Tricarboxylic acid cycle and urea cycle quantity of extracellular material:-Down's syndrome is caused by an extra copy of Q.117 (1) Striated muscle chromosome number 21. What percentage of (2) Aerolar tissue offspring produced by an affected mother and a (3) Stratified epithelium normal father would be affected by this disorder :-(4) Myelinated nerve fibres (1) 100% (2)75%If Henle's loop were absent from mammalian Q.110 (3) 50% (4) 25% nephron, which of the following is to be 0.118 Maximum application of animal cell culture expected: technology today is in the production of : -(1) There will be no urine formation (1) Insulin (2) There will be hardly any change in the (2) Interfereons quality and quantity of urine formed (3) Vaccines (3) The urine will be more concentrated (4) Edible proteins (4) The urine will be more dilute 0.119 Escherichia coli is used as an indicator Which group of vertebrates comprises the Q.111 organism to determine pollution of water with ;highest number of endangered species: -(1) Heavy metals (1) Mammals (2) Fishes (2) Faecal matter (3) Reptiles (4) Birds (3) Industrial effluents Q.112 Fluoride pollutions mainly affects: -(4) Pollen of aquatic plants (1) Brain (2) Heart Q.120 Which one of the following pairs correctly (3) Teeth (4) Kidney matches a hormone with a disease resulting Two opposite forces operate in the growth and from its deficiency: development of every population. One of them (1) Relaxin Gigantism relates to the ability to reproduce at a given rate. (2) Prolactin - Cretinsim The force opposing it is called: -(3) Parathyroid hormone Tetany (1) Morbidity (4) Insulin Diabetes insipidus (2) Fecundity Carcinoma refers to: -Q.121(3) Biotic potential (1) Malignant tumours of the connective tissue (4) Environmental resistance (2) Malignant tumours of the skin or mucous Q.114 Which one of the following bacteria has found membrane extensive use in genetic engineering work in (3) Malignant tumours of the colon plants:-(4) Benign tumours of the connective tissue (1) Clostridium septicum Q.122 Which endangered animal is the source of the (2) Xanthomonas citri world's finest, lightest, warmest and most (3) Bacillus coagulens expensive wool-the shahtoosh: -(4) Agrobacterium tumefaciens (1) Nilgai (2) Cheetal (3) Kashmiri goat (4) Chiru

Which one of the following is a matching pair of Which one of the following describes correctly an animal and a certain phenomenon it exhibits: the homologous structures: -(1) Pheretima Sexual dimorphism (1) Organs with anatomical similarities, but - Complete metamorphosis performing different functions (2) Musca (2) Organs with anatomical dissimilarities but (3) Chameleon – Mimicry performing same function (4) Taenia - Polymorphism (3) Organs that have no function now, but had 0.124Short-lived immunity acquired from mother to an important function in ancestors foetus across placenta or through mother's milk (4) Organs appearing only in embryonic stage to the infant is categorised as :and disappearing later in the adult (1) Active immunity Q.131 Ommatidia serve the purpose of photoreception (2) Passive immunity in:-(3) Cellular immunity (1) Cockroach (2) Frog (4) Innate non-specific immunity (3) Humans (4) Sunflower In recent years, DNA sequences (nucleotide Q.125 Q.132 During its life-cycle, Fasciola hepatica (liver sequence) of mt-DNA and Y chromosomes were fluke) infects its intermediate host and primary considered for the study of human evolution, host at the following larval stage respectively: because: -(1) Redia and miracidium (1) They are small, and therefore, easy to study (2) Cercaria and redia (2) They are uniparental in origin and do not take (3) Metacercaria and cercaria part in recombination (4) Miracidium and metacercaria (3) Their structure is known in greater detail Sycon belongs to a group of animals, which are Q.133 (4) They can be studied from the samples of fossil remains best described as: -(1) Unicellular or acellular What is true about T-lymphocytes in mammals : -Q.126 (1) There are three main types-cytotoxic T-cells, (2) Multicellular without any tissue organization helper T-cells and suppressor T-cells (3) Multicellular with a gastrovascular system (2) These originate in lymphoid tissues (4) Multicellular having tissue organization, but no body cavity (3) They scavenge damaged cells and cellular debris 0.134During translation initiation in prokaryotes, a GTP molecule is needed in: -(4) These are produced in thyroid 0.127Industrial melanism is an example of : -(1) Formation of formyl-met-tRNA (2) Binding of 30S subunit of ribosome with (1) Drug resistance (2) Darkening of skin due to smoke from mRNA industries (3) Association of 30 S-mRNA with formyl-(3) Protective resemblance with the surroundings met-tRNA (4) Defensive adaptation of skin against (4) Association of 50 S subunit of ribosome ultraviolet radiations with initiation complex In a random mating population in equilibrium, Q.128 In the genetic code dictionary, how many Q.135 which of the following brings about a change in codons are used to code for all the 20 essential gene frequency in a non-directional manner: amino acids : -(1) Mutations (2) Random drift (1) 20(2)64(3) 61(4) 60(3) Selection (4) Migration Which of the following discoveries resulted in a Q.136 Darwin in his 'Natural Selection Theory' did not Q.129 Nobel Prize: believe in any role of which one of the following (1) X-rays induce sex-linked recessive lethal in organic evolution: mutations (1)Parasites and predators as natural enemies (2) Cytoplasmic inheritance (2) Survival of the fittest (3) Recombination of linked genes (3) Struggle for existence (4) Genetic engineering (4) Discontinuous variations



Q.153	In Drosophila, the sex is determined by : -	Q.160	The major portion of the dry weight of plants
	(1) The ratio of number of X-chromosomes to		comprises of : -
	the sets of autosomes		(1) Nitrogen, phosphorus and potassium
	(2) X and Y chromosomes		(2) Calcium, magnesium and sulphur
	(3) The ratio of pairs of X-chromosomes to the		(3) Carbon, nitrogen and hydrogen
	pairs of autosomes		(4) Carbon, hydrogen and oxygen
	(4) Whether the egg is fertilized or develops	Q.161	Which one of the following mineral elements
0.154	parthenogenetically		plays an important role in biological nitrogen
Q.154	Which one of the following pairs is not correctly matched: -		fixation : -
	(1) Vitamin C – Scurvy		(1) Copper (2) Manganese
	(2) Vitamin B ₂ – Pellagra		(3) Zinc (4) Molybdenum
	(3) Vitamin B ₁₂ – Pernicious anaemia	Q.162	Stomata of CAM plants : -
	(4) Vitamin B ₆ – Beri-beri		(1) Are always open
Q.155	What would happen if in a gene encoding a		(2) Open during the day and close at night
	polypeptide of 50 amino acids, 25 th codon		(3) Open during the night and close during the
	(UAU) is mutated to UAA : -		day
	(1) A polypeptide of 25 amino acids will be		(4) Never open
	formed	Q.163	In a flowering plant, archesporium gives rise
	(2) Two polypeptides of 24 and 25 amino acids will be formed		to:-
			(1) Only the wall of the sporangium
	(3) A polypeptide of 49 amino acids will be formed		(2) Well and the tangeture
	(4) A polypeptide of 25 amino acids will be		(3) Wall and the tapetum
	formed	0.164	(4) Only tapetum and sporogenous cells
Q.156	During anaerobic digestion of organic waste,	Q.164	Differentiation of shoot is controlled by: -
	such as in producing biogas, which one of the		(1) High auxin : cytokinin ratio(2) High cytokinin : auxin ratio
	following is left undergraded : -		(3) High gibberellin : auxin ratio
	(1) Lipids (2) Lignin		(4) High gibberellin: cytokinin ratio
	(3) Hemi-cellulose (4) Cellulose	Q.165	The cells of the quiescent centre are characterised
Q.157	Which one of the following concerns	Q.103	by:-
	photophosphorylation : -		(1) Having dense cytoplasm and prominent
	$(1) ADP + AMP \xrightarrow{Lightenergy} ATP$		nuclei
	(2) ADP + Inorganic PO ₄ $\xrightarrow{\text{Lightenergy}}$ ATP		(2) Having light cytoplasm and small nuclei
	(3) ADP + Inorganic $PO_4 \longrightarrow ATP$		(3) Dividing regularly to add to the corpus
	(4) AMP + Inorganic PO ₄ — Lightenergy → ATP		(4) Dividing regularly to add to tunica
Q.158	The major role of minor elements inside living	Q.166	In sugarcane plant ¹⁴ CO ₂ is fixed in malic acid,
Q.130	organisms is to act as : -		in which the enzyme that fixes CO ₂ is :-
	(1) co-factors of enzymes		(1) Ribulose biphosphate carboxylase
	(2) Building blocks of important amino acids		(2) Phosphoenol pyruvic acid carboxylase
	(3) Constituent of hormones		(3) Ribulose phosphate kinase
	(4) Binder of cell structure		(4) Fructose phosphatase
Q.159	Which element is located at the centre of the	Q.167	Stomata of a plant open due to : -
	porphyrin ring in chlorophyll : -		(1) Influx of potassium ions
	(1) Calcium (2) Magnesium		(2) Efflux of potassium ions
	(3) Potassium (4) Manganese		(3) Influx of hydrogen ions
			(4) Influx of calcium ions

Q.168 Plants deficient of element zinc, show its effect Q.176 Nicotiana sylvestris flowers only during long on the biosynthesis of plant growth hormone days and N. tabacum flowers only during short (1) Auxin (2) Cytokinin days. If raised in the laboratory under different photoperiods, they can be induced to flower at (3) Ethylene (4) Abscissic acid the same time and can be cross-fertilized to 0.169 Which one of the following is wrong in relation produce self-fertile offspring. What is the to photorespiration : best reason for considering N. sylvestris and (1) It occurs in chloroplasts N. tabacum to be separate species: -(2) It occurs in daytime only (1) They cannot interbreed in nature (3) It is a characteristic of C₄ plants (2) They are reproductively distinct (4) It is a characteristic of C₃ plants (3) They are physiologically distinct In which one of the following nitrogen is not a Q.170 (4) They are morphologically distinct constituent: -In which kingdom would you classify the O.177 (1) Idioblast (2) Bacteriochlorophyll archaea and nitrogen-fixing organism, if the (3) Invertase (4) Pepsin five-kingdom system of classification is used: Q.171 Diffuse porous wood is characteristics of those (1) Plantae (2) Fungi plants which are growing in: -(3) Protista (4) Monera (1) Alpine region Which of the following plants are used as green Q.178 (2) Cold winter regions manure in crop fields and in sandy soils : -(3) Temperate climate (1) Crotalaria juncea and Alhagi camelorum (4) Tropics (2) Calotropis procera and Phyllanthus niruri The apical meristem of the root is present Q.172(3) Saccharum munja and Lantana camara (1) Only in radicals (4) Dichanthium annulatum and Azolla nilotica (2) Only in tap roots Which one pair of examples will correctly O.179 (3) Only in adventitious roots the grouping Spermatophyta represent (4) In all the roots according to one of the schemes of classifying Q.173 Biosystematics aims at: plants: -(1) The classification of organisms based on (1) Acacia, Sugarcane (2) Pinus, Cycas broad morphological characters (3) Rhizopus, Triticum (4) Ginkgo, Pisum (2) Delimiting various taxa of organism and Plants reproducing by spores such as mosses Q.180establishing their relationships and ferns are grouped under the general term : -(3) The classification of organisms based on their (1) Cryptogams (2) Bryophytes evolutionary history and establishing their (3) Sporophytes (4) Thallophytes phylogeny on the totality of various Q.181 The chief advantage of encystment to an parameters from all fields of studies Amoeba is: -(4) Identification and arrangement of organisms (1) The ability to survive during adverse on the basis of cytological characteristics physical conditions Juicy hair-like structures observed in the lemon Q.174 (2) The ability to live for some time without fruit develop from: ingesting food (1) Exocarp (3) Protection from parasites and predators (2) Mesocarp (4) The chance to get rid of accumulated waste (3) Endocarp products (4) Mesocarp and endocarp Q.182 Bartholin's glands are situated: -0.175Which fractions of the visible spectrum of solar (1) On the sides of the head of some amphibians radiations are primarily absorbed by carotenoids (2) At the reduced tail end of birds of the higher plants: -(3) On either side of vagina in humans (1) Blue and green (2) Green and red (4) On either side of vas deferens in humans (3) Red and violet (4) Violet and blue

Q.183	Chlorenchyma found in : -	Q.192	Which one of the following statements about
Q 1200	(1) Cytoplasm of <i>Chlorella</i>	C	viruses is correct : -
	(2) Mycelium of a green mould such as		(1) Viruses possess their own metabolic system
	Aspergillus		(2) All viruses contain both RNA and DNA
	(3) Spore capsule of a moss		(3) Viruses are obligate parasites
	(4) Pollen tube of <i>Pinus</i>		(4) Nucleic acid of viruses is known as capsid
Q.184	Boron in green plants assists in : -	Q.193	Which one of the following pairs of plants are
•	(1) Activation of enzymes	Q.175	not seed producers : -
	(2) Acting of enzyme cofactor		(1) Fern and Funaria
	(3) Photosynthesis		(2) Funaria and Ficus
	(4) Sugar transport		(3) Ficus and Chlamydomonas
Q.185	Which one of the following is categorised under		(4) Punica and Pinus
Q 1200	living fossils : -	Q.194	Species are considered as :-
	(1) Pinus (2) Cycas	Q.194	(1) Real basic units of classification
	(3) Selaginella (4) Metasequoia		
Q.186	ELISA is used to detect viruses where the key		(2) The lowest units of classification
	reagent is : -		(3) Artificial concept of human mind which cannot be defined in absolute terms
	(1) Alkaline phosphatase		
	(2) Catalase		(4) Real units of classification devised by taxonomists
	(3) DNA probe	O 105	
	(4) RNase	Q.195	Which one of the following triplet codes, is correctly matched with its specificity for an
Q.187	Tobacco mosaic virus is a tubular filament of		amino acid in protein synthesis or as 'start' or
	size:-		'stop' codon : -
	(1) $300 \times 10 \text{ nm}$ (2) $300 \times 5 \text{ nm}$		(1) UCG – Start (2) UUU – Stop
	(3) $300 \times 20 \text{ nm}$ (4) $700 \times 30 \text{ nm}$		(3) UGU – Leucine (4) UAC – Tyrosine
Q.188	Mycorrhiza is an example of :-	Q.196	Coconut milk factor is: -
	(1) Symbiotic relationship	Q.170	(1) An auxin (2) A gibberellin
	(2) Ectoparasitism		(3) Abscissic acid (4) Cytokinin
	(3) Endoparasitism	Q.197	Gray spots of oat are caused by deficiency of : -
	(4) Decomposers	Q.177	(1) Cu (2) Zn (3) Mn (4) Fe
Q.189	In alcohol fermentation : -	Q.198	Genetic Map is one that:
	(1) Triose phosphate is the electron donor while	Q.170	(1) Establishes sites of the genes on a
	acetaldehyde is the electron acceptor		chromosome
	(2) Triose phosphate is the electron donor while		(2) Establishes the various stages in gene
	pyruvic acid is the electron acceptor		evolution
	(3) There is no electron donor		(3) Shows the stages during the cell division
O 100	(4) Oxygen is the electron acceptor		(4) Shows the distribution of various species in
Q.190	Phenetic classification is based on: -		a region
	(1) The ancestral lineage of existing organisms	Q.199	The aleurone layer in maize grain is specially
	(2) Observable characteristics of existing organisms	-	rich in :-
	(3) Dendrograms based on DNA characteristics		(1) Proteins (2) Starch
O 101	(4) Sexual characteristics		(3) Lipids (4) Auxins
Q.191	Sexual reproduction in <i>Spirogyra</i> is an advanced feature because it shows: -	Q.200	The term "antibiotic" was coined by:-
			(1) Edward Jenner (2) Louis Pasteur
	(1) Different size of motile sex organs(2) Same size of motile sex organs		(3) Selman waksman (4) Alexander Fleming
	(2) Same size of motile sex organs (3) Morphologically different sex organs		()
	(4) Physiologically differentiated sex organs		
	(7) I hysiologically differentiated sex organis		