

- Do more warm-ups on the earlier recitation handouts. Some of the warm-ups are not on the master section files just the recitation handouts for this semester.
- Recitation 9 and 10: Both of these days were much too hard for the students.
- Recitation 11: Do a warm-up for a simple partial fraction decomposition.
- Recitation 12: Problem 1: Can't have two solutions here.
- Recitation 13: Problem 2 wording is weird. Also we can make problem 3 better by actually including more than just 1. Also perhaps we should include a graph of a direction field that depends on the horizontal variable. Problem 4: Include an example with a general solution like $y = 4 \pm \sqrt{x^3 + C}$.
- Recitation 14: Problem 3b: Can not combine adjacent terms like this. e.g. $+1 - 1 + 1 - 1 + 1 - 1 + \dots$
- Recitation 15: Warm-up. Include a limit of a sequence like $(1+b/n)^n$. Perhaps there is a better sequence to use in problem 2.
- Recitation 16: In the future, it would be best to do question 3 (directly applying tests) rather than question 1 and 2.
- Recitation 18: First, the warm-up is too difficult. Perhaps do an easy limit comparison test question on there. On Prob 2, put a root of a rational function here for limit comparison test. For 4b, perhaps try an easier summand.
- Recitation 19: For section 10.1, make more questions finding $p_k(x)$ and dealing with the remainder. Perhaps a question showing the graphs of $f(x)$, $p_1(x)$, $p_2(x)$ and so on.
- Recitation 20: Students needed a refresher for series center and radius of convergence. Also I think 1c is a bad problem. It is not a power series, it does not need to have an interval of convergence. Consider $\sum_k 2^k x^k - (x-1)^k$. Via the method here, you would conclude that the interval of convergence is $(0, 1/2)$. Plug in $x = -1$. Maybe do a problem such as $\sum_k a_k (x-2)^k$ has an interval of convergence $[-2, 6)$. Find all x -values where the

series $\sum_k a_k(3x^2 - 2)^k$ converges. Or even something trickier like having the initial interval of convergence $[1,3)$. In the solution to Problem 3, suggest that there are multiple other power series representations that have other centers and perhaps give one. In problem 2, in (a) switch 3^k with 4^k ; in (b), instead of x^k , make it $x^{2k}/3^k$.

- Recitation 21: Warm-up: (b) is too hard. Perhaps ask what $\binom{-3}{0}, \binom{-3}{1}, \dots, \binom{-3}{4}$ are. Also, add find the power series for $\frac{1}{(1+x)^4}$ in the warm-up. On problem 1, change (b) to $\ln(1-2x^2)$. On 2, add a (b) $\sin(3x^2)$. On 3, add (c) $\sin(\pi)$ and (d) e^e .
- Recitation 29: Problem 1: Should this point (1,-2,3) be a intersection point for the other two lines? Better numbers in 2.