

## Recitation #3 - 2.2: Definition of Limits (Solutions)


**Warm up:**

- (a) True or False: To find  $\lim_{x \rightarrow 2} f(x)$ , it's enough to know  $f(2.1)$ ,  $f(2.01)$ ,  $f(2.001)$ , etc.

**Solution:** False. These values will only help us make a guess at  $\lim_{x \rightarrow 2^+} f(x)$ , the right hand limit of  $f(x)$ . To determine  $\lim_{x \rightarrow 2} f(x)$ , we also need to know  $\lim_{x \rightarrow 2^-} f(x)$  which we cannot determine from the above values. For example, consider the function

$$f := \begin{cases} 1 & 2 < x \\ 0 & x = 2 \\ -1 & x < 2 \end{cases}$$

Looking at the graph of this function below, we can see that  $\lim_{x \rightarrow 2^+} f(x) = 1$  and  $\lim_{x \rightarrow 2^-} f(x) = -1$ . Thus, since  $\lim_{x \rightarrow 2^+} f(x) \neq \lim_{x \rightarrow 2^-} f(x)$ ,  $\lim_{x \rightarrow 2} f(x)$  does not exist.




- (b) True or False: If we know  $f(2)$ , then we know  $\lim_{x \rightarrow 2} f(x)$ .

Recitation #3 - 2.2: Definition of Limits (Solutions)

**Solution:** False. In the above example, we have that  $f(2) = 0$ , however  $\lim_{x \rightarrow 2} f(x)$  does not exist.

**Group work:**

**Problem 1** Given the graph of the function, estimate  $\lim_{x \rightarrow 1} \frac{x^2 - 1}{x - 1}$ . Then estimate  $\lim_{x \rightarrow 1} \frac{x^2 - 1}{x - 1}$  by creating a table of values.



**Solution:** From the graph and table of values, it appears as though  $\lim_{x \rightarrow 1} f(x) = 2$ .

$x$	$f(x)$
.9	$\frac{.9^2 - 1}{.9 - 1} = 1.9$
.99	$\frac{.99^2 - 1}{.99 - 1} = 1.99$
.999	$\frac{.999^2 - 1}{.999 - 1} = 1.999$
1.1	$\frac{1.1^2 - 1}{1.1 - 1} = 2.1$
1.01	$\frac{1.01^2 - 1}{1.01 - 1} = 2.01$
1.001	$\frac{1.001^2 - 1}{1.001 - 1} = 2.001$


Recitation #3 - 2.2: Definition of Limits (Solutions)

**Problem 2** Sketch the graph of a function with the given properties. You need not find a formula for the function.

$$f(3) = -2, f(5) = 6, \lim_{x \rightarrow 5^-} f(x) = -1, \lim_{x \rightarrow 5^+} f(x) = 4, \lim_{x \rightarrow 3} f(x) = 7$$

$$\lim_{x \rightarrow -2^-} f(x) = 3, \lim_{x \rightarrow -2^+} f(x) = 0, \lim_{x \rightarrow 1^+} f(x) = 5$$

**Solution:** While there are many correct solutions to this problem, one example can be seen below.




**Problem 3** True/False: Give an explanation or counterexample. Assume  $a$  and  $L$  are finite numbers.

- (a) If  $\lim_{x \rightarrow a} f(x) = L$ , then  $f(a) = L$ .


**Solution:** False. In the graph below  $\lim_{x \rightarrow 1} f(x) = 2$ , but  $f(1)$  does not exist.

Recitation #3 - 2.2: Definition of Limits (Solutions)



(b) If  $\lim_{x \rightarrow a^-} f(x) = L$ , then  $\lim_{x \rightarrow a^+} f(x) = L$ .

**Solution:** False. In the graph below  $\lim_{x \rightarrow 1^-} f(x) = 5$  but  $\lim_{x \rightarrow 1^+} f(x) = 6$ .



(c) If  $\lim_{x \rightarrow a} f(x) = L$  and  $\lim_{x \rightarrow a} g(x) = L$ , then  $f(a) = g(a)$ .

**Solution:** False. If we let

$$f := \begin{cases} 3 & x = 1 \\ \frac{x^2 - 1}{x - 1} & \text{otherwise} \end{cases}$$

and

$$g := \begin{cases} 1 & x = 1 \\ x^2 + 1 & \text{otherwise} \end{cases}$$

we see that  $\lim_{x \rightarrow 1} f(x) = \lim_{x \rightarrow 1} g(x) = 2$ , but  $f(1) = 3$  and  $g(1) = 1$ .

- (d)  $\lim_{x \rightarrow a} \frac{f(x)}{g(x)}$  does not exist if  $g(a) = 0$ .

**Solution:** False. If  $f(x) = x^3$  and  $g(x) = x^2$ , then  $g(0) = 0$  but

$$\lim_{x \rightarrow 0} \frac{f(x)}{g(x)} = \lim_{x \rightarrow 0} \frac{x^3}{x^2} = \lim_{x \rightarrow 0} x = 0.$$

---