


Recitation #2 - 2.1: The Idea of Limits (Solutions)

Warm up:

What does the secant line to a linear function look like? What does a tangent line to a linear function look like?

Solution: Both the secant and tangent lines are the linear function itself.




Group work:

Problem 1 Below is a graph and two tables of values of the height (in feet) of a ball thrown straight up into the air. The height of the ball x seconds after being released is given by the function $f(x) = -16x^2 + 128x + 144$. The viewing window is $[-5, 10] \times [-100, 500]$.

Recitation #2 - 2.1: The Idea of Limits (Solutions)

x	$f(x)$
2	336
2.0001	336.00639...
2.001	336.06398...
2.01	336.634
2.1	342.24
...	...
8.9	15.84
8.99	1.5984
8.999	0.159984
8.9999	0.0159998...
9	0



- (a) What are the units on the x and y axis?

Solution: The units on the x -axis are seconds (time), the units on the y -axis are feet (height).

- (b) Is the graph a picture of the path that the ball follows? Why or why not?

Solution: The graph is not a picture of the path the ball follows. The graph shows the height of the ball at a given time. The ball is thrown straight up and has no horizontal movement.

- (c) When will the ball hit the ground?

Solution: The ball will hit the ground when the height $f(x)$ equals zero. $0 = -16t^2 + 128t + 144$
 $0 = -16(t^2 - 8t - 9)$
 $0 = -16(t + 1)(t - 9)$
 $t = -1, 9$

- (d) Make a table of average velocities and use it to approximate the instantaneous velocity of the ball when it hits the ground.


Time Interval	Average Velocity
$[8.9, 9]$	$\frac{f(9) - f(8.9)}{.1} = \frac{0 - 15.84}{.1} = -158.4$
$[8.99, 9]$	$\frac{f(9) - f(8.99)}{.01} = \frac{0 - 1.5984}{.01} = -159.84$
$[8.999, 9]$	$\frac{f(9) - f(8.999)}{.001} = \frac{0 - .159984}{.001} = -159.984$
$[8.9999, 9]$	$\frac{f(9) - f(8.9999)}{.0001} = \frac{0 - .0159998}{.0001} = -159.998$

Solution:

Recitation #2 - 2.1: The Idea of Limits (Solutions)

- (e) Using the graph, determine at what times does the ball have an instantaneous velocity of zero. How do you know?

Solution: At time t equals about 4 seconds, the ball has an instantaneous velocity of zero because it looks like the slope of the tangent line to the curve at time t equals 4 is zero (The tangent line is a horizontal line).




- (f) For what times is the instantaneous velocity negative? What is happening to the height of the ball at those times?

Solution: The instantaneous velocity is negative at all times after 4 seconds. We know this because the graph is “moving downwards” (which is equivalent to all tangent lines having negative slope). The height of the ball is decreasing at those times because the direction of the velocity is downward (negative) and as we move forward in time, the y -values (or height values) are decreasing.

Problem 2 Consider the function $f(x) = x^2 + 2x$. A table of values and graph for this function $f(x)$ are given below.

x	$f(x)$
1.9	7.41
1.95	7.7025
1.99	7.9401
1.999	7.994001
1.9999	7.99940001
2	8
2.0001	8.00060001
2.001	8.006001
2.01	8.0601
2.05	8.3025
2.1	8.61



Recitation #2 - 2.1: The Idea of Limits (Solutions)

- (a) Make a table of slopes of secant lines between $x = 2$ and $x = a$ where a approaches 2. Then approximate the slope of the tangent line at the point $x = 2$.

Solution: We need to find secant lines around the point $x = 2$.

Interval	Slope of Secant Line
$[1.9, 2]$	$\frac{f(2) - f(1.9)}{.1} = \frac{8 - 7.41}{.1} = 5.9$
$[1.99, 2]$	$\frac{f(2) - f(1.99)}{.01} = \frac{8 - 7.9401}{.01} = 5.99$
$[1.999, 2]$	$\frac{f(2) - f(1.999)}{.001} = \frac{8 - 7.994001}{.001} = 5.999$
$[1.9999, 2]$	$\frac{f(2) - f(1.9999)}{.0001} = \frac{8 - 7.99940001}{.0001} = 5.9999$

Interval	Slope of Secant Line
$[2, 2.1]$	$\frac{f(2.1) - f(2)}{.1} = \frac{8.61 - 8}{.1} = 6.1$
$[2, 2.01]$	$\frac{f(2.01) - f(2)}{.01} = \frac{8.0601 - 8}{.01} = 6.01$
$[2, 2.001]$	$\frac{f(2.001) - f(2)}{.001} = \frac{8.006001 - 8}{.001} = 6.001$
$[2, 2.0001]$	$\frac{f(2.0001) - f(2)}{.0001} = \frac{8.00060001 - 8}{.0001} = 6.0001$

The approximate slope of the tangent line at $x = 2$ is 6.

- (b) Draw a secant line on the interval $[1, 3]$ onto the graph of the function. Then draw the tangent line at $x = 2$ onto the graph.

Solution: The secant line is purple, and the tangent line is red (imagine that the red line just touches the curve at $x = 2$, it is really close!).

