Simple Tables Demo Doc

Contents

1	Data	2
2	wrap	2
3	Simple table	3
4	Long table	4
5	Pass in the caption	6
6	Use a caption from tex macro	8
7	Reduce row space	10
8	Increase col space	12
9	Annotate	14

1 Data

Mostly working with this data; but some others come in later to illustrate certain features.

```
library(pmtables)
library(yspec)
spec <- ys_help$spec()</pre>
data <- pmt summarized
data
## # A tibble: 13 x 9
##
     STUDY
                 DOSE
                       FORM
                               N
                                     WT
                                           CRCL AGE
                                                      ALB
                                                            SCR
##
     <chr>>
                 <chr> <chr>
                               <chr> <chr> <chr> <chr> <chr> <chr> <chr>
##
   1 12-DEMO-001 100 mg tablet 80
                                     71.4
                                          104
                                                 33.7
                                                      4.20 1.06
   2 12-DEMO-001 150 mg capsule 16
                                     89.4 122
                                                24.4 4.63 1.12
  3 12-DEMO-001 150 mg tablet 48
                                     81.7 104
                                                34.4 3.83 0.910
  4 12-DEMO-001 150 mg troche 16
                                     94.0 93.2 27.4 4.94 1.25
##
                                           100
                                                27.5
                                                      4.25 1.10
## 5 12-DEMO-001 200 mg tablet 64
                                     67.9
  6 12-DEMO-001 200 mg troche 16
                                     76.6 99.2 22.8 4.54 1.15
##
  7 12-DEMO-002 100 mg capsule 36
                                     61.3 113
                                                38.3 4.04 1.28
  8 12-DEMO-002 100 mg tablet 324
                                     77.6 106
                                                29.9 4.31 0.981
## 9 12-DEMO-002 50 mg capsule 36
                                     74.1 112
                                                37.1 4.44
                                                           0.900
                                     71.2 106
                                                34.1 4.63 0.868
## 10 12-DEMO-002 50 mg tablet 324
## 11 12-DEMO-002 75 mg capsule 36
                                     72.4 105
                                                38.2 3.89 0.900
## 12 12-DEMO-002 75 mg tablet 288
                                     71.6 98.9 34.2 4.49 0.991
## 13 12-DEMO-002 75 mg troche 36
                                     73.6 103
                                                49.2 4.52 0.930
```

2 wrap

There is a wrap function in this document. Don't worry about that; it just puts the output into a table environment and sends the output to get rendered in markdown.

3 Simple table

• Columns are in bold by default (can be turned off)

data %>% stable(units = ys_get_unit(spec, parens = TRUE)) %>% pt_wrap(stdout())

STUDY	DOSE	FORM	N	WT (kg)	CRCL (ml/min)	AGE (years)	ALB (g/dL)	SCR (mg/dL)
12-DEMO-001	100 mg	tablet	80	71.4	104	33.7	4.20	1.06
12-DEMO-001	150 mg	capsule	16	89.4	122	24.4	4.63	1.12
12-DEMO-001	150 mg	tablet	48	81.7	104	34.4	3.83	0.910
12-DEMO-001	150 mg	troche	16	94.0	93.2	27.4	4.94	1.25
12-DEMO-001	200 mg	tablet	64	67.9	100	27.5	4.25	1.10
12-DEMO-001	200 mg	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO-002	100 mg	capsule	36	61.3	113	38.3	4.04	1.28
12-DEMO-002	100 mg	tablet	324	77.6	106	29.9	4.31	0.981
12-DEMO-002	50 mg	capsule	36	74.1	112	37.1	4.44	0.900
12-DEMO-002	50 mg	tablet	324	71.2	106	34.1	4.63	0.868
12-DEMO-002	75 mg	capsule	36	72.4	105	38.2	3.89	0.900
12-DEMO-002	75 mg	tablet	288	71.6	98.9	34.2	4.49	0.991
12-DEMO-002	75 mg	troche	36	73.6	103	49.2	4.52	0.930

4 Long table

```
data <- ptdata()
data <- map_dfr(1:3, ~ data) %>% arrange(STUDY,DOSE,FORM)

data %>%
    stable_long(
    panel = "STUDY", cols_bold = TRUE,
    units = ys_get_unit(spec, parens = TRUE),
    notes = "The results look great!",
    clear_reps = "DOSE",
    cols_rename = c(Formulation = "FORM"),
    r_file = "foo.R", output_file = ".../deliv/table/output.tex",
    note_config = noteconf(type = "minipage", width = 0.8,table_skip = 0.1)
) %>% st_wrap(stdout(), table = FALSE)
```

DOSE	Formulation	N	WT (kg)	CRCL (ml/min)	AGE (years)	ALB (g/dL)	SCR (mg/dL)
12-DEM	O-001						
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEM	O-002						
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981

DOSE	Formulation	N	WT (kg)	CRCL (ml/min)	AGE (years)	ALB (g/dL)	SCR (mg/dL)
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
-	troche	36	73.6	103	49.2	4.52	0.930

The results look great! Source code: foo.R Source file: output.tex

5 Pass in the caption

```
data %>%
  stable_long(
   panel = "STUDY",
   cols_bold = TRUE,
   notes = "The results look great!",
   clear_reps = "DOSE",
   lt_cap_text = "This is a super-interesting table.",
   note_config = noteconf(type = "minipage", table_skip = 0.1)
) %>% st_latex(stdout())
```

Table 2: This is a super-interesting table.

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEM	O-001						
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEM	O-002						
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

The results look great!

6 Use a caption from tex macro

```
writeLines("\\newcommand{\\myfbtable}{This is a caption from a macro}\\vskip 0.5cm")
```

```
data %>%
  stable_long(
   panel = "STUDY",
   cols_bold = TRUE,
   notes = "FORM: formulation",
   r_file = "demo-longtable.Rmd",
   output_file = "foo.tex",
   clear_reps = "DOSE",
   lt_cap_macro = "myfbtable",
   note_config = noteconf(width = 0.7, type = "minipage", table_skip = 0.1)
) %>% st_latex(stdout())
```

Table 3: This is a caption from a macro

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEM	O-001						
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEM	O-002						
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

FORM: formulation

Source code: demo-longtable.Rmd

Source file: foo.tex

7 Reduce row space

```
data %>%
  stable_long(
    panel = "STUDY",
    cols_bold = TRUE,
    notes = "FORM: formulation",
    r_file = "demo-longtable.Rmd",
    output_file = "foo.tex",
    clear_reps = "DOSE",
    sizes = tab_size(row = 1),
    note_config = noteconf(width = 0.7, type = "minipage", table_skip = 0.1)
) %>% st_latex(stdout())
```

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEM	O-001						
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEM	O-002						
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991
						iod on n	

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

FORM: formulation

Source code: demo-longtable.Rmd

Source file: foo.tex

8 Increase col space

```
data %>%
  stable_long(
   panel = "STUDY",
   cols_bold = TRUE,
  notes = "FORM: formulation",
   r_file = "demo-longtable.Rmd",
   output_file = "foo.tex",
   clear_reps = "DOSE",
   sizes = tab_size(row = 1, col = 15),
   note_config = noteconf(width = 0.7, type = "minipage", table_skip = 0.1)
) %>% st_latex(stdout())
```

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO	-001						
100 mg	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
	tablet	80	71.4	104	33.7	4.20	1.06
150 mg	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	capsule	16	89.4	122	24.4	4.63	1.12
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	tablet	48	81.7	104	34.4	3.83	0.910
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
	troche	16	94.0	93.2	27.4	4.94	1.25
200 mg	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	tablet	64	67.9	100	27.5	4.25	1.10
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
	troche	16	76.6	99.2	22.8	4.54	1.15
12-DEMO	-002						
100 mg	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	capsule	36	61.3	113	38.3	4.04	1.28
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
	tablet	324	77.6	106	29.9	4.31	0.981
50 mg	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	capsule	36	74.1	112	37.1	4.44	0.900
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
	tablet	324	71.2	106	34.1	4.63	0.868
75 mg	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	capsule	36	72.4	105	38.2	3.89	0.900
	tablet	288	71.6	98.9	34.2	4.49	0.991
	tablet	288	71.6	98.9	34.2	4.49	0.991

DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
	tablet	288	71.6	98.9	34.2	4.49	0.991
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930
	troche	36	73.6	103	49.2	4.52	0.930

FORM: formulation

Source code: demo-longtable.Rmd

Source file: foo.tex

9 Annotate

- Arguments to identify the name of the generating R script and the output file name
- The output file name is retained as an attribute to be used later when saving the table data
- Arbitrary notes are also allowed (encouraged)

```
stable(
  data[1:10,],
  r_file = "foo.R",
  output_file = "foo.tex",
  notes = c("Data were analyzed in quadruplicate.", "The results are very clear."),
) %>% pt_wrap(stdout())
```

STUDY	DOSE	FORM	N	WT	CRCL	AGE	ALB	SCR
12-DEMO-001	100 mg	tablet	80	71.4	104	33.7	4.20	1.06
12-DEMO-001	100 mg	tablet	80	71.4	104	33.7	4.20	1.06
12-DEMO-001	100 mg	tablet	80	71.4	104	33.7	4.20	1.06
12-DEMO-001	150 mg	capsule	16	89.4	122	24.4	4.63	1.12
12-DEMO-001	150 mg	capsule	16	89.4	122	24.4	4.63	1.12
12-DEMO-001	150 mg	capsule	16	89.4	122	24.4	4.63	1.12
12-DEMO-001	150 mg	tablet	48	81.7	104	34.4	3.83	0.910
12-DEMO-001	150 mg	tablet	48	81.7	104	34.4	3.83	0.910
12-DEMO-001	150 mg	tablet	48	81.7	104	34.4	3.83	0.910
12-DEMO-001	150 mg	troche	16	94.0	93.2	27.4	4.94	1.25

Data were analyzed in quadruplicate.

The results are very clear.

Source code: foo.R Source file: foo.tex