Sample JavaScript OOP Exam – Restaurant Manager

You are assigned to create a restaurant management system. The system keeps track of **restaurants** and **recipes**.

Restaurants have **name**, **location**, and a set of **recipes**. They can **add** and **remove** recipes from their menus, and **print** their menus in a customer-friendly way. A recipe may belong to more than one restaurant at the same time.


Recipes have name, price, calories per serving, quantity per serving, and time to prepare. There are two main types of recipes – meals and drinks. A meal can be vegan or not, and a drink can be carbonated or not. A meal can be one of the following: salad (always vegan, can optionally contain pasta), main course (has type), and dessert (may be prepared with sugar or with some other sweetener). It is possible for a dessert to be both vegan and sugar-free – because, you know vegans are always whining about something in their food. If not explicitly specified, assume the desserts contain sugar.

Design the Class Hierarchy

Your task is **to design an object-oriented class hierarchy** following the best practices in classical object-oriented programming (OOP) in JavaScript. **Avoid duplicated code** through **abstraction**, **inheritance** and **polymorphism** and **encapsulate all fields** correctly.

The classes should implement the following functionality:

- A restaurant should hold name, location, set of recipes and should support adding/removing recipes and printing the menu
- A recipe should hold name, price, calories, quantity per serving, the unit the quantity is measured in and the time it takes to prepare it
- A meal is a recipe that can be vegan (may change its state via the toggle command)
- A drink is a recipe that can be carbonated
- A salad is a meal which may contain pasta
- A main course is a meal which has a type
- A dessert is a meal that can have sugar (may change its state via the toggle command)























Validate the Data

You should follow these validity rules very strictly in order to ensure the data integrity within the system:

Restaurant validity rules:

Name and location are required (cannot be null or empty).

Recipe validity rules:

- Name is required (cannot be null or empty).
- Price, calories, quantity per serving, and time to prepare must be positive.

Meal validity rules:

• The measuring unit for all meals is g (grams).

Drink validity rules:

- The calories in a drink must not be greater than 100.
- The time to prepare a drink must not be greater than 20 minutes.
- The measuring unit for all drinks is ml (milliliters).

Salad validity rules:

• A salad must always be vegan

Throw an appropriate exception when data validation fails. When there is **an error in a parameter** (such as a missing required parameter).

The messages for the exceptions should be as follows:

- For required parameters: The <parameter> is required.

Always provide the lowest possible visibility for properties and methods.

The **restaurant menu** should return information in the following form:

```
***** <name> - <location> *****
<recipes>
```

<recipes> can be one of the following:

```
No recipes... yet
```

If the restaurant still does not have any recipe added to it, or a list of recipes, ordered by type. If there are no recipes of a certain type, it must not be present in the menu:

```
~~~~ DRINKS ~~~~~
~~~~ SALADS ~~~~~
~~~~ MAIN COURSES ~~~~~
~~~~ DESSERTS ~~~~
```

All recipes in a category should be **ordered alphabetically by name**. Refer to the example to gain a deeper understanding how the menu should work.

Drinks are presented in the following form:



















```
== <name> == $<price>
Per serving: <quantity> <unit>, <calories> kcal
Ready in <time_to_prepare> minutes
Carbonated: <yes / no>
```

Main courses are presented in the following form:

```
<[VEGAN] >== <name> == $<price>
Per serving: <quantity> <unit>, <calories> kcal
Ready in <time_to_prepare> minutes
Type: <type>
```

Salads are presented in the following form:

```
<[VEGAN] >== <name> == $<price>
Per serving: <quantity> <unit>, <calories> kcal
Ready in <time_to_prepare> minutes
Contains pasta: <yes / no>
```

Desserts are presented in the following form:

```
<[NO SUGAR] ><[VEGAN] >== <name> == $<price>
Per serving: <quantity> <unit>, <calories> kcal
Ready in <time_to_prepare> minutes
```

Round all prices to 2 digits after the decimal separator. The **[VEGAN]** and **[NO SUGAR]** labels should only be printed when needed.

Additional Notes

You are given a **command execution engine** to simplify your work.

The engine accepts the following commands:

- CreateRestaurant(name=<name>;location=<location>)
- CreateDrink(name=<name>;price=<price>;calories=<calories>;quantity=<quantity>;time=<time>; carbonated=<yes / no>)
- CreateSalad(name=<name>;price=<price>;calories=<calories>;quantity=<quantity>;time=<time>; pasta=<yes / no>)
- CreateMainCourse(name=<name>;price=<price>;calories=<calories>;quantity=<quantity>;time=<
 time>;vegan=<yes / no>;type=<type>)
- CreateDessert(name=<name>;price=<price>;calories=<calories>;quantity=<quantity>;time=<time>;vegan=<yes / no>)
- AddRecipeToRestaurant(restaurant=<restaurant>;recipe=<recipe>)
- RemoveRecipeFromRestaurant(restaurant=<restaurant>;recipe=<recipe>)
- PrintRestaurantMenu(name=<name>)
- ToggleVegan(name=<name>)
- ToggleSugar(name=<name>)

The **engine** is already implemented correctly and you do not need to touch it. The parameters may be provided in any sequence. The engine returns appropriate messages for each command. Duplicate restaurant and recipe names are not allowed. You may refer to the sample input and output for more details.



















Sample Input

```
CreateRestaurant(name=New Restaurant;location=Sofia)
CreateRestaurant(location=Silicon Valley;name=SoftUni Restaurant)
PrintRestaurantMenu(name=New Restaurant)
CreateMainCourse(name=Grilled
Chicken; price=5.88; calories=320; quantity=370; time=15; vegan=no; type=Meat)
CreateMainCourse(name=Spaghetti
Carbonara; time=25; price=7.39; type=Pasta; calories=455; quantity=450; vegan=no)
CreateSalad(price=7.99; name=Mexican Bean Salad; pasta=no; quantity=300; time=14; calories=150)
CreateDessert(calories=450;name=Black Magic Cake;quantity=150;price=1.500001;vegan=no;time=2)
CreateDrink(name=Home-made Lemonade; price=2.41; carbonated=no; calories=10; time=5; quantity=200)
PrintRestaurantMenu(name=SoftUni Restaurant)
AddRecipeToRestaurant(recipe=Black Magic Cake; restaurant=SoftUni Restaurant)
AddRecipeToRestaurant(restaurant=SoftUni Restaurant;recipe=Grilled Chicken)
AddRecipeToRestaurant(restaurant=SoftUni Restaurant;recipe=Mexican Bean Salad)
AddRecipeToRestaurant(recipe=Home-made Lemonade; restaurant=SoftUni Restaurant)
AddRecipeToRestaurant(restaurant=SoftUni Restaurant;recipe=Spaghetti Carbonara)
PrintRestaurantMenu(name=SoftUni Restaurant)
AddRecipeToRestaurant(restaurant=New Restaurant;recipe=Spaghetti Carbonara)
PrintRestaurantMenu(name=New Restaurant)
RemoveRecipeFromRestaurant(restaurant=New Restaurant;recipe=Spaghetti Carbonara)
PrintRestaurantMenu(name=New Restaurant)
RemoveRecipeFromRestaurant(recipe=Spaghetti Carbonara;restaurant=SoftUni Restaurant)
RemoveRecipeFromRestaurant(recipe=Grilled Chicken; restaurant=SoftUni Restaurant)
PrintRestaurantMenu(name=SoftUni Restaurant)
CreateMainCourse(name=Vegan
                                                         Red
                                                                                         Lentil
Soup;vegan=yes;price=5.99;quantity=250;time=15;calories=150;type=Soup)
AddRecipeToRestaurant(recipe=Vegan Red Lentil Soup;restaurant=New Restaurant)
PrintRestaurantMenu(name=New Restaurant)
ToggleVegan(name=Vegan Red Lentil Soup)
PrintRestaurantMenu(name=New Restaurant)
CreateDessert(name=Black
                                                                                      Chocolate
Cake;quantity=120;price=2.32;vegan=yes;time=6;calories=300)
AddRecipeToRestaurant(recipe=Black Chocolate Cake; restaurant=New Restaurant)
PrintRestaurantMenu(name=New Restaurant)
ToggleSugar(name=Black Chocolate Cake)
PrintRestaurantMenu(name=New Restaurant)
PrintRestaurantMenu(name=No Such Restaurant)
AddRecipeToRestaurant(restaurant=No Such Recipe; recipe=No Such Recipe)
AddRecipeToRestaurant(restaurant=New Restaurant;recipe=No Such Recipe)
ToggleSugar(name=Grilled Chicken)
ToggleVegan(name=Home-made Lemonade)
End
```

Sample Output

```
Restaurant New Restaurant created
Restaurant SoftUni Restaurant created
***** New Restaurant - Sofia *****
No recipes... yet
Recipe Grilled Chicken created
Recipe Spaghetti Carbonara created
Recipe Mexican Bean Salad created
Recipe Black Magic Cake created
Recipe Home-made Lemonade created
***** SoftUni Restaurant - Silicon Valley ****
No recipes... yet
Recipe Black Magic Cake successfully added to restaurant SoftUni Restaurant
```























Recipe Grilled Chicken successfully added to restaurant SoftUni Restaurant Recipe Mexican Bean Salad successfully added to restaurant SoftUni Restaurant Recipe Home-made Lemonade successfully added to restaurant SoftUni Restaurant Recipe Spaghetti Carbonara successfully added to restaurant SoftUni Restaurant ***** SoftUni Restaurant - Silicon Valley ***** ~~~~ DRINKS ~~~~ == Home-made Lemonade == \$2.41 Per serving: 200 ml, 10 kcal Ready in 5 minutes Carbonated: no ~~~~ SALADS ~~~~ [VEGAN] == Mexican Bean Salad == \$7.99 Per serving: 300 g, 150 kcal Ready in 14 minutes Contains pasta: no ~~~~ MAIN COURSES ~~~~ == Grilled Chicken == \$5.88 Per serving: 370 g, 320 kcal Ready in 15 minutes Type: Meat == Spaghetti Carbonara == \$7.39 Per serving: 450 g, 455 kcal Ready in 25 minutes Type: Pasta ~~~~ DESSERTS ~~~~ == Black Magic Cake == \$1.50 Per serving: 150 g, 450 kcal Ready in 2 minutes Recipe Spaghetti Carbonara successfully added to restaurant New Restaurant ***** New Restaurant - Sofia ***** ~~~~ MAIN COURSES ~~~~ == Spaghetti Carbonara == \$7.39 Per serving: 450 g, 455 kcal Ready in 25 minutes Type: Pasta Recipe Spaghetti Carbonara successfully removed from restaurant New Restaurant ***** New Restaurant - Sofia ***** No recipes... yet Recipe Spaghetti Carbonara successfully removed from restaurant SoftUni Restaurant Recipe Grilled Chicken successfully removed from restaurant SoftUni Restaurant ***** SoftUni Restaurant - Silicon Valley ***** ~~~~ DRINKS ~~~~ == Home-made Lemonade == \$2.41 Per serving: 200 ml, 10 kcal Ready in 5 minutes Carbonated: no ~~~~ SALADS ~~~~ [VEGAN] == Mexican Bean Salad == \$7.99 Per serving: 300 g, 150 kcal Ready in 14 minutes Contains pasta: no ~~~~ DESSERTS ~~~~ == Black Magic Cake == \$1.50 Per serving: 150 g, 450 kcal Ready in 2 minutes Recipe Vegan Red Lentil Soup created Recipe Vegan Red Lentil Soup successfully added to restaurant New Restaurant ***** New Restaurant - Sofia ***** ~~~~ MAIN COURSES ~~~~ [VEGAN] == Vegan Red Lentil Soup == \$5.99

















Per serving: 250 g, 150 kcal Ready in 15 minutes Type: Soup Command ToggleVegan executed successfully. New value: false ***** New Restaurant - Sofia ***** ~~~~ MAIN COURSES ~~~~ == Vegan Red Lentil Soup == \$5.99 Per serving: 250 g, 150 kcal Ready in 15 minutes Type: Soup Recipe Black Chocolate Cake created Recipe Black Chocolate Cake successfully added to restaurant New Restaurant ***** New Restaurant - Sofia ***** ~~~~ MAIN COURSES ~~~~ == Vegan Red Lentil Soup == \$5.99 Per serving: 250 g, 150 kcal Ready in 15 minutes Type: Soup ~~~~ DESSERTS ~~~~ [VEGAN] == Black Chocolate Cake == \$2.32 Per serving: 120 g, 300 kcal Ready in 6 minutes Command ToggleSugar executed successfully. New value: false ***** New Restaurant - Sofia ***** ~~~~ MAIN COURSES ~~~~ == Vegan Red Lentil Soup == \$5.99 Per serving: 250 g, 150 kcal Ready in 15 minutes Type: Soup ~~~~ DESSERTS ~~~~ [NO SUGAR] [VEGAN] == Black Chocolate Cake == \$2.32 Per serving: 120 g, 300 kcal Ready in 6 minutes The restaurant No Such Restaurant does not exist The restaurant No Such Recipe does not exist The recipe No Such Recipe does not exist The command ToggleSugar is not applicable to recipe Grilled Chicken The command ToggleVegan is not applicable to recipe Home-made Lemonade















