# THE ROLE OF PROJECTS OF COMMON INTEREST IN REACHING EUROPEAN ENERGY POLICY TARGETS

— working title —

Bobby Xiong<sup>1,\*</sup>, Iegor Riepin<sup>1</sup>, Tom Brown<sup>1</sup>

<sup>1</sup>Technische Universität Berlin, Department of Digital Transformation in Energy Systems, Germany \*Presenting author: xiong@tu-berlin.de

Tags: energy system modelling, energy policy, infrastructure, resilience

#### 43<sup>rd</sup> International Energy Workshop — relevant conference topics:

(1) Reaching net-zero emissions and climate neutrality • (2) Role of renewable energy in the energy transition • (3) Role of hydrogen, ammonia, e-fuels and e-methane in the energy transition • (4) Managing power system transitions — integration of variable renewable energy and power-to-X • (5) Sectoral pathways for the energy transition — transport, industry, and buildings • (6) Energy transition infrastructure — assessment of infrastructure to enable the energy transition, including electrical transmission, storage, EV charging, and hydrogen distribution, CCS and CDR • (12) Climate resilience of energy systems • (13) Utilisation of scenarios by governments

#### Summary (max. 200 words)

The European Union (EU) aims to achieve climate-neutrality by 2050, with ambitious 2030 targets, including a 55% reduction in greenhouse gas emissions, 10 Mt p.a. of green H<sub>2</sub> production, and 50 Mt p.a. of CO<sub>2</sub> sequestration. Projects of Common Interest (PCI) and Projects of Mutual Interest (PMI) provide cross-border infrastructure which support these goals. Using the open-source, sector-coupled energy system model PyPSA-Eur, we assess the impact of PCI-PMI projects on the EU energy system, focusing on power, heat, transport, industry, and agriculture. We look into how a delay of such projects may impact reaching the EU's policy targets. While preliminary results for 2030 suggest that the policy targets can be achieved even without PCI-PMI projects, they bring additional benefits: i) H<sub>2</sub> pipelines improve affordability and distribution of green H<sub>2</sub> and kickstart the hydrogen economy, ii) CO<sub>2</sub> transport projects connect major industrial emissions to offshore sequestration sites in the North Sea. Next steps include incorporating all remaining PCI-PMI projects, i.e. hybrid interconnectors and CO<sub>2</sub> shipping routes, as well as the assessment of long-term pathway effects towards 2050. Our findings underscore the interplay between cross-border cooperation, infrastructure investments, and policy targets in the European energy transition throughout all sectors.

#### Introduction and motivation

On the pathway to a climate-neutral Europe by 2050, the European Union (EU) has set ambitious targets for 2030, three of the most prominent including a reduction of 55% in greenhouse gas emissions [2], 10 Mt p.a. green H<sub>2</sub> production [3], and 50 Mt p.a. CO<sub>2</sub> sequestration [13].

To support reaching these targets, the EU has identified a list of Projects of Common Interest (PCI) which are key cross-border infrastructure projects that link the energy systems of EU countries, ranging from storages, over transmission lines to pipelines and carbon sinks [4]. Projects of Mutual Interest (PMI) further include cooperations with countries outside the EU, such as Norway or the United Kingdom. In order for projects to be eligible for PCI-PMI status, their potential benefits need to outweigh their costs [4]. Given the political and lighthouse character, these projects are highly likely to be implemented. However, any large infrastructure project, including PCI-PMI projects, are commonly facing delays due to permitting, financing, procurement bottlenecks, etc. [1].

**Research questions** From the ambitious policy targets and the nature of PCI-PMI projects, we derive the following key research questions:

- 1. At what cost do we stick to reaching the EU policy targets?
- 2. How does a delay of PCI-PMI projects affect the system, its costs, and the ability to reach the EU policy targets?
- 3. What is the impact of missing the EU 2030 policy targets for CO<sub>2</sub> sequestration and H<sub>2</sub> production?

#### Methodology

We use the open-source, sector-coupled energy system model PyPSA-Eur [12, 6, 7, 11] to optimise investment into generation, storage, and transmission infrastructure (including electricity, natural gas, hydrogen, CO<sub>2</sub>, and Power-to-X conversion) as well as operation/dispatch. The model is spatially and temporally highly resolved and covers the entire European continent, including stocks of existing power plants [8], renewable potentials, and availability time series [9]. It covers today's high-voltage transmission grid (AC 220 kV to 750 kV and DC 150 kV upwards) [14].

**Feature implementation** By accessing the REST API of the PCI-PMI Transparency Platform [5] and associated public project sheets provided by the European Commission, we implement the PCI-PMI projects into the PyPSA-Eur model to assess their impact in the power, heat, transport, industry, feedstock, and agriculture sector. Our implementation can adapt to the needs and configuration of the model, including selected technologies, geographical and temporal resolution, as well as the level of sector-coupling. An overview of the implemented PCI-PMI projects is shown in Figure 1.




Figure 1: PCI-PMI projects implemented in the PyPSA-Eur model as of the date of submission. Own illustration based on data from the European Commission [5].

**Scenario setup** As of the date of submission, we model three key scenarios for the target year 2030 which will set the base year for pathways towards 2050: a 'Base' scenario in which policy targets are achieved and all projects are commissioned on time as well as two PCI-PMI delay scenarios 'A' and 'B'. Table 1 gives an overview of the scenarios' key assumptions and their differences. Depending on the scenario, we formulate and activate additional constraints to ensure the fulfilment of the EU policy targets.

Table 1: Initial scenario setup. Own illustration.

$Assumption \setminus Scenario$	Base	A. All targets	B. Emission target only
PCI-PMI projects	on time	delayed	delayed
CO <sub>2</sub> emission target	$-55\%/2{ m Gt}{ m p.a.}$	$-55\%/2{ m Gt}$ p.a.	$-55\%/2{ m Gt}{ m p.a.}$
$CO_2$ sequestration target	$50\mathrm{Mt}$ p.a.	$50\mathrm{Mt}$ p.a.	_
$H_2$ target	$10\mathrm{Mt}$ p.a.	10 Mt p.a.	_
CO <sub>2</sub> sequestration sites	PCI-PMI	endogeneous	endogeneous
$CO_2$ pipelines	PCI-PMI + endogen. expansion	_	
$H_2$ storage	PCI-PMI	endogeneous	endogeneous
$H_2$ pipelines	PCI-PMI + endogen. expansion	_	_
AC and DC transmission	PCI-PMI	_	_

**Solving** We solve all scenarios by minimising total system costs, resolving 34 countries to 90 buses at 3-hourly temporal resolution.

## Results (preliminary)

First results for the modelling year 2030 show that reaching the EU's 2030  $H_2$  production and  $CO_2$  sequestration targets translates into around 20 bn.  $\in$  p.a. in total system costs for all included sectors, with or without PCI-PMI infrastructure projects (see Figure 2).




Figure 2: Results — Total system costs by technology and infrastructure. Own illustration.

By omitting an  $H_2$  target, almost no electrolysers are installed. Around 8 Mt are still produced to cover industrial  $H_2$  and methanol (primarily shipping) demand. However, this demand is met by decentral steam methane reforming instead of electrolysers. Figure 3 shows the regional distribution of the  $H_2$  and  $CO_2$  value chain in the Base scenario. Note that for the specific year of 2030, a disconnect in  $H_2$  infrastructure between central and southeastern Europe can be observed, due to the delay in commissioning of the project connecting the two networks. Utilisation of  $H_2$  pipelines vary strongly across the PCI-PMI projects. In most of the times, pipelines serve the purpose of transporting  $H_2$  in a single direction only, i.e. from high renewable potential regions to  $H_2$  consumption sites, where it serves as a precursor for methanolisation or direct use in industry

and shipping (see Figure 3a). Prominent PCI-PMI projects with particularly high full-load hours include P9.9.2 Hydrogen Interconnector Denmark-Germany (6937h) and P11.2 Nordic-Baltic Hydrogen Corridor (2295 h), followed by projects connecting major steel-industrial and chemical sites of Germany (southwest) with Belgium (P9.4 H2ercules West, 1634 h), the Netherlands (P9.6 Netherlands National Hydrogen Backbone, 1967 h and P9.7.3 Delta Rhine Corridor H2, 1510 h), and France (P9.2.2 MosaHYyc, 4662 h).




Figure 3: Results — Regional distribution of  $H_2$  and  $CO_2$  production, utilisation, storage, and transport in the Base scenario. Own illustration.

Figure 3b shows the regional distribution of CO<sub>2</sub> production, utilisation, storage, and transport in the Base scenario. PCI project P13.8 EU2NSEA connects CO<sub>2</sub> from process emissions in Germany, Belgium and the Netherlands to major geological sequestration sinks close to the Norwegian shore Smeaheia and Luna with an annual injection potential of 20 Mt p.a. and 5Mt p.a., respectively. Without specifying a CO<sub>2</sub> sequestration target, the system still collects around 21 Mt of CO<sub>2</sub> p.a. primarily from process emissions in the industry sector and sequesters it in carbon sinks near industrial sites where a sequestration potential is identified [10]. As no pipeline infrastructure is built in these scenarios, the chosen locations differ in the delay scenarios — this can be observed for regions near the coast, such as the United Kingdom and Norway.

## Conclusion (preliminary)

We conclude that while all three EU policy targets for 2030 can be achieved without PCI-PMI infrastructure, they bring additional benefits: i) H<sub>2</sub> pipelines projects help distribute more affordable green H<sub>2</sub> from northern and south-western Europe to high-demand regions in central Europe; ii) CO<sub>2</sub> transport and storage projects help decarbonising the industry by connecting major industrial sites and their process emissions to offshore sequestration sites in the North Sea (Denmark, Norway, and the Netherlands).

Research outlook Next steps include the implementation of remaining PCI-PMI projects, such as hybrid offshore interconnectors (energy islands), electricity storages, and CO<sub>2</sub> shipping routes. To evaluate the long-term value of PCI-PMI projects in a sector-coupled European energy system, we will model pathway dependencies towards 2050. We will also assess the sensitivity of the infrastructure to technology-specific build-out rates.

#### References

- [1] ACER. Consolidated report on the progress of electricity and gas Projects of Common Interest in 2023. Technical report, European Union Agency for the Cooperation of Energy Regulators, Ljubljana, June 2023.
- [2] European Commission. 'Fit for 55': Delivering the EU's 2030 Climate Target on the way to climate neutrality. Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions, COM(2021) 550 final, Brussels., 2021.
- [3] European Commission. REPowerEU Plan. Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions, COM(2022) 230 final, Brussels., 2022.
- [4] European Commission. Commission Delegated Regulation (EU) 2024/1041 of 28 November 2023 amending Regulation (EU) 2022/869 of the European Parliament and of the Council as regards the Union list of projects of common interest and projects of mutual interest, November 2023.
- PCI-PMI Commission. |5| European transparency platform. Projects of Common Interest & **Projects** of Mutual Intereset Interactive map. https://ec.europa.eu/energy/infrastructure/transparency\_platform/map-viewer, 2024.
- [6] Martha Maria Frysztacki, Gereon Recht, and Tom Brown. A comparison of clustering methods for the spatial reduction of renewable electricity optimisation models of Europe. Energy Informatics, 5(1):4, May 2022. ISSN 2520-8942. doi: 10.1186/s42162-022-00187-7.
- [7] Philipp Glaum, Fabian Neumann, and Tom Brown. Offshore power and hydrogen networks for Europe's North Sea. *Applied Energy*, 369:123530, September 2024. ISSN 0306-2619. doi: 10.1016/j.apenergy.2024.123530.
- [8] Fabian Gotzens, Heidi Heinrichs, Jonas Hörsch, and Fabian Hofmann. Performing energy modelling exercises in a transparent way The issue of data quality in power plant databases. *Energy Strategy Reviews*, 23:1–12, January 2019. ISSN 2211-467X. doi: 10.1016/j.esr.2018.11.004.
- [9] Fabian Hofmann, Johannes Hampp, Fabian Neumann, Tom Brown, and Jonas Hörsch. Atlite: A Lightweight Python Package for Calculating Renewable Power Potentials and Time Series. *Journal of Open Source Software*, 6(62):3294, June 2021. ISSN 2475-9066. doi: 10.21105/joss.03294.
- [10] Fabian Hofmann, Christoph Tries, Fabian Neumann, Elisabeth Zeyen, and Tom Brown. H2 and CO2 Network Strategies for the European Energy System, February 2024.
- [11] Jonas Hörsch, Fabian Hofmann, David Schlachtberger, and Tom Brown. PyPSA-Eur: An open optimisation model of the European transmission system. *Energy Strategy Reviews*, 22:207–215, November 2018. ISSN 2211-467X. doi: 10.1016/j.esr.2018.08.012.
- [12] Fabian Neumann, Elisabeth Zeyen, Marta Victoria, and Tom Brown. The potential role of a hydrogen network in Europe. *Joule*, 7(8):1793–1817, August 2023. ISSN 2542-4351. doi: 10.1016/j.joule.2023.06.016.
- [13] European Parliament and Council of the European Union. Regulation (EU) 2024/1735 of the European Parliament and of the Council of 13 June 2024 on establishing a framework of measures for strengthening Europe's net-zero technology manufacturing ecosystem and amending Regulation (EU) 2018/1724 (Text with EEA relevance), June 2024.

[14] Bobby Xiong, Davide Fioriti, Fabian Neumann, Iegor Riepin, and Tom Brown. Modelling the High-Voltage Grid Using Open Data for Europe and Beyond. Preprint, August 2024. doi: 10.48550/arXiv.2408.17178.