eurofins | DiscoverX

Certificate Of Analysis

Background

This PathHunter® Bioassay detects ligand induced dimerization of two subunits of a receptor-dimer pair. The cells have been engineered to co-express one receptor subunit fused to Enzyme Donor (ED), and a second dimer partner fused to Enzyme Acceptor (EA). Intracellular catalytic domains may have been deleted from the receptor subunits. Binding of an agonist to one receptor subunit induces it to interact with its dimer partner, forcing complementation of the two enzyme fragments. This results in the formation of a functional enzyme that hydrolyzes a substrate to generate a chemiluminescent signal.

Product Name	**PathHunter® HEK 293 KDR/KDR Dimerization Bioassay**
Cryovial Label	HEK 293 KDR/KDR Dimerization Bioassay Cells
Bioassay Catalog Number	93-0996Y1
Bioassay Manufactured Lot #	21H1109
Passage # @ Freezing	5
Assay Information	
Target 1	KDR
Target 1 Amino Acid Range	1 - 790
Target 1 Accession Number	NM_002253.2
Target 1 Description	Kinase Insert Domain Receptor
Target 1 Tag	PK1
Target 2	KDR
Target 2 Amino Acid Range	1 - 790
Target 2 Accession Number	NM_002253.2
Target 2 Description	Kinase Insert Domain Receptor
Target 2 Tag	EA
Target Species	Human
Cell	HEK 293
CP Reagent	AssayComplete™ Cell Plating 0 Reagent (DiscoverX, 93-0563R0A)
Ligand	VEGF-165 (DiscoverX, 92-1281)
Ligand Diluent	Protein Dilution Buffer
Detection Kit	PathHunter® Bioassay Detection Kit (DiscoverX, 93-0933)
Cell Number/Well	10,000
Cell Seeding Time (hours)	0
Ligand Inc Time (minutes)	960
Agonist Inc Temperature (°C)	37

Cell Density Information		
Cell Number (millions)	1.2	
Fill Volume per Vial (mL)	0.1	
Cell Viability		
Viability at Initial Thaw (%)	92	
Recovery After 48 Hours (%)	391	
Mycoplasma and Sterility		
Mycoplasma Test	Passed	
Sterility Test	Passed	
Functional Performance (3 manufactured vials)		
S:B Ratio	Vial 1	3.5
	Vial 2	3.8
	Vial 3	3.8
EC_{50} (g/mL)	Vial 1	6.6×10^{-9}
	Vial 2	6.4×10^{-9}
	Vial 3	6.7×10^{-9}



Shipping and Storage Information	
Shipping Conditions	Dry Ice
Storage Conditions	Short term (<24 hours): -80°C; Long term (>24 hours): Vapor phase of liquid nitrogen.
Manufacturing Date	August 2021
Expiration Date	August 2025

Shelf life of over 3 years has been established for DiscoverX cell lines and Assay-Ready Cells in general, when stored in the vapor phase of liquid nitrogen.

Documented by / Date: Lici Zhu

DN: cn=Lici Zhu, o=Eurofins DiscoverX, ou=Associate Director, Scientific , email=licizhu@eurofinsus.com, c=US
Date: 2021.11.16 15:05:41 -08'00'

Approved by / Date: Susan Le

DN: cn=Susan Le, o=Eurofins DiscoverX, ou=QA, email=SusanLe@eurofinsUS.com, c=US
Date: 2021.11.18 16:53:36 -08'00'