

# Lock Management System

Bowen Brooks & Samuel Wu

## Contents

|          |                                    |          |
|----------|------------------------------------|----------|
| <b>1</b> | <b>List of hardware components</b> | <b>2</b> |
| <b>2</b> | <b>Block Diagram</b>               | <b>2</b> |
| <b>3</b> | <b>Software Flow Chart</b>         | <b>3</b> |
| <b>4</b> | <b>Major Components</b>            | <b>4</b> |
| 4.1      | TI 3220S Microcontroller . . . . . | 4        |
| 4.2      | Google Cloud . . . . .             | 4        |
| 4.2.1    | Entities . . . . .                 | 4        |
| 4.3      | Administration Website . . . . .   | 4        |
| 4.4      | Android App . . . . .              | 4        |
| <b>5</b> | <b>Schedule</b>                    | <b>5</b> |
| 5.1      | Winter Quarter . . . . .           | 5        |
| 5.1.1    | Quarter Goals . . . . .            | 5        |
| 5.1.2    | Tasks for the Quarter . . . . .    | 5        |
| 5.2      | Spring Quarter . . . . .           | 5        |
| 5.2.1    | Quarter Goals . . . . .            | 5        |
| 5.2.2    | Tasks for the Quarter . . . . .    | 6        |

## 1 List of hardware components

| Component          | Cost    | Quantity | Total    |
|--------------------|---------|----------|----------|
| TI CC3200S         | \$39.99 | 2        | \$79.98  |
| Battery Case       | \$1.50  | 2        | \$3.00   |
| Op Amp             | \$0.95  | 4        | \$3.80   |
| Resistor Kit       | \$7.95  | 1        | \$7.95   |
| NFC Sensor MRFC522 | \$9.99  | 0        | \$0.00   |
| AA battery 20 pack | \$8.54  | 1        | \$8.54   |
| NFC Sensor PN532   | \$12.99 | 2        | \$25.98  |
| Motor              | \$1.95  | 2        | \$3.90   |
| LEDs 5 Pack        | \$2.95  | 1        | \$2.95   |
| H-Bridge           | \$2.35  | 2        | \$4.70   |
| Total Cost         |         |          | \$140.80 |

## 2 Block Diagram




Figure 1: Block Diagram of System

### 3 Software Flow Chart




Figure 2: Yellow: Android app; Blue: NFC sensor; Green: microcontroller; Red: Google Cloud

## 4 Major Components

### 4.1 TI 3220S Microcontroller

The microcontroller is hooked up to an NFC sensor which reads in a CruzID. This is sent to Google Cloud which returns the room numbers that the user has access to. If the given lab is in the list it will turn a motor to unlock the door. The microcontroller will be cycling through low power mode in order to preserve the battery life from the AA batteries.

### 4.2 Google Cloud

Students, Faculty and labs are all stored in Google Cloud. The cloud will respond from results from the microcontroller which will determine if a user has access to the labs. The cloud storage can only be updated and from the administrative website. Students and labs can be updated at anytime giving real-time access to the labs. The cloud also logs all the login information for each lab and which can be view on the administration website.

#### 4.2.1 Entities

| Lab Entity  |        |                                      |
|-------------|--------|--------------------------------------|
| ID          | Room # | Classes with Access                  |
| name=index0 | E2-399 | ["AMS147", "CMPS101"]                |
| name=index1 | BE340A | ["CMPE123A", "CMPE123B", "CMPE129B"] |

| Student Entity |              |          |                       |
|----------------|--------------|----------|-----------------------|
| ID             | Name         | cruzID   | Classes               |
| name=index0    | Samuel Wu    | sazwu    | ["AMS147", "CMPS12B"] |
| name=index1    | Bowen Brooks | bojbrook | ["CMPE123A"]          |

| BE340 Log Entity |          |                |                |            |
|------------------|----------|----------------|----------------|------------|
| ID               | cruzID   | Enter Time     | Exit Time      | Cumulative |
| name=sazwu0      | sazwu    | 02-07 17:26:55 | 02-07 17:27:02 | 0:00:07    |
| name=bojbrook0   | bojbrook | 02-07 17:26:55 | 02-08 11:30:22 | 18:03:26   |
| name=sazwu1      | sazwu    | 02-08 11:27:19 | 02-08 11:27:57 | 0:00:44    |
| name=hello0      | hello    | 02-08 11:31:02 | null           | null       |

### 4.3 Administration Website

The administration website is where the faculty can add and revoke student access to the labs. They can also view analytics from Google Cloud such as peak usage time and current lab capacity.

### 4.4 Android App

The android application allows for a user to sign in using their CruzID and password. When the phone is tapped against an NFC sensor the application will transmit the CruzID to the microcontroller. The application will have access to the Google cloud in order to view which labs they have access to.

## 5 Schedule

### 5.1 Winter Quarter

#### 5.1.1 Quarter Goals

We want to be able to have the microcontroller send and receive information to and from the cloud. Additionally, the NFC sensor should be able to read unique *RFID* tags.

#### 5.1.2 Tasks for the Quarter

1. RFID/MCU communication
2. Cloud/MCU communication
3. Database
4. LEDs
5. Power management

| Bowen   |  |
|---------|--|
| Week 4  | Design database, Design cloud API, Populate database |
| Week 5  | Design cloud API                                     |
| Week 6  | Cloud AUTH/access, Design cloud API                  |
| Week 7  | MCU Push/pull database, MCU Log interaction          |
| Week 8  | Cloud push results to MCU                            |
| Week 9  | Finish MCU, Cloud clean up                           |
| Week 10 | Start API calls for website                          |

| Sam     |   |
|---------|---|
| Week 4  | Learn basic Google Cloud, Design database, Design cloud API |
| Week 5  | Populate the database                                       |
| Week 6  | MCU internet access, SPI interface for sensor               |
| Week 7  | MCU/RFID communication (MRFC522)                            |
| Week 8  | MCU/RFID communication (PN522)                              |
| Week 9  | Differentiate unique RFID tags, power management            |
| Week 10 | RFID wakeup MCU, sleep/wake modes                           |

### 5.2 Spring Quarter

#### 5.2.1 Quarter Goals

Everything should be completely finished. This includes full functionality of the Android App for communicating with the cloud and the NFC sensor with a *NFC* signal. Additionally, there will be an administrative website that pulls data from the cloud. The website will have administrative functionalities such as: adding, removing, or modifying user privileges. The administrator will also be able to navigate a clean UI to view analytics and data.

### 5.2.2 Tasks for the Quarter

1. NFC/MCU communication
2. NFC/App communication
3. Website
4. DC Motor/H-Bridge
5. Web/Cloud communication
6. App/Cloud communication

| Bowen   |   |
|---------|---|
| Week 1  | Familiarize with Android API, Design UI     |
| Week 2  | Clean up anything from Winter, NFC/App comm |
| Week 3  | NFC/App comm, App/Cloud comm                |
| Week 4  | App/Cloud comm, start design for website    |
| Week 5  | Finish app, cleanup app UI, website UI      |
| Week 6  | Website/cloud comm, website UI              |
| Week 7  | Finish website, debug all comm              |
| Week 8  | Debug all comm, debug any small things      |
| Week 9  | Buffer week, start report/presentation      |
| Week 10 | Finish everything                           |

| Sam     |  |
|---------|--|
| Week 1  | MCU/NFC comm (M6E Nano), App/NFC comm  |
| Week 2  | MCU/NFC debug, App/NFC comm            |
| Week 3  | DC Motor, clean up MCU code            |
| Week 4  | App/Cloud comm, Website                |
| Week 5  | Website UI, Web/Cloud comm             |
| Week 6  | Fix any small bugs, DC motor/H-Bridge  |
| Week 7  | Cleanup App UI, website UI             |
| Week 8  | Debug everything, buffer week          |
| Week 9  | Buffer week, start report/presentation |
| Week 10 | Finish everything                      |