# JMORF — Morpho-Syntax

# **Long Distance Dependencies**

Francis Bond

Palacký University

https://fcbond.github.io/bond@ieee.org

Lecture 11

Location: SV 2.39

## **Overview**

- > Some examples of long-distance dependencies
- > What is new and different about it
- >> Broad outlines of our approach
- ➤ Details of our approach
- > Subject extraction
- > Coordinate Structure Constraint

# A Note on Adjectives

Attributive adjectives are related to predicative adjectives by a lexical rule that coindexes the first element of ARG-ST with MOD and sets SPR to an empty list: The dog is red  $\rightarrow$  The red dog

$$\left\langle \text{red}, \begin{array}{c} \begin{bmatrix} \text{word} \\ \text{HEAD} & \begin{bmatrix} \text{adj} \\ \text{PRED} & + \end{bmatrix} \\ \text{VAL} & \begin{bmatrix} \text{SPR} & \left\langle \mathbb{I} \text{ NP} \right\rangle \\ \text{COMPS} & \left\langle \right\rangle \\ \text{MOD} & \left\langle \right\rangle \end{bmatrix} \right] \right\rangle \rightarrow \left\langle \text{red}, \begin{array}{c} \begin{bmatrix} \text{word} \\ \text{HEAD} & \text{adj} \\ \text{VAL} & \begin{bmatrix} \text{SPR} & \left\langle \right\rangle \\ \text{COMPS} & \left\langle \right\rangle \\ \text{MOD} & \left\langle \mathbb{I} \text{ NP} \right\rangle \end{bmatrix} \right\rangle$$

$$\left\langle \text{ARG-ST} & \left\langle \mathbb{I} \right\rangle \right\rangle$$

- ightharpoonup We can't just co-index SPR and MOD. Why?
- $\succ$  The SPR adjectives need a subject-raising be to form a sentence. Why?

# Long Distance Dependencies

## **Examples**

- > Grammatical:
  - (1) Did you find something?
  - (2) Tell me you talked to someone!
- ➤ Ungrammatical:
  - (7) \*did you find
  - (8) \*you talked to

- > wh-questions:
  - (3) What did you find?
  - (4) Tell me who you talked to

- > topicalization:
  - (9) The manual, I can't find.
  - (10) Chris, you should talk to.

- > relative clauses:
  - (5) the item that I found
  - (6) the guy who(m) I talked to
- > easy-adjectives:
  - (11) My house is easy to find.
  - (12) Pat is hard to talk to.

#### What these have in common

- There is a **gap**: nothing following *find* and *to*, even though both normally require objects.
- > Something that fills the role of the element missing from the gap occurs at the beginning of the clause.
- > We use topicalization and *easy*-adjectives to illustrate the phenomenon:
  - (13) The manual<sub>g</sub>, I can't find  $_{g}$
  - (14) Chris $_g$  is easy to talk to \_\_\_\_\_\_  $_g$

# Gaps and their fillers can be far apart

- (15) The solution to this problem<sub>g</sub>, Pat said that someone claimed you thought I would never find  $_{g}$ .
- (16) Chri<sub>g</sub>s is easy to consider it impossible for anyone but a genius to try to talk to g.
- > Fillers often have syntactic properties associated with their gaps
  - (17) a.  $Him_g$ , I haven't met \_\_\_\_\_\_ g.
  - (18) a. The scissors<sub>g</sub>, Pat told us \_\_\_\_\_ were missing<sub>g</sub>.
    - b. \*The scissors<sub>g</sub>, Pat told us \_\_\_\_\_ was missing<sub>g</sub>.
  - (19) a. On  $Pat_g$ , you can rely \_\_\_\_\_\_ g.
- That's why we call them **long distance** dependencies

## Other relevant facts

- > Various languages show morphological marking on the verbs or complementizers of clauses between the filler and the gap.
- > Psycholinguistic evidence indicates increased processing load in the region between filler and gap.

# A Rough Sketch of Our Approach

- > A feature GAP records information about a missing constituent.
- The GAP value is passed up the tree by a new principle.
- A new grammar rule allows us to expand S as a filler followed by another S whose GAP value matches the filler.
- > Caveat: Making the details of this general idea work involves several complications.
- > The core idea comes from Gazdar (1981)

## The Feature gap

- ➤ Like valence features and ARG-ST, GAP's value is a list of feature structures (often empty). You can have multiple gaps.
- > Subject gaps are introduced by a lexical rule.
- > Non-subject gaps are introduced by revising the Argument Realization Principle.

## The Revised ARP

$$\begin{bmatrix} word \\ SYN & \begin{bmatrix} SPR & A \\ COMPS & B \ominus C \end{bmatrix} \end{bmatrix}$$

$$\begin{bmatrix} ARG\text{-ST} & \langle A \oplus B \rangle \end{pmatrix}$$

- $\rightarrow$   $\ominus$  is a kind of list subtraction
  - > it's not always defined (the sublist must exist on the main list)
  - > when defined, it's not always unique
- The ARP now says the non-SPR arguments are distributed between COMPS and GAP.


# A Word with a Non-Empty gap Value

# A Word with another Non-Empty gap Value

$$\left\langle \mathsf{hand}, \; \left[ \begin{array}{c} \mathsf{word} \\ \\ \mathsf{FPR} \\ \mathsf{VAL} \\ \\ \mathsf{COMPS} \\ \mathsf{QNP} \\ \mathsf{ACC} \\ \mathsf{ARG-ST} \\ \mathsf{ARG-ST} \\ \mathsf{ARG}, \; \mathsf{SPR} \\ \mathsf$$

# The same word with an Empty gap Value

# How We Want GAP to Propagate



# What GAP Propagation should doing


- > Pass any GAP values from daughters up to their mothers,
  - ... except when the filler is found.
- > For topicalization, we can write the exception into the grammar rule
- > For *easy*-adjectives, the NP that corresponds to the gap is the subject, which is introduced by the Head-Specifier Rule.
- > Since specifiers are not generally gap fillers, we can't write the gap-filling into the HSR.

## Our Solution to this Problem

- > For *easy*-adjectives, we treat the adjective formally as the filler, marking its SPR value as coindexed with its GAP value.
- > We use a feature STOP-GAP to trigger the emptying of the GAP list.
  - > STOP-GAP stops gap propagation
  - > easy-adjectives mark STOP-GAP lexically
  - ➤ a new grammar rule, the **Head-Filler Rule** contains STOP-GAP

# The GAP Principle

A local subtree  $\Phi$  satisfies the GAP Principle with respect to a headed rule if and only if  $\Phi$  satisfies:



- > The GAP of the mother is the append of the GAPs of the daughters
  - ... minus STOP-GAP on the head daughter

# How does stop-gap work?

- >> STOP-GAP is empty almost everywhere
- ➤ When a gap is filled, STOP-GAP is nonempty, and its value is the same as the gap being filled.
- This blocks propagation of that GAP value, so gaps are only filled once.
- ➤ The nonempty STOP-GAP values come from two sources:
  - ➤ a stipulation in the Head-Filler Rule
  - > lexical entries for *easy*-adjectives
- ➤ No principle propagates STOP-GAP

## The Head-Filler Rule

$$\begin{bmatrix} \textit{phrase} \end{bmatrix} \rightarrow \mathbb{I} \begin{bmatrix} \text{GAP} & \langle \rangle \end{bmatrix} \quad \textbf{\textit{H}} \begin{bmatrix} \text{HEAD} & \textit{verb} \\ \text{VAL} & \begin{bmatrix} \text{SPR} & \langle \rangle \\ \text{COMPS} & \langle \rangle \end{bmatrix} \\ \text{GAP} & \left\langle \mathbb{I} \right\rangle \\ \text{STOP-GAP} & \left\langle \mathbb{I} \right\rangle \end{bmatrix}$$

- > This only covers gap filling in Ss
- > The filler has to be identical to the GAP value
- ➤ The STOP-GAP value is also identical
- > The GAP Principle ensures that the mother's GAP value is the empty list

# Gap Filling with easy-Adjectives

(20) 
$$\left\langle \text{easy,} \right. \left. \left\{ \begin{array}{l} \text{word} \\ \text{SYN} \end{array} \right. \left[ \begin{array}{l} \text{HEAD} & \textit{adj} \\ \text{SPR} & \left\langle \mathbb{I} \right\rangle \\ \text{COMPS} & \left\langle \mathbb{3} \right\rangle \end{array} \right] \right\}$$

$$\left\langle \text{ARG-ST} \left\langle \mathbb{I} \text{ NP}_i, \mathbb{3} \text{ VP} \left[ \begin{array}{l} \text{INF} & + \\ \text{GAP} & \left\langle \mathbb{2} \text{ NP}_i \right\rangle \end{array} \right], \dots \right\rangle$$

- > Because STOP-GAP and GAP have the same value, that value will be subtracted from the mother's GAP value.
- The first argument is coindexed with the GAP value, accounting for the interpretation of the subject as the filler.

# A Tree for easy to talk to \_\_\_\_\_

$$\begin{array}{c|c} & AP \\ & \left[ \text{VAL} \left[ \text{SPR} \left\langle 2 \text{NP}_i \right\rangle \right] \right] \\ & A & 3 \text{ VP/NP} \\ \hline & A & 3 \text{ VP/NP} \\ & \left[ \text{SPR} \left\langle 2 \right\rangle \right] \\ & \left[ \text{COMPS} \left\langle 3 \right\rangle \right] & \left[ \text{VAL} \left[ \text{SPR} \left\langle \text{NP} \right\rangle \right] \right] \\ & \text{GAP} & \left\langle 1 \right\rangle \\ & \text{STOP-GAP} & \left\langle 1 \right\rangle \\ & \text{easy} & \text{to talk to} \end{array}$$

# stop-gap Housekeeping

- ➤ Lexical entries with nonempty STOP-GAP values (like *easy*) are rare, so STOP-GAP is by default empty in the lexicon.
- ightharpoonup Head-Specifier and Head-Modifier rules need to say [STOP-GAP <>]
- ➤ Lexical rules preserve STOP-GAP values.

# gap Housekeeping

Q The initial symbol must say [GAP <> ]. Why?

A To block \*Pat found and \*Chris talked to as stand-alone sentences.

Q The Imperative Rule must propagate GAP values. Why?

A It's not a headed rule, so the effect of the GAP Principle must be replicated

A Imperatives can have gaps:

This book, put on the top shelf!

# **Sentences with Multiple Gaps**

> Famous examples:

- (21) This violin<sub>i</sub>, sonatas<sub>j</sub> are easy to play  $_{i}$  on  $_{i}$ .
- (22) \*Sonatas<sub>j</sub>, this violin<sub>i</sub> is easy to play \_\_\_\_\_\_<sub>j</sub> on \_\_\_\_\_<sub>i</sub>.
- Our analysis gets this:
  - > The subject of *easy* is coindexed with the first element of the GAP list.
  - > The Head-Filler rule only allows one GAP remaining.
- > There are languages that allow multiple gaps more generally.

## Where We Are

- > filler-gap structures:
  - (23) The solution to this problem, nobody understood \_\_\_\_\_
  - (24) That problem is easy to understand \_\_\_\_\_
- > The feature GAP encodes information about missing constituents
- ➤ Modified ARP allows arguments that should be on the COMPS list to show up in the GAP list
- > GAP values are passed up the tree by the GAP Principle

- ➤ The feature STOP-GAP signals where GAP passing should stop
- The Head-Filler Rule matches a filler to a GAP and (via STOP-GAP) empties GAP
- > Lexical entries for *easy*-adjectives require a gap in the complement, coindex the subject with the gap, and (via STOP-GAP) empty GAP on the mother

## More Phenomena filler ...

- > Sentences with subject gaps
- > Gaps in coordinate constructions

# **Subject Gaps**

- > The ARP revision only allowed missing complements.
- > But gaps occur in subject position, too:
  - (25) This problem, everyone thought \_\_\_\_\_ was too easy.
- > We handle these via a lexical rule that, in effect, moves the contents of the SPR list into the GAP list


# The Subject Extraction Lexical Rule

> NB: This says nothing about the phonology, because the default for pi-rules is to leave the phonology unchanged.

# **A Lexical Sequence This Licenses**

Note that the ARP is satisfied

# A Tree with a Subject Gap



#### **Island Constraints**

- There are configurations that block filler-gap dependencies, sometimes called islands
- > Trying to explain them has been a central topic of syntactic research since the mid 1960s
- > We'll look at just one, Ross's so-called Coordinate Structure Constraint
- > Loose statement of the constraint: a constituent outside a coordinate structure cannot be the filler for a gap inside the coordinate structure.

# **Coordinate Structure Constraint Examples**

- \*This problem, nobody finished the extra credit and \_\_\_\_\_
  \*This problem, nobody finished \_\_\_\_\_ and the extra credit.
  \*This problem, nobody finished \_\_\_\_\_ and started the extra credit.
  \*This problem, nobody started the extra credit and finished \_\_\_\_\_
  This problem, everybody started \_\_\_\_\_ and nobody finished \_\_\_\_\_
- > In a coordinate structure,
  - no conjunct can be a gap (conjunct constraint)
  - > no gap can be contained in a conjunct if its filler is outside of that conjunct (element constraint)
  - ... unless each conjunct has a gap that is paired with the same filler (across-the-board exception)

# These observations cry out for explanation

- In our analysis, the conjunct constraint is an immediate consequence: individual conjuncts are not on the ARG-ST list of any word, so they can't be put on the GAP list
- The element constraint and ATB exception suggest that GAP is one of those features (along with VAL and FORM) that must agree across conjuncts.
- > Note: There is no ATB exception to the conjunct constraint.
  - (31) \*This problem, you can compare only \_\_\_\_\_ and \_\_\_\_\_.

## Our Coordination Rule, so far

$$\begin{bmatrix} \text{VAL} & \boxed{0} \\ \text{IND} & s_0 \end{bmatrix} \rightarrow \begin{bmatrix} \text{VAL} & \boxed{0} \\ \text{IND} & s_1 \end{bmatrix} \dots \begin{bmatrix} \text{VAL} & \boxed{0} \\ \text{IND} & s_{n-1} \end{bmatrix} \begin{bmatrix} \text{HEAD} & \textit{conj} \\ \text{IND} & s_0 \\ \text{RESTR} & \langle \begin{bmatrix} \text{ARGS} & \langle s_1, \dots, s_{n-1}, s_n \rangle \end{bmatrix} \rangle \end{bmatrix} \begin{bmatrix} \text{VAL} & \boxed{0} \\ \text{IND} & s_n \end{bmatrix}$$

- > Recall that we have tinkered with what must agree across conjuncts at various times.
- Now we'll add GAP to the things that conjuncts must share

## **Our Final Coordination Rule**

$$\begin{bmatrix} \text{VAL} & \boxed{0} \\ \text{IND} & s_0 \\ \text{GAP} & \boxed{A} \end{bmatrix} \rightarrow \begin{bmatrix} \text{VAL} & \boxed{0} \\ \text{IND} & s_1 \\ \text{GAP} & \boxed{A} \end{bmatrix} \dots \begin{bmatrix} \text{VAL} & \boxed{0} \\ \text{IND} & s_{n-1} \\ \text{GAP} & \boxed{A} \end{bmatrix} \begin{bmatrix} \text{HEAD} & \textit{conj} \\ \text{IND} & s_0 \\ \text{RESTR} & \langle \begin{bmatrix} \text{ARGS} & \langle \ s_1, \dots, s_{n-1}, s_n \ \rangle \end{bmatrix} \rangle \end{bmatrix} \begin{bmatrix} \text{VAL} & \boxed{0} \\ \text{IND} & s_n \\ \text{GAP} & \boxed{A} \end{bmatrix}$$

- > We've just added GAP to all the conjuncts and the mother.
- > This makes the conjuncts all have the same gap (if any)
- > Why do we need it on the mother?

# **Closing Remarks on LDDs**

- > This is a huge topic; we've only scratched the surface
- > There are many more kinds of LDDs, which would require additional grammar rules
- > There are also more island constraints, which also need to be explained
- > Our account of the coordinate structure constraint (based on ideas of Gazdar) is a step in the right direction, but it would be even better to explain why certain features must agree across conjuncts.

## **Overview of LDD**

- > Some examples of the phenomenon
- > What is new and different about it
- >> Broad outlines of our approach
- ➤ Details of our approach
- > Subject extraction
- > Coordinate Structure Constraint

# P0: Semantics are easy

Add the semantics to the lexeme *easy* given on slide 20.

Then give the full rels list for the top node (i.e. the whole sentence) for (32) and (33). What is the deep subject of *easy* in each sentence?

- (32) My house is easy to find.
- (33) Pat is easy to talk to.

## P1: A Tree with a Gap

Draw a tree for (34). Use abbreviations for the node labels, and show the value of GAP on all nodes. Show the value of STOP-GAP on any node where it is non-empty.

(34) This baby, I know that they handed a toy to \_\_\_\_\_

# P2: Blocking Filled Gaps

Examples (i) and (ii) are well-formed, but example (iii) is ungrammatical:

- (i) Pat thinks that I rely on some sort of trick.
- (ii) This mnemonic, Pat thinks that I rely on.
- (iii) \*This mnemonic, Pat thinks that I rely on some sort of trick.

Explain in detail why the mechanisms that license (i) and (ii) do not also permit (iii).

# P3: Subject Gaps

This problem is to make sure you understand how our analysis accounts for examples like (35).

- (35) i. Which candidates do you think like oysters on the half-shell?
  - ii. That candidate, I think likes oysters on the half-shell.
- A. Sketch the family of lexical sequences for *likes* that is the input to the Subject Extraction Lexical Rule.
- B. Sketch the family of lexical sequences for *likes* that is the corresponding output of the Subject Extraction Lexical Rule.
- C. Sketch the tree for the sentence in (35ii). Use abbreviations for node labels, but show the value of GAP on all nodes and the value of STOP-GAP on any node

where it is non-empty. You may abbreviate the structure over the NP *oysters on the half-shell* with a triangle.

- D. Does our analysis correctly predict the contrast between (35ii) and 36?
  - (36) \*Those candidates, I think likes oysters on the half-shell.

Explain why or why not.

# **Acknowledgments and References**

Course design and slides borrow heavily from Emily Bender's course: Linguistics 566: Introduction to Syntax for Computational Linguistics http://courses.washington.edu/ling566



#### References

Gerald Gazdar. 1981. Unbounded dependencies and coordinate structure. *Linguistic Inquiry*, 12:155–184.

Ivan A. Sag, Tom Wasow, and Emily Bender. 2003. *Syntactic Theory: A Formal Introduction*. CSLI Publications, Stanford, second edition.