CMPS 180: Database Systems I Winter 2017

Instructor: Sheldon (Shel) Finkelstein

Textbook:

"A First Course in Database Systems", Jeffrey Ullman and Jennifer Widom, Prentice-Hall, 3rd edition.

Science and Engineering Library has textbook on Reserve. 2cd edition is also available, but this course uses 3rd edition.

Course Syllabus and Chapter 1

CMPS 180, Winter 2017 Course Information

Classes: Mon, Wed, Fri, noon - 1:05PM, Stevenson Acad 150

Instructor: Sheldon (Shel) Finkelstein, shel@ucsc.edu

Office Hours: Mon 9:00-10:00am or by appointment, <u>E2-349A</u>

(Note that I changed offices this term.)

Teaching Assistants:

Vasileios (Vassilis) Polychronopoulos, <u>vassilis@soe.ucsc.edu</u> Ashutosh Raina, <u>asraina@ucsc.edu</u>

Labs Sections:

01A: Wed 2:40PM - 4:20PM, in BE-109 (Vassilis)

01B: Thu 3:20PM - 5:00PM, in BE-109 (Ashutosh)

01C: Fri 2:00PM - 3:40PM, in BE-105 (Ashutosh)

Piazza Signup: https://piazza.com/ucsc/winter2017/cmps180

Course Page (including slides after lectures):

https://piazza.com/ucsc/winter2017/cmps180/home

Some Background: Shel Finkelstein

- IBM Almaden Research: Database and Distributed Systems
- Tandem Computers: Transaction Management and System Managed Storage
- Illustra Information Systems: Productizing Postgres (Time Series, Administration)
- ADB/Matisse (Object Database): Chief Scientist
- Sun Microsystems: Managed Enterprise Java architecture and partnership relationships when Java Enterprise Edition was created
- SAP: VP, Research Fellow, Chief Tech Architect, focussing on Applications and Database
- Third year teaching at UC Santa Cruz, mainly Database courses

Teaching Assistants

Vasileios (Vassilis) Polychronopoulos

vassilis@soe.ucsc.edu


Lab Section

01A: Wed 2:40PM-4:20PM,

in **BE-109**

Office Hours:

Wed 5:00-6:00pm, in E2-480 (or by appointment)



Teaching Assistants

Ashutosh Raina

asraina@ucsc.edu

Lab Sections

01B: Thu 3:20PM - 5:00PM,

in **BE-109**

01C: Fri 2:00PM - 3:40PM,

in **BE-105**

Office Hours:

Thu 5:30-6:30pm, in E2-480 (or by appointment)



Course Description/Syllabus

CMPS 180 covers concepts, approaches, tools, and methodology of database design and querying. Topics include:

- Relational Data Model and its history
- SQL language: Data Definition, Queries and Updates, Indexes, Views, Constraints, Rules
- Relational Algebra, Query Execution and Transaction Processing
- Database Application Development
- Design Theory: Schemas and Normal Forms
- On-Line Analytical Processing (OLAP)
- Semi-Structured Data Models: XML, JSON, etc.
- Cloud Databases (time permitting)
- Big Data and NOSQL (time permitting)

Lots of practical material and logic ... and lots of concepts and theory, particularly in the second half of the term

Tentative Lecture Schedule

Topic	# Lectures	Dates	Chapters
History and Introduction	1	1/9	1
The Relational Data Model	2	1/11-1/13	2.1, 2.2
SQL: DDL, DML; defining relations & constraints, and writing queries	8	1/18-2/3	2.3, 2.5, 6.1-6.5, 7.1, 7.2
Relational Algebra and Query Execution	3	2/6-2/10	2.4, 2.5
Midterm	1	2/13	-
Database Application Development	2	2/15-2/17	9.1, 9.2, 9.6
Schema Refinement and Normal Forms	5	2/22-3/3	3.1-3.5
OLAP	1	3/6	10.6
Semi-Structured Data Models: XML, JSON, etc.	2	3/8-3/10	11.1-11.3, 12.1-12.2
Cloud Databases	1	3/13	
Big Data and NOSQL	1	3/15	
Review	1	3/17	
Final, in classroom		Wed 3/22, noon - 3:00pm	

Course Evaluation

- Gradiance Homeworks 10%
- Lab Assignments 20%
- Midterm 30%
- Final Exam 40%

General Information for CMPS 180 appears in Piazza on Course Information page; see also the General Information file that's under

Resources → Resources → General Resources

Lectures

- You are responsible for all material presented in Lectures.
 - Some material might not be in the textbook.
 - Some information might not be on the slides.
- Lecture slides will be posted on Piazza under Resources-->Lectures
 - Slides may be modified after initial posting.
 - Date shown on Piazza is date that Lecture presentation began.
- You should learn the concepts, not just know what's presented in the Lectures.

Homeworks

- This course involves database application development projects through a series of Lab Assignments.
 - You <u>must</u> attend a Lab Section, as the Teaching Assistant will help guide you through Lab Assignments and answer your questions.
 - Lab Assignments will be submitted via Canvas, as zip files.
- We will also use Canvas, not eCommons, for grading.
 - Login to Canvas at https://login.uconline.edu using your CruzID and Gold password. CMPS 180 should be one of the classes available.
 - Info on Canvas is at http://its.ucsc.edu/fitc/canvas/
- Non-lab homework assignments will be assigned via Gradiance, which has automated grading; see: http://www.gradiance.com/pub/stud-guide.html
 - For CMPS180, go to http://www.gradiance.com/services, to enroll in this class, using class code B115685C
- There will also be ungraded Practice Homeworks that you don't hand in.
 - You're responsible for those Practice Homeworks, even when we don't discuss them in class.

Tentative Lab Assignment Dates

- Lab Sections are a required part of course.
 - There will be Labs during the first week of classes, introducing you to Gradiance and PostgreSQL.

Lab1

- Assigned Friday, January 13 (Monday Jan 16 is holiday)
- Due Sunday January 22

Lab2

- Assigned Monday January 23
- Due Sunday February 5

Lab3

- Assigned Monday February 6
- Due Sunday February 26 (extra week--Midterm is February 13)

Lab4

- Assigned Monday, February 27
- Due Sunday March 12
- Last day of classes is Friday, March 17
 - During last week of classes, Lab Sections will discuss answers to Lab4, as well as answer questions about overall course before Final Exam.

Exams

- Midterm on Monday, February 13 (65 minutes long) covers first half of term, including material through Friday, February 10.
- Final Exam on March 22 (3 hours long) is comprehensive, covering material from entire term, with greater emphasis on second half of term.
- For both the Midterm and the Final Exam, you may bring in an 8.5 by 11 sheet of paper, with anything that you can read unassisted printed or written on both sides of the paper.
 - Sheets may <u>not</u> be shared during the exams.
 - You must show UCSC ID when you hand in your exams.
- No Make-up Exams. No Early/Late Exams.

Learning Support Center and Modified Supplemental Instruction

- UCSC Learning Support Services: http://lss.ucsc.edu/
 - I hope that there will be a CMPS 180 Learning Assistant this term.

Interim Title IX Disclosure Statement

- Please be aware that under the <u>UC Policy on Sexual Violence and Sexual Harassment</u>, faculty and student employees (including Teaching Assistants, Readers, Tutors, etc.) are "responsible employees" and are **required** to notify the Title IX Officer of any reports of incidents of sexual harassment and sexual violence (sexual assault, domestic and dating violence, stalking, etc.) involving students. Academic freedom exceptions exist for disclosures made within a class discussion or assignment *related to course content*; under those conditions <u>only</u>, a report to the Title IX Officer is <u>not</u> required.
- The Campus Advocacy Resources and Education (CARE) Office (831) 502-2273, care@ucsc.edu can provide confidential support, resources, and assist with academic accommodations. To make a Title IX report, please contact Tracey Tsugawa, Title IX Officer, (831) 459-2462, ttsugawa@ucsc.edu.

Academic Integrity

- No form of academic dishonesty will be tolerated. You are encouraged to read the campus policies regarding academic integrity at https://www.ue.ucsc.edu/academic_misconduct.
 Violations may lead to penalties including (but not limited to) failing this course.
- You are allowed to ask for some help when working on assignments, provided that you acknowledge the help that you received on the work that you turn in.
- Points will be deducted if it appears that labor has been divided among multiple students; otherwise, there will be no penalty for small amounts of acknowledged assistance.
- If you have any questions about these rules, please discuss them with the instructor immediately.

Disability Resource Center

Special Accommodations:

UC Santa Cruz is committed to creating an academic environment that supports its diverse student body. If you are a student with a disability who requires accommodations to achieve equal access in this course, please submit your Accommodation Authorization Letter from the Disability Resource Center (DRC) to me privately during my office hours or by appointment, preferably within the first two weeks of the quarter.

At that time, I would also like us to discuss ways we can ensure your full participation in the course. I encourage all students who may benefit from learning more about DRC services to contact DRC by phone at <u>831-459-2089</u>, or by email at <u>drc@ucsc.edu</u>.

Student responsibilities are as follows:

- Students contact the DRC to determine their eligibility for accommodations. Students will request and receive their accommodation letter. This letter is provided to the instructor. This is official notice of a request for accommodation.
- 2. Students then notify their instructor during office hours or after class of their accommodations, and provide their instructor with their Accommodation Letters, preferably during the first two weeks of the term.
- 3. Students will manage their own disclosure of disability status, which will be maintained confidentially according to UC Santa Cruz data practices.

What is a Database?

- A database is a collection of data.
 - Typically describes the activities of one or more related organizations over time.
- Data Management (including database) is extremely important.
 - Essential to every business organization.
 - Enterprises
 - Employee data, sales transactions.
 - Web data
 - Amazon, Twitter, Facebook, IMDB, Google.











Data...is Everywhere

MOST ENTERPRISES TODAY GENERATE MORE DATA THAN THEY CAN PROCESS







Bank Name



social

finance



Ť

learning

science



retail



government

transportation

medical

entertainment







...AND THE AMOUNT OF DATA IS GROWING AT 50% PER YEAR

How Much Data is There?

If There Was Already an Ocean of Data in 2007, How Much is there Now?, Andrew MacAfee, MIT

"There were 295 exabytes of digital data in 2007, and (by EMC estimate) 4.4 zettabytes in 2013, giving an annual growth rate of 57.5% over the period."

"If we associate the volume of digital data in the world in 2007 with the volume of the Atlantic Ocean, ...

then the volume of datawater created between 2007 and 2013 would cover the Earth to a depth of 84,417 meters (276,000 feet), which is almost ten times the height of Mt. Everest."

From Bytes to Yottabytes

Multiples of bytes V·T·E					
SI decimal prefixes		Binary	IEC binary pre	efixes	
Name (Symbol)	Value	usage	Name (Symbol)	Value	
kilobyte (kB)	10 ³	2 ¹⁰	kibibyte (KiB)	2 ¹⁰	
megabyte (MB)	10 ⁶	2 ²⁰	mebibyte (MiB)	2 ²⁰	
gigabyte (GB)	10 ⁹	2 ³⁰	gibibyte (GiB)	2 ³⁰	
terabyte (TB)	10 ¹²	2 ⁴⁰	tebibyte (TiB)	2 ⁴⁰	
petabyte (PB)	10 ¹⁵	2 ⁵⁰	pebibyte (PiB)	2 ⁵⁰	
exabyte (EB)	10 ¹⁸	2 ⁶⁰	exbibyte (EiB)	2 ⁶⁰	
zettabyte (ZB)	10 ²¹	2 ⁷⁰	zebibyte (ZiB)	2 ⁷⁰	
yottabyte (YB)	10 ²⁴	2 ⁸⁰	yobibyte (YiB)	2 ⁸⁰	
See also: Multiples of bits · Orders of magnitude of data					

You Should Be Able to Answer These Questions!

Not a homework, but for CMPS180 students, these should be easy.

O-If set S is {1,3,5,7} and set T is {2,3,5,7}, what are S UNION T and S INTERSECT T?

1-If set A is {1,2,3} and set B is {u,v,w,x,y}, how many ways can you pick pairs of items, with the first from A and the second from B?

2-If you have a set of employees (with names and salaries) where John makes 10K, George makes 20K, Ringo makes 30K and Paul makes 40K, what are the names of the employee(s) who make less than the average salary?

3-Can there ever be an employee who makes more than every employee? If so, give an example. If not, explain why not

4-Write the truth-table for p AND q, where p can be TRUE or FALSE and q can be TRUE or FALSE.


What is a Database Management System?

- A database management system (DBMS) is a software system designed to assist in creating, storing, accessing, and updating a database ... with enterprise qualities
 - Transactions
 - High/continuous availability
 - Performance
 - Response time/latency
 - Throughput
 - Scalability
 - Security
 - Authorization, access control, etc.

Why Can't we Just Use a File System to Manage our Data?

- Suppose a company has a large database.
 - Data needs to be accessed frequently and concurrently.
 - Different queries need to posed easily be answered quickly.
 - Updates to data by different users need to be managed and applied consistently.
 - Access to certain parts of the data by certain users need to be restricted.
- Another answer, to be discussed later
 - Sometimes we <u>can</u> use file system to manage data
 - ... and much more data is kept in file systems than in DBs!

Simplified version of MyUCSC Campus Portal on a file system



Did "Ann" get an A for CMPS182 in Fall 2011? Change Bob's grade to B.


Did "Bob" enroll in a class taught by Prof. Kolaitis? Change Bob's grade to A+.

Which courses are offered by the CS department in Spring 2011?

Key Characteristics of a DBMS

- Data Model
 - Provides an abstraction of the underlying data.
- High-level language for manipulating data
 - For defining, updating, retrieving and processing data.
- Transaction Processing
 - Concurrent access and updates, crash recovery.
- Access control
 - Limit access of certain data to certain users.

Key Characteristics of a DBMS



Did "Ann" get an A for CMPS182 in Fall 2011? Change Bob's grade to B.

Did "Bob" enroll in a class taught by Prof. Kolaitis? Change Bob's grade to A+.

Which courses are offered by the CS department in Spring 2011?

Advantages of a DBMS

- Users only need to understand the data model and high-level language for manipulating data.
 - Users focuses on what data is to be accessed and not how data is accessed.
 - Users are not aware of how data is actually stored or laid out on disks.
- Illusion that they are the only users of the DBMS.
- Data integrity is not compromised by system failures.
 - Deposit: Balance = balance + 500;
 - In parallel, a withdrawal for your monthly car payment:
 Balance = balance 300;
 - System crashes... What is the balance?

Advantages of a DBMS (cont'd)

- Queries are automatically optimized for efficiency.
- Integrity of data is automatically enforced.
 - E.g., Employee id is unique, age < 200.
- Ease of data administration.
 - Well-developed user interfaces.
- Fast application development.
 - Available APIs and libraries.
- Data is managed centrally.
 - Costs are shared across applications.

Transactions have the ACID properties (to fill in)

- A(tomicity)
- C(onsistency)
- I(solation)
- D(urability)


But What is a Relational Database Management System (RDBMS)?

- Network Model
- Hierarchical Model
- Relational Model

Network Data Model

- 1960s
 - First general purpose DBMS was built.
 - Integrated data store (IDS)
 - by Charles Bachman of General Electric.
 - Network Data Model
 - The computer navigates through a space of data records connected by pointers. A graph-based data structure.
 - A user needs to formulate the process of navigating through records and pointers to compute an answer for a query.
 - 1973 Turing award lecture.
 - "The Programmer as Navigator"







Source: Fifty years of databases http://wp.sigmod.org/?p=688

Hierarchical Data Model

- Also in the 1960s:
 - Hierarchical Data Model proposed IBM (IMS product)
 - A tree-based data structure.



Relational Data Model



- 1970s
 - The beginning of *relational* database management systems.
 - Edgar (Ted) F. Codd at the IBM San Jose Research
 Laboratory (now IBM Almaden Research Center) published
 a seminal paper:

"A relational model for data for large shared data banks" Communications of the ACM, 1970.

Ted Codd's Relational Model

- Advocates the a radically different data model, called the relational data model.
 - All data must be stored in flat, table-like relations.
 - No pointers, no hierarchy!
 - Two database query languages:
 - Relational algebra and relational calculus

Employees

Equipment

EmpNo	First Name	Last Name	Dept. Num	Serial Num	Type	User EmpNo
100	Sally	Baker	10-L	3009734-4	Computer	100
101	Jack	Douglas	10-L	3-23-283742	Monitor	100
102	Sarah	Schultz	20-B	2-22-723423	Monitor	100
103	David	Drachmeier	20-B	232342	Printer	100

Some Relational Projects and Products


- System R project started at IBM Research in 1974.
 - System R became today's DB2.
 - 1981 Turing Award to Edgar F. Codd, "Relational Database: A Practical Foundation for Productivity".
 - 1998 Turing Award to Jim Gray for Transaction Processing.
- Michael Stonebraker and Eugene Wong at UC Berkeley started INGRES project based on Codd's papers.
 - Relational Technology Inc. became company, INGRES.
 - Later POSTGRES project led to company, Illustra Information Technologies and became open-source PostgreSQL.
 - 2014 Turing Award to Mike Stonebraker.
- Larry Ellison founded Relational Storage Inc., which became Oracle.
 First Oracle RDBMS was released in 1979 (and was called v2).

RDBMS Today

- Lots of relational database management systems
 - http://en.wikipedia.org/wiki/List_of_relational_database_ management_systems
- Examples of open-source RDBMS:
 - MySQL, PostgreSQL
- Examples of proprietary RDBMS:
 - Oracle, IBM DB2, Microsoft SQL Server, SAP HANA

PLANNING INFO SYSTEM STATUS PLANS & STATUS STATUS

1960s: Network data model and hierarchical data model



1970s: Relational data model

EmpNo	First Name	Last Name	Dept. Num	Serial Num	Туре	User EmpNo
100	Sally	Baker	10-L	3009734-4	Computer	100
101	Jack	Douglas	10-L	3-23-283742	Monitor	100
102	Sarah	Schultz	20-B	2-22-723423	Monitor	100
103	David	Drachmeier	20-B	232342	Printer	100

```
"photos": {
    "page": 1.
    "pages": 94276,
    "perpage": 15,
    "totol": "1414129",
    "ghoto": [{
       "(d": "3891667778",
       "owner": "354681331206991",
       "secret": "4479boebf9",
       "server": "2451",
       "fare": 3,
       "title": "Mexicon train dominoes with Brian and Michelle",
       "ispublic": 1.
       "isfriend": 0,
       "isfamily": 0
       "(d": "3891661852",
       "owner": "106483818M87"
       "secret": "79deS82257",
       "server": "2590",
       "form": 3,
       "title": "Peaches",
       "ispublic": 1,
       "infriend": 0.
                                     2010s: JSON
       "isfamily": 0
```

```
<Books>
    <Book ISBN="0553212419">
        <title>Sherlock Holmes: Complete Novels...
        <author>Sir Arthur Coman Doyle</author>
    </Book>
    <Book ISBN="0743273567">
        <title>The Great Gatsby</title>
        <author>F. Scott Fitzgerald</author>
    </Book>
    <Book ISBN="0684826976">
        <title>Undaunted Courage</title>
        <author>Stephen E. Ambrose</author>
    </Book>
    <Book ISBN="0743203178">
        <title>Nothing Like It In the World</title>
        <author>Stephen E. Ambrose</author>
    </Book>
</Books>
```

1990s: XML (Semi-structured data model)

Today, Data Also Resides Outside Databases

- Before the Web
 - Data typically reside in enterprises, in databases
- Today
 - Data resides in enterprises in on the Web
 - Enterprise data
 - Typically sensitive information.
 - Bank accounts, employee data, sale transactions
 - Data on the Web
 - Amazon, Twitter, Facebook, IMDB, Google, ...











The Data Deluge

- "... mankind created 150 exabytes (billion gigabytes) of data in 2005. "
 - The Data Deluge. The Economist. Feb 2010.
- "In 2011 alone, 1.8 zettabytes (or 1.8 trillion gigabytes) of data will be created, the equivalent to every U.S. citizen writing 3 tweets per minute for 26,976 years. And over the next decade, the number of servers managing the world's data stores will grow by ten times."
 - IDC study, 2011.

From Bytes to Yottabytes

Multiples of bytes V·T·E					
SI decimal prefixes		Binary	IEC binary pre	fixes	
Name (Symbol)	Value	usage	Name (Symbol)	Value	
kilobyte (kB)	10 ³	2 ¹⁰	kibibyte (KiB)	2 ¹⁰	
megabyte (MB)	10 ⁶	2 ²⁰	mebibyte (MiB)	2 ²⁰	
gigabyte (GB)	10 ⁹	2 ³⁰	gibibyte (GiB)	2 ³⁰	
terabyte (TB)	10 ¹²	2 ⁴⁰	tebibyte (TiB)	2 ⁴⁰	
petabyte (PB)	10 ¹⁵	2 ⁵⁰	pebibyte (PiB)	2^{50}	
exabyte (EB)	10 ¹⁸	2 ⁶⁰	exbibyte (EiB)	2^{60}	
zettabyte (ZB)	10 ²¹	2 ⁷⁰	zebibyte (ZiB)	2 ⁷⁰	
yottabyte (YB)	10 ²⁴	2 ⁸⁰	yobibyte (YiB)	2 ⁸⁰	
See also: Multiples of bits · Orders of magnitude of data					



Today

- NOSQL ("Not Only SQL") systems
 - Map/Reduce (Hadoop, Spark)
 - Column store (HBase, Cassandra)
 - Graph databases (Neo4J, Virtuoso)
 - Document databases (MongoDB)
- Simplicity of design, easy scale-out
- Compromise consistency in favor of availability and partition tolerance
- Lack of full ACID support, use of low-level query languages, lack of standardized interfaces (changing)

Some Supplementary Reading Material

- Database management systems: <u>http://en.wikipedia.org/wiki/Database_management_system</u>
- Fifty years of databases: <u>http://wp.sigmod.org/?p=688</u>
- The Data Deluge. The Economist.
 http://www.economist.com/node/15579717
- Data, data everywhere. The Economist.
 http://www.economist.com/node/15557443

So ... what is a Relational Database Management System (RDBMS)?

RDBMS Components

- Upper half of system: Similar to Language Processing
 - Parsing SQL
 - Query Optimization
 - Plan Generation
 - Security
- Lower half of system: Similar to Operating Systems
 - Storage
 - Plan Execution
 - Concurrency Control and Scheduling
 - Logging and Recovery

DBMS Structure (CMPS 181)

