

1 of 2 4/18/17, 22:23 PM

```
1 ▼#include <map>
   #include <set>
    #include <list>
    #include <cmath>
   #include <ctime>
   #include <deque>
    #include <queue>
    #include <stack>
    #include <string>
10 #include <bitset>
11 #include <cstdio>
   #include <limits>
12
   #include <vector>
14
   #include <climits>
   #include <cstring>
#include <cstdlib>
15
16
    #include <fstream>
17
    #include <numeric>
19
    #include <sstream>
   #include <iostream>
#include <algorithm>
#include <unordered_map>
20
21
22
23
24
    using namespace std;
25
    #define N 5
26
27 vint main(){
28
         long int sumall = 0;
29
         long int max = 0, min;
30
         long int numbers[N];
31
         for (int i = 0; i < N; i++) {
    cin >> numbers[i];
32 ▼
33
             sumall += numbers[i];
35
36
37
        min = sumall;
38
39 ▼
         for (int i = 0; i < N; i++) {
40 ▼
             if (sumall - numbers[i] > max) {
41
                  max = sumall - numbers[i];
42
             if (sumall - numbers[i] < min) {</pre>
43 ▼
                  min = sumall - numbers[i];
44
45
46
         }
47
         cout << min << ' ' << max;
48
49
50
         return 0;
51
    }
52
                                                                                                                                    Line: 1 Col: 1
<u>♣ Upload Code as File</u> Test against custom input
                                                                                                                                      Submit Code
                                                                                                                        Run Code
                                                           Copyright © 2017 HackerRank. All Rights Reserved
```

Join us on IRC at #hackerrank on freenode for hugs or bugs.

Contest Calendar | Interview Prep | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature

2 of 2 4/18/17, 22:23 PM