

The Presentation Title

A Subtitle for the Presentation

Firstname M. Lastname

Department of Something
Queen's University
Kingston, Ontario, Canada

March 18, 2023

The Presentation Title

A Subtitle for the Presentation

Firstname M. Lastname

Department of Something
Queen's University
Kingston, Ontario, Canada

March 18, 2023

The Presentation Title

A Subtitle for the Presentation

Firstname M. Lastname

Department of Something
Queen's University
Kingston, Ontario, Canada

March 18, 2023

The Presentation Title

A Subtitle for the Presentation

Firstname M. Lastname

Department of Something
Queen's University
Kingston, Ontario, Canada

March 18, 2023

Outline

1 Introduction

2 Another Section

Introduction

Basic Theme Slide with Bullets

- Itemized bullet number 1
 - Sub-bullet number 1.1
 - Sub-bullet number 1.2
- Itemized bullet number 2

Colourful Slide with a Numbered List

- 1 Enumerated item number 1
- 2 Enumerated item number 2

Another Section

Code with Syntax Highlighting

Example Python Code Listing

```
1 import numpy as np
2 x = np.zeros(5)
```

Example Theorem Environment

Theorem

The equilibrium point $\mathbf{x} = 0$ of $\dot{\mathbf{x}} = \mathbf{F}\mathbf{x}$ is asymptotically stable if and only if the eigenvalues λ_i of \mathbf{F} satisfy $\operatorname{Re}\lambda_i < 0$

Example Alert Block

This is an Alert Block

Use this environment to draw attention to important stuff

Adding a Figure and Using a Blank Slide

- This is a standard bullet item
 - This is another bullet item, but without the bullet
- Notice how to include a caption



Figure

This is the Queen's logo

Here is a Table Example

Table

This is an example of a table caption

Small column	Big column		
Grouped items	Item 1		
	Item 2		
Usual row	Spam	Bacon	Eggs

This Slide is Black and Has Maths

Try to integrate this function

$$x_0 = \int_0^{\infty} f_x(\tau) d\tau$$

where $\tau \in \mathbb{R}$ is a variable

Theorem


This is a very important theorem

This Slide is Blue and Has Maths

Try to integrate this function

$$x_0 = \int_0^{\infty} f_x(\tau) d\tau$$

where $\tau \in \mathbb{R}$ is a variable



Queen's
UNIVERSITY



Queen's
UNIVERSITY



Queen's
UNIVERSITY



Firstname M. Lastname

Department of Something

Queen's University

Kingston, Ontario, Canada

Tel: +1 613-533-6000 ext. 55555

Email: firstname.lastname@queensu.ca

Web: www.queensu.ca