

Drawdown Project - Simulation

Boying Gong, Xinyue Zhou

May 15, 2016

Contents

1	Noise term with normal distribution	2
1.1	AR(1)	2
1.2	AR(2)	4
1.3	MA(1)	7
1.4	MA(2)	9
1.5	ARMA(1, 1)	13
2	Noise term with student t distribution	14
2.1	AR(1)	15
2.2	AR(2)	16
2.3	MA(1)	17
2.4	MA(2)	19
2.5	ARMA(1, 1)	21
3	Simulation with standard error adjusted	21
4	More Complex noise Term	23
4.1	AR(1) + GARCH(1,1)	23
4.2	MA(1) + GARCH(1,1)	26
4.3	ARMA(1,1) + GARCH(1,1)	28
4.4	Short Summary about ARMA-GARCH Model	32
5	Findings	32
5.1	Finding 1	32
5.2	Finding 2	33
6	Thoughts	34

1 Noise term with normal distribution

To better understand the behaviour of conditional expected drawdown (CED) and the maximum drawdown distribution, we use some simple assumptions and parameters in this section as follows:

1. Noise terms in the time series model follow Normal distribution with standard deviation of 0.01: $\epsilon \sim N(0, 0.0001)$.
2. Risk measures including volatility, VaR, ES and maximum drawdown are calculated based on simulated time series with path length 1000. The calculation of maximum drawdown is replicated 1000 times in order to obtain the maximum drawdown distribution and its tail mean (CED).
3. All time series parameters in this section range from -0.9 to 0.9. For time series with multiple parameters such as AR(2), ARMA(1, 1), the parameters are cartesian product of arithmetic progressions range from -0.9 to 0.9. Note that to take the stationary of AR and ARMA models into consideration (all moving averages are stationary, but the AR and ARMA model have to meet certain criteria to be stationary), not all parameters in the cartesian product are used in the simulation.

1.1 AR(1)

We started from the simplest model AR(1):

$$X_t = \kappa_1 X_{t-1} + \epsilon_t \quad (1)$$

We simulate AR(1) for various values of the autoregressive parameter for $\kappa_1 \in (-1, 1)$. Figure 1 shows the relationship between AR(1) coefficient and risk measures of interest including ES, VaR, volatility and CED. Note that for AR(1) model, the order one serial correlation is the value of autoregressive parameter.

CED shows a decreasing trend when $\kappa_1 \in (-1, -0.75)$ and an increasing trend when $\kappa_1 \in (-0.75, 1)$. As shown in Figure 1, it becomes feasible for us to distinguish negative and positive serial correlation using the CED values. However, the other 3 risk measures are all symmetric about $\kappa_1 = 0$, and they increase as the absolute values of κ_1 increases.

For VaR, ES and CED, the derivative of risk measure values to κ_1 approaches to zero as κ_1 goes to 0 and increase as κ_1 increase. This suggests that the value of this three risk measures can hardly reflect the change of serial correlation when the serial correlation is small. And they perform better when the serial correlation increases. The trend of derivatives reverse for CED. While the change of κ_1 has a comparatively larger influence around 0, the influence becomes weaker as we move to larger κ_1 values.

Figure 2 shows the maximum drawdown distribution for various κ_1 . Same as revealed in Figure 1, the mean and tail mean of maximum drawdown distribution increases as we increase κ_1 from negative values to positive values.

Table 1 shows the basic summary statistics of the simulated return sequences. The standard deviation increases as we increase the absolute values of the coefficient. The skewness and kurtosis are close to zeros. Kolmogorov-Smirnov Tests indicate that they all follow normal distribution.




Figure 1: AR(1): Relationship between auto-correlation coefficients and risk measures (Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 2: AR(1): Maximum drawdown distribution for various κ_1 values (Empirical distribution, path length = 1000, sample size = 1000, $\epsilon_t \sim N(0, 0.0001)$)

	Mean	Sd	Skewness	Kurtosis
$\kappa_1 = -0.75$	0.0	0.015	0.009	0.032
$\kappa_1 = -0.5$	0.0	0.012	0.006	0.021
$\kappa_1 = -0.25$	0.0	0.010	0.001	0.010
$\kappa_1 = 0.25$	0.0	0.010	-0.009	0.004
$\kappa_1 = 0.5$	0.0	0.012	-0.012	-0.008
$\kappa_1 = 0.75$	0.0	0.015	0.013	0.016

Table 1: Statistics of simulated distribution of AR(1)

1.2 AR(2)

We then move to model AR(2):

$$X_t = \kappa_1 X_{t-1} + \kappa_2 X_{t-2} + \epsilon_t \quad (2)$$

Figure 3 and 4 shows the relationship between order one serial correlation ρ_1 and various risk measures. With fixed κ_2 , the relationship between serial correlation and various risk measures are close to AR(1) model. The curve shows some discontinuity mainly because the stationary condition for which we have to drop some possible combination of coefficients. Nevertheless, Figure 3 and 4 shows more complexity in that as we increase the κ_2 value, the values of all four risk measures increases.

Figure 7 and 8 shows the maximum drawdown distribution as we fix κ_2 to 0.2 and -0.2 respectively and change κ_1 . Again the maximum drawdown distribution shows monotonicity as we increase κ_1 from negative to positive for both $\kappa_2 = 0.2$ and $\kappa_2 = -0.2$. It would be the similar if we fix κ_1 and examine the maximum drawdown distribution for different κ_2 values.

Table 2 shows the summary statistics for the simulated return sequences. As indicated above, the standard deviation value increases as we increase the absolute values of the coefficient. The skewness and kurtosis are close to zeros.




Figure 3: AR(2): Relationship between serial correlation ρ_1 and risk measures ($\kappa_2 > 0$)
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 4: AR(2): Relationship between serial correlation ρ_1 and risk measures ($\kappa_2 < 0$)
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 5: AR(2): Relationship between model coefficients and risk measures ($\kappa_2 > 0$)
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 6: AR(2): Relationship between model coefficients and risk measures ($\kappa_2 < 0$)
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 7: AR(2): Maximum drawdown distribution for $\kappa_2 = 0.2$
(Empirical distribution, path length = 1000, sample size = 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 8: AR(2): Maximum drawdown distribution for $\kappa_{-} = -0.2$
(Empirical distribution, path length = 1000, sample size = 1000, $\epsilon_t \sim N(0, 0.0001)$)

	Mean	Sd	Skewness	Kurtosis
$\kappa_1 = -0.75, \kappa_2 = 0.2$	0.0	0.029	-0.005	0.039
$\kappa_1 = -0.5, \kappa_2 = 0.2$	0.0	0.013	0.000	0.004
$\kappa_1 = -0.25, \kappa_2 = 0.2$	0.0	0.011	0.003	-0.021
$\kappa_1 = 0.25, \kappa_2 = 0.2$	0.0	0.011	0.003	-0.008
$\kappa_1 = 0.5, \kappa_2 = 0.2$	0.0	0.013	0.012	-0.010
$\kappa_1 = 0.75, \kappa_2 = 0.2$	0.0	0.029	-0.001	-0.021

Table 2: Statistics of simulated distribution of AR(2)

1.3 MA(1)

For simplest moving average model MA(1):

$$X_t = \epsilon_t + \theta_1 \epsilon_{t-1} \quad (3)$$

Figure 9 presents the relationship between four risk measures and serial correlation ρ_1 . Similar with autoregressive models, CED is a informative risk measures for distinguish positive and negative serial correlations. The curve of ρ_1 versus CED is convex for positive serial correlation and concave for negative serial correlation. With means the rate of change of CED to ρ_1 is smaller for small serial correlation values and increases for larger serial correlation values. Figure 10 shows the relationship between risk measures and the moving average coefficient θ_1 . Unlike Figure 9, the MA(1) coefficient shows a relationship close to linear with the change of CED.

Figure 11 shows the maximum drawdown distribution as we increase θ_1 . Same as revealed in the tail mean (CED) of the distribution. The maximum drawdown distribution monotonic increase as θ_1 increases.




Figure 9: MA(1): Relationship between serial correlation ρ_1 and risk measures
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 10: MA(1): Relationship between model coefficient and risk measures
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 11: MA(1): Maximum drawdown distribution for various θ_1 values
(Empirical distribution, path length = 1000, sample size = 1000, $\epsilon_t \sim N(0, 0.0001)$)

	Mean	Sd	Skewness	Kurtosis
$\theta_1 = -0.75$	0.0	0.012	-0.002	-0.008
$\theta_1 = -0.5$	0.0	0.011	-0.004	-0.009
$\theta_1 = -0.25$	0.0	0.010	0.001	-0.020
$\theta_1 = 0.25$	0.0	0.010	0.011	0.023
$\theta_1 = 0.5$	0.0	0.011	0.000	0.006
$\theta_1 = 0.75$	0.0	0.013	-0.003	0.012

Table 3: Statistics of simulated distribution of MA(1)

1.4 MA(2)

The expression of MA(2) model is:

$$X_t = \epsilon_t + \theta_1 \epsilon_{t-1} + \theta_2 \epsilon_{t-2} \quad (4)$$

As shown in Figure 12 and Figure 4, when fix θ_2 , the relationship between serial correlation ρ_1 and risk measures resembles that of the MA(1) model. When we increase the absolute values of ρ_2 , the value of ES, VaR and volatility increases. However, there are more complicated relationship between serial correlation and CED. For positive θ_2 , CED increase as θ_2 increases. The pattern seems less interpretable for negative θ_2 values.

Figure 16 shows the change of maximum drawdown distribution when we fix $\theta_1 = 0.2$, and Figure 17 shows the maximum drawdown distribution when we fix $\theta_2 = 0.2$. When fixing one parameter and change the other parameter value from negative to positive, the maximum drawdown distributions are monotonic increasing, which indicates that the tail mean of the distribution (CED) increases.

Same as the AR(1), AR(2), and MA(1) model above, the mean, skewness and kurtosis is small for our simulated return sequences. The standard deviation increase as we increase the absolute value of the coefficient, which can be explained by the theoretical calculation.




Figure 12: MA(2): Relationship between serial correlation ρ_1 and risk measures ($\theta_2 > 0$) (Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 13: MA(2): Relationship between serial correlation ρ_1 and risk measures ($\theta_2 < 0$) (Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 14: MA(2): Relationship between model coefficients and risk measures ($\theta_2 > 0$)
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 15: MA(2): Relationship between model coefficients and risk measures ($\theta_2 < 0$)
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 16: MA(2): Maximum drawdown distribution for $\theta_1 = 0.2$
(Empirical distribution, path length = 1000, sample size = 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 17: MA(2): Maximum drawdown distribution for $\theta_2 = 0.2$
(Empirical distribution, path length = 1000, sample size = 1000, $\epsilon_t \sim N(0, 0.0001)$)

	Mean	Sd	Skewness	Kurtosis
$\theta_1 = -0.75, \theta_2 = 0.2$	0.0	0.013	0.004	-0.015
$\theta_1 = -0.5, \theta_2 = 0.2$	0.0	0.011	-0.006	-0.002
$\theta_1 = -0.25, \theta_2 = 0.2$	0.0	0.011	-0.004	-0.012
$\theta_1 = 0.25, \theta_2 = 0.2$	0.0	0.010	-0.020	-0.007
$\theta_1 = 0.5, \theta_2 = 0.2$	0.0	0.011	0.009	0.012
$\theta_1 = 0.75, \theta_2 = 0.2$	0.0	0.013	-0.015	0.025

Table 4: Statistics of simulated distribution of MA(2)

1.5 ARMA(1, 1)

For the most simple ARMA model:

$$X_t = \kappa_1 X_{t-1} + \epsilon_t + \theta_1 \epsilon_{t-1} \quad (5)$$

Figure 18 and Figure Figure 19 shows the relationship between serial correlation ρ_1 and risk measures for positive and negative θ_1 respectively. For positive θ_1 , the time series is more likely to be positively correlated while for negative θ_1 it is mode likely to be negative correlated. Interestingly, for positive θ_1 values, the relationship between CED and serial correlation ρ_1 is not influenced by the value of ρ_1 . CED shows an increasing trend as we increase the value of serial correlation. Similar as the above subsections for other time series models, CED is a good tool to distinguish the positive and negative serial correlation.




Figure 18: ARMA(1, 1): Relationship between serial correlation ρ_1 and risk measures ($\theta_1 > 0$) (Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 19: ARMA(1, 1): Relationship between serial correlation ρ_1 and risk measures ($\theta_1 < 0$) (Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 20: ARMA(1, 1): Relationship between model coefficient and risk measures ($\theta_1 > 0$)
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)




Figure 21: ARMA(1, 1): Relationship between model coefficient and risk measures ($\theta_1 > 0$)
(Simulation path length: 1000, $\epsilon_t \sim N(0, 0.0001)$)

2 Noise term with student t distribution

In this section, parameters used are close to what we've encountered in the empirical studies.

1. White noise terms are simulated using t-distribution (degree of freedom = 4). Financial return usually have fat-tail distributions.
2. Set path length to 63, which is the number of trading days in three month.
3. Time series parameters all range from -0.3 to 0.3, which is similar to the financial time series data in the real world. Usually financial data does not show strong serial correlation. If we could narrow down our scope to smaller serial correlations we may found that the serial correlation is more closely related with various risk measures.

The relationship between serial correlation and risk measures revealed in this section resembles that of the last section where noise terms follow normal distribution. There are some differences due to the heavy-tail distribution. We illustrate more in the specific model part.

2.1 AR(1)

Models using time series with t-distribution white noise show more randomness as shown in Figure 5. The relationship between AR(1) coefficients (which is the serial correlation ρ_1) and risk measures is similar to the model with normal distribution. However, the points are not lies perfectly in a curve probably because the heavy tail introduce more randomness of the quantile and tail mean values.

Table 5 shows the summary statistics of the simulated return distribution. Their mean and skewness are close to zero. And they have high kurtosis which implies the fat tail.




Figure 22: AR(1): Relationship between auto-correlation coefficients and risk measures (Simulation path length: 63, $\epsilon_t \sim 0.01T(df = 4)$)




Figure 23: AR(1): Maximum drawdown distribution for various κ_1 values (Empirical distribution, path length = 63, sample size = 1000, $\epsilon_t \sim 0.01T(df = 4)$)

	Mean	Sd	Skewness	Kurtosis
$\kappa_1 = -0.3$	0.0	0.015	-0.53	18.8
$\kappa_1 = -0.2$	0.0	0.014	-0.13	6.4
$\kappa_1 = -0.1$	0.0	0.014	-0.05	6.3
$\kappa_1 = 0.1$	0.0	0.014	-0.30	15.8
$\kappa_1 = 0.2$	0.0	0.014	0.13	7.0
$\kappa_1 = 0.3$	0.0	0.015	-0.06	7.4

Table 5: Statistics of simulated distribution of AR(1)

2.2 AR(2)

Same as presented in the last section, ES, VaR and volatility increases as we increase the absolute values of κ_2 . And CED increases as we change κ_2 from negative to positive. This shows that CED values are inherently not symmetric not only for the serial correlation but for the coefficients. The summary statistics in Table 6 also indicate the fat tail distribution.




Figure 24: AR(2): Relationship between auto-correlation coefficients and risk measures (Simulation path length: 63, $\epsilon_t \sim 0.01T(df = 4)$)




Figure 25: AR(2): Maximum drawdown distribution for various κ_2 values
(Empirical distribution, path length = 63, sample size = 1000, $\epsilon_t \sim 0.01T(df = 4)$)

	Mean	Sd	Skewness	Kurtosis
$\kappa_1 = 0.1, \kappa_2 = -0.3$	0.0	0.015	-0.024	16.7
$\kappa_1 = 0.1, \kappa_2 = -0.2$	0.0	0.014	-0.030	8.0
$\kappa_1 = 0.1, \kappa_2 = -0.1$	0.0	0.014	-0.261	16.7
$\kappa_1 = 0.1, \kappa_2 = 0.1$	0.0	0.014	-0.461	18.2
$\kappa_1 = 0.1, \kappa_2 = 0.2$	0.0	0.014	0.028	6.0
$\kappa_1 = 0.1, \kappa_2 = 0.3$	0.0	0.015	-0.009	5.8

Table 6: Statistics of simulated distribution of AR(2)

2.3 MA(1)

Again the relationship between serial correlation and risk measures for MA(1) model greatly resembles the relationship in last section for the normal distributed noise term. The difference lies in the large randomness caused by the fat tail.




Figure 26: MA(1): Relationship between serial correlation ρ_1 and risk measures (Simulation path length: 63, $\epsilon_t \sim 0.01T(df = 4)$)




Figure 27: MA(1): Relationship between model coefficient and risk measures (Simulation path length: 63, $\epsilon_t \sim 0.01T(df = 4)$)




Figure 28: MA(1): Maximum drawdown distribution for various κ_1 values (Empirical distribution, path length = 63, sample size = 1000, $\epsilon_t \sim 0.01T(df = 4)$)

	Mean	Sd	Skewness	Kurtosis
$\kappa_1 = 0.1, \kappa_2 = -0.3$	0.0	0.015	-0.401	22.9
$\kappa_1 = 0.1, \kappa_2 = -0.2$	0.0	0.014	-0.312	12.3
$\kappa_1 = 0.1, \kappa_2 = -0.1$	0.0	0.014	-0.204	8.5
$\kappa_1 = 0.1, \kappa_2 = 0.1$	0.0	0.014	-0.009	9.7
$\kappa_1 = 0.1, \kappa_2 = 0.2$	0.0	0.014	-0.080	7.2
$\kappa_1 = 0.1, \kappa_2 = 0.3$	0.0	0.015	-0.136	12.5

Table 7: Statistics of simulated distribution of MA(1)

2.4 MA(2)

Since we have narrowed down our scope to time series coefficients which range between -0.3 and 0.3. Here we can see that for fixed value of θ_2 , the relationship between serial correlation and CED is approximately a line. And for the other three risk measures, the relationship seems to have more randomness than using normal distribution.




Figure 29: MA(1): Relationship between serial correlation ρ_1 and risk measures (Simulation path length: 63, $\epsilon_t \sim 0.01T(df = 4)$)




Figure 30: MA(1): Maximum drawdown distribution for various κ_1 values (Empirical distribution, path length = 63, sample size = 1000, $\epsilon_t \sim 0.01T(df = 4)$)

	Mean	Sd	Skewness	Kurtosis
$\kappa_1 = 0.1, \kappa_2 = -0.3$	0.0	0.015	-0.204	10.7
$\kappa_1 = 0.1, \kappa_2 = -0.2$	0.0	0.015	0.162	8.9
$\kappa_1 = 0.1, \kappa_2 = -0.1$	0.0	0.014	-0.229	6.2
$\kappa_1 = 0.1, \kappa_2 = 0.1$	0.0	0.014	-0.220	13.3
$\kappa_1 = 0.1, \kappa_2 = 0.2$	0.0	0.015	0.117	9.7
$\kappa_1 = 0.1, \kappa_2 = 0.3$	0.0	0.015	-0.097	9.9

Table 8: Statistics of simulated distribution of MA(2)

2.5 ARMA(1, 1)




Figure 31: ARMA(1, 1): Relationship between serial correlation ρ_1 and risk measures (Simulation path length: 63, $\epsilon_t \sim 0.01T(df = 4)$)

3 Simulation with standard error adjusted

So far our simulation studies are based on fixed distribution of the noise term. For example, for normal distribution noise we use $\epsilon \sim N(0, 0.0001)$ and for t-distribution we use $\epsilon \sim 0.01T(df = 4)$. In this section, we standardize the simulated time series by dividing certain factors such that the time series have same standard deviation.

In our simulation, the standard deviation for each our simulated time series is different. Say for AR(1), the standard deviation of time series $X_t = 0.5X_{t-1} + \epsilon_t$ and $X_t = 0.1X_{t-1} + \epsilon_t$ is different since we use the same distribution for ϵ_t . The standard deviation for AR(1) model is :

$$SD(X_t) = \left(\frac{Var(\epsilon_t)}{1 - \kappa_1^2} \right)^{1/2} \quad (6)$$

Then what if we compare two time series with different distribution of ϵ_t but the same standard deviation? Since standard deviation is one risk measures (volatility), this equals to fixing other risk measures to one level, say volatility = 1.2%, and to see how CED changes with the serial correlation.

Since our simulation is based on normal distribution of the noise term, volatility would be proportional to ES and VaR, which means fixed volatility also means fixed volatility.

Figure 32 and 33 shows the result for AR(1) and MA(1) separately. and Figure 34 shows the results for AR(2), MA(2) and ARMA(1, 1). There is clearer upward trends than the last two sections. These figures suggests that CED is a better metric in describing the returns with serial correlation. For the same volatility level, CED increases as the serial correlation increases, which means CED captures the changes in serial correlation while volatility, VaR and ES do not.




Figure 32: AR(1): Relationship between serial correlation ρ_1 and CED with adjusted standard error (Simulation path length: 1000)




Figure 33: MA(1): Relationship between serial correlation ρ_1 and CED with adjusted standard error (Simulation path length: 1000)




Figure 34: Relationship between serial correlation ρ_1 and CED with adjusted standard error (Simulation path length: 1000, from left to right: AR(2), MA(2), ARMA(1, 1))




Figure 35: Relationship between serial correlation ρ_1 and CED with adjusted standard error (Simulation path length: 1000, from left to right: AR(2), MA(2), ARMA(1, 1), model coefficient $\in (-0.5, 0.5)$)

4 More Complex noise Term

The previous several sections have already stated general ideas that how magnitude of risk measurements correlated with serial correlation and ARMA coefficients. However, the inspiring results should not encourage us ignore the complexity of the market: it always does not produce such regular time series. The occasional events shock the market and the returns always shows clustered variance. As has been analyzed in the previous reports, a normal way to handle the complex variance in the return is using generalized autoregressive conditional heteroskedasticity (GARCH) model. In this section, common ARMA time series are simulated with GARCH noise term, to which we expect analysis the extent of effect that complex noise term having on the relationship between serial correlation and risk measurements.

1. At this level, we limit our analysis on GARCH(1,1), for the reason that in the empirical study on thirteen American indices, GARCH(1,1) is good enough catch the variance anomaly in the return.
2. The GARCH model is based on the Gaussian conditional distribution. Although in the empirical study on thirteen American indices, we showed that a student t conditional distribution seems to be more able to approximate the true market, Gaussian enable us to analyze more properties in the return without losing the generality
3. For GARCH(1,1), recall that:

$$\sigma_t^2 = \omega + \alpha y_{t-1}^2 + \beta \sigma_{t-1}^2$$

We choose the potential parameters on the basis of the study of the American financial indices. In summary, we choose $\omega \in \{10^{-7}, 10^{-8}\}$, $\alpha \in \{0.05, 0.08, 0.11, 0.14, 0.17, 0.20\}$, $\beta \in \{0.1, 0.2, \dots, 0.7\}$.

4.1 AR(1) + GARCH(1,1)

How ω , α and β affect the magnitude of risk measurement is kind of inconspicuous. As y_{t-1}^2 , σ_{t-1}^2 and β are positive number, the only thing we can ensure is that all the GARCH parameters are positively correlated with variance, thus the “risk” in some sense. However, there are more questions in need of taking care: 1) which parameter within ω , α and β are more responsible for the change in risk measurements? 2)

Comparing the extent that the risk measurements changing with serial correlation or coefficients, does α and β counts a lots?

The Figure 36 verifies our guess. The higher ω , α or β are all partial responsible for a highly risk measurements, in general. The eight lines with in the plots are clearly separate into two groups, upper and lower. The higher four curves have a higher ω , which indicates a general magnitude of variance. Therefore, ω is dominant with in parameters.

ES, VaR and Volatility are monotonically increasing with *alpha*. When the β is relatively small, this relationship is almost linear, while when the β is large, the relationship is more likely to be a higher order polynomial shape.

In general, the CED has a similar trend with other risk measurements, while it less smoother. Especially, when the β is low, α 's effect is even more unclear. Showing in the plot is the lowest three lines are twisting together.




Figure 36: AR(1): Relationship between α parameter in the GARCH(1,1) and risk measures. The plots are produced under $\kappa_1 = -0.25$. The tend and pattern under $\kappa_1 = 0.25$ is almost the same.

Figure 37 explores the how large ω , α or β affect the risk measurements comparing with changing in serial correlation. As proved, we only choose the positive coefficients to see the clear trend. With in α and β , the β is dominant, especially in the first three plots, the 0.5 change in *beta* is larger than 0.7 change in κ , fixed α . A more exciting pattern shown in the CED plot. It shows that the complex variance, α or β less affect CED, comparing the other risk measurements. In general, the curve in last plot is steeper, suggesting that CED is more sensitive to κ in AR(1) +GARCH(1,1) model.




Figure 37: AR(1): Relationship between serial correlation in the GARCH(1,1) and risk measures. $\kappa_1 \in \{0.1, 0.2, \dots, 0.8\}$




Figure 38: AR(1): maximum drawdown distributions under different α and β . $\kappa = 0.25, \omega = 10^{-7}$ is fixed

Figure 38 show the maximum drawdown distribution's change with the different α and β . Clearly

a higher β responsible for a more spread-out distribution, while α is less determinant. Table 9 further confirms this point.

	Mean	Sd	Skewness	Kurtosis
$\alpha = 0.05$	0.0	0.029	-0.003	0.088
$\alpha = 0.08$	0.0	0.013	0.001	-0.033
$\alpha = 0.11$	0.0	0.011	-0.000	-0.001
$\alpha = 0.14$	0.0	0.011	-0.004	0.006
$\alpha = 0.17$	0.0	0.013	-0.014	-0.004
$\alpha = 0.20$	0.0	0.029	0.005	0.054

Table 9: Statistics of simulated return distribution of AR(1)+ GARCH(1,1)

4.2 MA(1) + GARCH(1,1)

There is no much special in need of highlighting comparing with AR(1) + GARCH(1,1) model. Figure 39 and Figure 45 indicates a similar effect of ω , α and β on risk measurements. However, at this time, the CED plots is less noisy than that in AR(1) model.




Figure 39: MA(1): Relationship between α parameter in the GARCH(1,1) and risk measures. The plots are produced under $\theta_1 = -0.25$. The tend and pattern under $\theta_1 = 0.25$ is almost the same.




Figure 40: MA(1): Relationship between serial correlation in the GARCH(1,1) and risk measures. $\theta_1 \in \{0.1, 0.2, \dots, 0.8\}$




Figure 41: MA(1): maximum drawdown distributions under different α and β . $\theta = 0.25$, $\omega = 10^{-7}$ is fixed

4.3 ARMA(1,1) + GARCH(1,1)

ARMA(1,1) adds complexity of the model compared with pure AR or MA, while it is also very commonly used in the finance area. We examine the GARCH(1,1) with various GARCH parameters on ARMA(1,1), with $\kappa_1 \in \{0.25, -0.25\}$, $\theta_1 \in \{0.25, -0.25\}$ fixed, thus four combinations in total. Figure 42 and Figure 43 are two case showing the extreme difference in CED. The other two cases are put in the appendix later, which are shows a similar pattern as mentioned in the previous section.

42 shows when both ARMA parameters are positive, the change α does not add “trend” in the CED, only more noisy than before. However, in Figure 43 where $\kappa_1 = 0.25$, $\theta_1 = -0.25$, the CED increases with the α and more sensitive when β is high. Again, the ω is also the dominant factor compared with α and β .




Figure 42: ARMA(1,1): Relationship between α parameter in the GARCH(1,1) and risk measurements. The plots are produced under $\kappa_1 = 0.25$, $\theta_1 = 0.25$.




Figure 43: ARMA(1,1): Relationship between α parameter in the GARCH(1,1) and risk measurements. The plots are produced under $\kappa_1 = 0.25$, $\theta_1 = -0.25$.

The following two plots show the ARMA parameters effects on the risk measurements, and also compare the magnitude with the GARCH parameters. For ES, VaR and volatility, the plots show that they are linearly increasing with the θ_1 , while non-linearly (probably quadratic, positive first derivative) increasing with the κ_1 . Compared with traditional risk measurements, the plots of CED are more dented. Similarly to the previous conclusions, CED seems to be more sensitive to κ and less sensitive to θ . Moreover, when ω , or the general trend, is small, the CED is very closed for different α .




Figure 44: ARMA(1,1): Relationship between AR coefficients in the GARCH(1,1) and risk measures. $\kappa_1 \in \{0.1, 0.2, \dots, 0.8\}$. The ω is fixed as 10^{-7} , and $\theta_1 = 0.5$




Figure 45: MA(1): Relationship between MA coefficient in the GARCH(1,1) and risk measures. $\theta_1 \in \{0.1, 0.2, \dots, 0.8\}$. The ω is fixed as 10^{-7} , and $\kappa_1 = 0.5$

The following is the maximum drawdown distribution for various combination of α and β . Again, the β has a greater effect the distribution comparing with α . However, it may be partially resulted from we chose α from a smaller range, although it is more close to the real market.




Figure 46: MA(1): maximum drawdown distributions under different α and β . $\theta = 0.25$, $\omega = 10^{-7}$, $\kappa_1 = 0.25, \theta_1 = -0.25$ is fixed

4.4 Short Summary about ARMA-GARCH Model

In this section, we have analyzed the impact of complex variance on the evaluation relationship of serial correlation(κ or ρ) and risk measurements. It is more straightforward to see this effect through the simulation study other than tedious derivations. Through the plots shown above, we have several conclusions as followed.

1. The larger value of ω , α and β are all partially responsible for a higher risk measurements, in general, given the ARMA model.
2. Among three parameters, the effect of ω dominates. As ω indicates the general change of variance of the model, which is a counterpart of σ^2 in the pure ARMA.
3. When the β is small, the effect of α on risk measurements are weak. Especially for CED, it is insensitive to the change of α . However, when the β value is large, the ES, VaR and Volatility increase sharply with α . For CED, it has a upward trend, but more indented than other risk measurements.
4. From the plots with κ as axis, we found that in the time series with a GARCH variance, α and β less affect CED comparing with other risk measurements.
5. Last but not least, we found that α value of the GARCH model does not change the shape of maximum drawdown distribution a lot compare with β values. Therefore, in summary, for CED, the ranking magnitude of effect from GARCH parameters are: $\alpha < \beta < \omega$

5 Findings

5.1 Finding 1

CED distinguishes negative from positive autocorrelation

For time series with positive autocorrelation, return is very likely to have the same sign as the return in the previous day. For example, if return in April 5 is -1% and there is a positive autocorrelation, the return in April 6 is more likely to be negative rather than positive. As a consequence, returns tend to keep

they current profit or loss status for a period of time. If the current status is loss, then unfortunately, the price of the asset may continuously go down, which results in a large CED.

For time series with negative autocorrelation, return is very likely to have the different sign as the return in the previous day. That is, if the the price of one assets goes down in one day, it is more likely that the price would bounce back in the next day, which leads to a small CED.

However, other risk measures such as VaR, ES and volatility are obtained from the empirical distribution of returns. If we shuffle the return sequence, we would get the same value for VaR, ES, and volatility but not for CED.

Figure 47 shows the comparison of simulated returns and prices when serial correlation is 0.7 and -0.7. The maximum drawdown of simulated series is 22.76% and 9.49% separately. And these two return series have the same VaR, ES and volatility.





Figure 47: Comparison of returns with positive and negative serial correlation
(Simulation length: 100; upper panel: AR(1) with $\kappa = 0.7$; lower panel: AR(1) with $\kappa = -0.7$,
 $\epsilon \sim N(0, 0.0001)$)

5.2 Finding 2

Change standard deviation but fix everything in time series simulation would result in linear change of risk measures

The following simulation result for AR(1) model shows a linear relationship for all risk measures. I simulate the model $X_t = 0.3X_{t-1} + \epsilon_t$ and change the ϵ_t from 0.001 to 0.015. The simulated path length is 63, which is the number of trading days in three months.



This make sense. Fixing everything but changing the standard deviation of the noise term would simply multiply the simulated time series model by a constant. If for $\epsilon_t = 0.001$, we simulated the time series X_1, X_2, \dots, X_n . Then the simulated sequence for $\epsilon_t = 0.01$ would be something like $10X_1, 10X_2, \dots, 10X_n$. For volatility, ES and VaR, it is easy to see they would be multiplied 10. For CED, I will show below that it would also approximately be multiplied by 10.

For accumulated returns in a path, the return is approximately the sum of all returns for each day in this time period if the return is small (which is often the case):

$$R = \prod_{i=1}^n (1 + r_i) - 1 \quad (7)$$

$$\simeq \prod_{i=1}^n e^{r_i} - 1 \quad (8)$$

$$= e^{\sum_{i=1}^n r_i} - 1 \quad (9)$$

$$\simeq \sum_{i=1}^n r_i \quad (10)$$

Because all the returns in every subpath would be multiplied by approximately 10. Thus the domain of the maximum drawdown distribution and CED would also become 10 times as the counterpart for $\epsilon_t = 0.001$.

6 Thoughts

In the thoughts section above, we focused on the how noise term variance and order 1 serial correlation related with CED. After the simulation of various time series models, we found that CED is correlated with the autocorrelation function. To be more specific, if we simulate two time series model $\{X_t\}$ and $\{Y_t\}$ with the same autocorrelation function $\rho_X(t) = \rho_Y(t)$ for $t = 0, 1, \dots, m-1, m+1, \dots$, but $\rho_X(m) > \rho_Y(m)$, Then the CED of $\{X_t\}$ will be larger than $\{Y_t\}$. However, for real world price data, it is more likely that there will be more complex pattern of the autocorrelation function which results in more complicated variation of CED values. For example, for asset X and asset Y if $\rho_X(1) < \rho_Y(1)$, but $\rho_X(0) > \rho_Y(0)$, it would be harder to decide the relationship between CED of X and CED of Y.

We haven't prove the above idea since simulating two time series with only one term in the autocorrelation function different is hard. But in section 3, we fixed $\rho(0)$ and simulated time series with various

$\rho(t), t = 1, 2, \dots$ and looked at the relationship between $\rho(1)$ and CED. The results are close to what we proposed above.