obi.stvle ({name: value, ...})

findObject (event, interactive)

findObject (event, [object, ...])

findObjects (event, interactive)

findObjects (event, [object, ...])

screenPosition (local, alobal)

its

obi.clone

allObjects()

findPosition (event)

objectPosition (local)

radians (degrees)

dearees (radians)

random (from. to)

random ([value,...])

randomln (object)

randomOn (object)

lerp (first, second, k)

clamp (value, min, max)

version (

boytchev.github.io/suica

BASIC OBJECTS circle (center, size, color)

cone (center, size, color) cube (center, size, color)

cylinder (center, size, color) line (center/from, to, color)

point (center, size, color) polygon (count, center, size, color)

prism (count, center, size, color) pyramid (count, center, size, color)

sphere (center, size, color)

square (center, size, color)

.center = [.x, .y, .z]

BASIC PROPERTIES

.color = "colorname" / 0xFFFFFF / $(r,g,b)^{0...1}$ = **rgb** (r,q,b)²⁵⁵ / **hsl** (h³⁶⁰,s¹⁰⁰,l¹⁰⁰)

.count = count / [count, count]

<script src="suica.js"></script>

.image = drawing / "filename" / image ("filename")

.images = .count / [count, count]

.size = width / [.width, .height, .depth]

.spin = spinH / [.spinH, .spinV, .spinT, .spinS]

.visible / .hidden = true / yes / false / no

.wireframe = true / yes / false / no

ADVANCED OBJECTS

construct (expression, size, color)

convex (src², size, color)

group (object, object, ...) .add (object, object, ...)

model (filename, center, size)

model.save (filename, [object, object, ...]) **surface** (center, curve³, count, size, color)

text3d (text, font¹, center, size, color)

tube (center, curve², radius, count, size, color)

extrude (shape, center, size, color)

.radius .nffset .cnunt^{1,2} **spline** (src², closed, interpolating)

(src⁵, param, param)

splane (src³, closed^{1,2}, interpolating^{1,2})

(src⁴, param, param)

ADVANCED PROPERTIES .closed = bool 1 / [bool, bool] 2

.curve² = [point, ...] / spline / f(u)

 $^{3} = [[point, ...], ...] / splane / f(u,v)$

A+B, A-B, A*B, (...) .expression = "string"

.font| = "fontname.json"

.interpolating = bool¹ / [bool, bool] 2

.src = [paint, ... paint] 2 / f(u) 5

 $= [[point, ...], ... [point, ...]]^3 / f(u,v)^4$

.vertices

.threejs = THREE.Mesh

.material = THREE.Material

.geometry = THREE.BufferGeometry

.intersectData

.randomlo

.randomOn

EVENTS

SUICA

background (color)

lookAt (from, to, up)

fullWindow ()

fullScreen ()

vr ()

stereo (distance)

anaglyph (distance)

demo (distance, altitude, speed)

orbit (distance, altitude, speed)

trackball (distance, altitude)

perspective (near, far, fov)

SUICA VERSION, SUICA DATE

orthographic (near, far)

oxyz (size, color)

onPointerEnter.onPointerLeave.onPointerMove. onPointerDown, onPointerUp, onClick, onTime, onLoad

obi.addEventListener (eventName, eventHandler)

capture (filename, time, fps, format, skipframes)

obj.removeEventListener (eventName)

obj.eventName = eventHandler

function pointerEventHandler (event) { ... } function timeEventHandler (time, dTime) { ... } function loadEventHandler (object) { ... }

proactive ()

DRAWINGS & SHAPES

drawing (width, height, color)

shapes

focusOn (object, spin, axis)

shape (count)

moveTo (x, y, x, y, ...) lineTo (x, y, x, y, ...)

curveTo (m_v, m_v, x, y) arc (x, y, radius, from, to, cw)

stroke (color, width, closed) fill (color)

fillText (x, y, text, color, font) "bold 20px Courier"

clear (color)

scorm

LMS

.api, .score, .studentName, .getValue (name) .setValue (name, value),

.derandomize (seed)

shapes

BASIC OBJECTS

- <circle center size color ...>
- <core center size color ...>
- <cube center size color ...>
- <cvlinder center size color ...>
- center/from to color ...>
- <point center size color ...>
- <polygon count center size color ...>
- count center size color ...>
- <pvramid count center size color ...>
- <sphere center size color ...>
- <square center size color ...>
 - <... id spin image images wireframe>

BASIC PROPERTIES

- center = "x, v, z"
- color = "colorname" / "OxFFFFFF", "r,q,b"
 - = "**rqb** (r,q,b)"²⁵⁵ / "**hsl** (h³⁶⁰,s¹⁰⁰,l¹⁰⁰)"
- count = "count" / "count, count"
- id = "string"
- image = "drawing" / "filename"
- images = "count" / "count, count"
- size = "width" / "width, height, depth"
- spin = "spinH" / "spinH, spinV, spinT, spinS"
- visible / hidden = "bool"
- wireframe = "hnnl"

ADVANCED PROPERTIES

<clone src1 center size color ...>

ADVANCED OBJECTS

- <construct expression center size color>
- <convex src2 size color ...>
- <group center size color ...> ... </group>
- <model filename center size ...>
- <surface center curve³ count size color ...>
- <text3d text font | center size color ...>
- <tube center curve² radius count size color ...>
- <extrude shape center size color radius offset count^{1.2}>
- <splane src^{2,5} closed interpolating >
- <splane src^{3,4} closed^{1,2} interpolating^{1,2}>
 - <... id spin image images wireframe>

- closed = "hool" / "hool, hool"2
- **curve**² = "point; ..." / "spline" / "func(u)"
 - 3 = "point; ... | ... " / "splane" / "func(u,v)"
- expression = "string" A+B, A-B, A*B, (...)
- **font**| = "fontname.json"
- interpolating = "bool" / "bool, bool"2
- **src** = "id" / "point; ..." / "func(u)" 5
 - = "point; ... | ... "3 / "func(u,v)" 4
- closed vs open, cw vs ccw

interpolating vs approximating

SUICA

- <suica width height background orientation proactive perspective orthographic fullWindow fullScreen stereo anaglyph vr> ... </suica>
- <background color>
- oxyz size color>
- <demo distance altitude speed>
- <orbit id distance altitude speed>
- <trackhall id distance altitude>
- <lookAt from to up>
- <perspective near far fov>
- <orthographic near far>
- <fullWindow>
- <fullScreen>
- <stereo distance>
- <anaglyph distance>
- <capture filename time fps format skipframes>

EVENTS

onPointerEnter. onPointerLeave. onPointerMove. onPointerDown, onPointerUp, onClick, onTime, onLoad

- <tao ... eventName="eventHandler">
- oactive>

DRAWINGS & SHAPES

- <drawing size color>
- <shape count>
- <moveTo point>
- lineTo point>
- <curveTo m point>
- <arc point radius from to cw>
- <stroke color width closed>
- <fill color>
- <fillText point text color font>
- <clear color>
- point="x, y" or x="x" y="y" font="bold 20px Courier"

LMS

<scorm>name</scorm>

studentld, studentName, score, cmi,core...