

Prof. Dr. Boas Pucker

Python - Functions


Availability of slides

- All materials are freely available (CC BY) - after the lectures:
 - GitHub: <https://github.com/bpucker/teaching/tree/master/WBIO-A-07>
- Questions: Feel free to ask at any time
- Feedback, comments, or questions: [pucker\[a\]uni-bonn.de](mailto:pucker[a]uni-bonn.de)



My figures and content can be re-used in accordance with CC BY 4.0, but this might not apply to all images/logos.

What is a function?



Elements of a function

```
1  #def: Function indicator
2  #sqrt_root_calculator: function name (no spaces in name!)
3  #number: argument/parameter
4
5  def sqrt_root_calculator( number ):
6      """ calculates sqrt root of given number """
7
8      sqrt_root = number**0.5 #calculation
9
10     #Body of function (everything happens here)
11
12     return sqrt_root      #return of result (optional)
13     #Function ends at return (following lines would be ignored)
14
15     #Function is only defined (nothing happens to this point)
16
17     result = sqrt_root_calculator( 125 )    #function call
18     #Calling function with an argument (definition above is required)
```

Advantages of functions

- Generate modules: write it once and apply it often (for different purposes)
- Structure: increase readability of your code
- Nested calculations are enabled by functions

```
1 def get_gc_content( seq ):  
2     """ calculates GC content of given sequence """  
3     return float( seq.count('G')+ seq.count('C') ) / len(seq)  
4  
5 gc_content = get_gc_content("ATGCGACTCAATGCA")  
6 print(gc_content)
```

Important functions

- `str(<VARIABLE>)` #converts variable to string
 - `int(<VARIABLE>)` #converts variable to integer
 - `float(<VARIABLE>)` #converts variable to float
 - `<STRING1>.count('<STRING2>')` #counts occurrences of string2 in string1
 - `<LISTE>.count(<LISTELEMENT>)` #counts occurrences of element in list
 - `len(<STRING/LIST>)` #calculate length of string/list
-
- Warning: Functions return error if invalid arguments (e.g. wrong variable type) are given!

Exercises - Part2

- Primer: 'ATGCCATGCATTCGACTACG'
- 2.1) Calculate length of primer and print it!
- 2.2) Get number of Gs and print it!
- 2.3) Write a function to analyze the nucleotide composition of a primer and print it!
- 2.4) Write a function that calculates the annealing temperature?
 - 2+4 rule: A/T = 2 degrees; G/C = 4 degrees
- 2.5) Is it a suitable primer? Why (not)?

Time for questions!