

## Codebook

### DETECT 5-Year Data: Follow-Up Interviews: Observational Measures

<b>Dataset name:</b>	medstar/03_medstar_observational
<b>Dataset size:</b>	1.9 Mb
<b>Column count:</b>	230
<b>Row count:</b>	935
<b>Updated date:</b>	2025-04-28

#### Description:

From 'observational\_measures\_import.csv' file from FileMaker Pro

#### Column Attributes:

1	Column name:	id		
	Column description:	Cross-set unique subject ID		
	Source information:	DETECT		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	782		
	Missing value count:	0		
	Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
	28	1	2994	5
	47	1	9748	5
	129	1	38063	5
	223	1	40179	5
	240	1	3424	10
2	Column name:	id_ms		

Column description: MedStar within-set unique subject ID

Source information: DETECT

Column type: Categorical

Data type: Integer

Unique non-missing value count: 782

Missing value count: 0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
33	1	683	5
58	1	767	5
190	1	916	5
227	1	14293	5
243	1	2201	10

<b>3</b>	<b>Column name:</b>	<b>ms_resp_num</b>
----------	---------------------	--------------------

Column description: EMS response number (sequential)

Source information: DETECT

Column type: Categorical

Data type: Integer

Unique non-missing value count: 935

Missing value count: 0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
176	1	89977	1
1579	1	90039	1
1911	1	90243	1
2156	1	90753	1
2368	1	90921	1

<b>4</b>	<b>Column name:</b>	<b>ms_record_num</b>
----------	---------------------	----------------------

Column description: EMS record number (sequential)

Source information: DETECT

Column type: Categorical

Data type: Integer

Unique non-missing value count: 935

Missing value count: 0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
176	1	89989	1
1579	1	90051	1
1911	1	90255	1
2156	1	90765	1
2368	1	90933	1

<b>5</b>	<b>Column name:</b>	<b>x_primary_key</b>
----------	---------------------	----------------------

Column description: Unique record ID created by the FileMaker Pro Database

Source information: FileMaker Pro

Column type: Character

Data type: Character

Unique non-missing value count: 935

Missing value count: 0

<b>6</b>	<b>Column name:</b>	<b>x_created_timestamp</b>
----------	---------------------	----------------------------

Column description: Timestamp of when the record was made in FileMaker Pro

Source information: FileMaker Pro

Column type: Time

Data type: Numeric

Unique non-missing value count: 935

Missing value count: 0

Statistic	Value	Frequency	Percentage
Minimum	1567699749	1	0.11
Mode	All 935 values	1	0.11
Maximum	1685555861	1	0.11

<b>7</b>	<b>Column name:</b>	<b>x_created_by</b>
----------	---------------------	---------------------

Column description: Use who created the record in FileMaker Pro

Source information: FileMaker Pro

Column type: Character

Data type: Character

Unique non-missing value count: 29

Missing value count: 0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Ddormady	1	lyang	90
Jhorn	1	jantman	94
PDitto	1	jaycox	97
aswiney	1	dsnell	125
awalker	1	aterrazas	246

<b>8</b>	<b>Column name:</b>	<b>x_modified_by</b>
----------	---------------------	----------------------

Column description: User that last modified the record in FileMaker Pro

Source information: FileMaker Pro

Column type: Character

Data type: Character

Unique non-missing value count: 30

Missing value count: 0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Jhorn	1	lyang	89
PDitto	1	jantman	92
awalker	1	jaycox	99
rmoren	1	dsnell	121
tstein	1	aterrazas	244

9	Column name:	x_modified_timestamp
---	--------------	----------------------

Column description: Timestamp of when the record was last modified in FileMaker Pro

Source information: FileMaker Pro

Column type: Time

Data type: Numeric

Unique non-missing value count: 935

Missing value count: 0

Statistic	Value	Frequency	Percentage
Minimum	1567700334	1	0.11
Mode	All 935 values	1	0.11
Maximum	1685605499	1	0.11

10	Column name:	x_record_status
----	--------------	-----------------

Column description: Status of the Record

Source information: DETECT

Column type: Character

Data type: Character

Unique non-missing value count: 2

Missing value count: 0

Categories	Frequency	Cumulative Frequency	Percent
Complete	895	895	95.72
Incomplete	40	935	4.28

11	Column name:	x_record_year
----	--------------	---------------

Column description: Related year of the record

Source information: FileMaker Pro

Column type: Time

Data type: Numeric

Unique non-missing value count: 5

Missing value count: 0

Statistic	Value	Frequency	Percentage
Minimum	2019	113	12.09
Mode	2022	276	29.52
Maximum	2023	98	10.48

<b>12</b>	<b>Column name:</b>	<b>x_record_month</b>
-----------	---------------------	-----------------------

Column description: Related month of the record

Source information: FileMaker Pro

Column type: Time

Data type: Character

Unique non-missing value count: 12

Missing value count: 0

Statistic	Value	Frequency	Percentage
Minimum	April	65	6.95
Mode	August	117	12.51
Maximum	September	82	8.77

<b>13</b>	<b>Column name:</b>	<b>x_error_message</b>
-----------	---------------------	------------------------

Column description: Any database error messages associated with the record

Source information: FileMaker Pro

Column type: Character

Data type: Logical

Unique non-missing value count: 0

Missing value count: 935

Categories	Frequency	Cumulative Frequency	Percent
Missing	935	935	100.00

<b>14</b>	<b>Column name:</b>	<b>x_record_comment</b>
-----------	---------------------	-------------------------

Column description: Comments within the record

Source information: DETECT

Column type: Character

Data type: Logical

Unique non-missing value count: 0

Missing value count: 935

Categories	Frequency	Cumulative Frequency	Percent
Missing	935	935	100.00

<b>15</b>	<b>Column name:</b>	<b>clothes_5cat</b>
-----------	---------------------	---------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale General Assessment: Clothes. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 4

Missing value count: 729

Value labels:

0 = 0 - Clean/neat

1 = 1

2 = 2

3 = 3

4 = 4 - Very soiled

Categories	Frequency	Cumulative Frequency	Percent
0	127	127	13.58
1	62	189	6.63
2	14	203	1.50
3	3	206	0.32
Missing	729	935	77.97

<b>16</b>	<b>Column name:</b>	<b>clothes_5cat_f</b>
-----------	---------------------	-----------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale General Assessment: Clothes. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	4
Missing value count:	729

Categories	Frequency	Cumulative Frequency	Percent
1	127	127	13.58
2	62	189	6.63
3	14	203	1.50
4	3	206	0.32
Missing	729	935	77.97

<b>17</b>	<b>Column name:</b>	<b>hygiene_4cat</b>
-----------	---------------------	---------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Hygiene. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	728
Value labels:	1 = Very good 2 = Good 3 = Poor 4 = Very Poor

Categories	Frequency	Cumulative Frequency	Percent
1	106	106	11.34



2	92	198	9.84
3	8	206	0.86
4	1	207	0.11
Missing	728	935	77.86

18	Column name:	hygiene_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Hygiene. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	4		
	Missing value count:	728		
	Categories	Frequency	Cumulative Frequency	Percent
	1	106	106	11.34
	2	92	198	9.84
	3	8	206	0.86
	4	1	207	0.11
	Missing	728	935	77.86

19	Column name:	poor_hygiene
----	--------------	--------------

19	Column name:	poor_hygiene
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Poor hygiene. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	4
	Missing value count:	729
	Value labels:	0 = No evidence

1 = Possible evidence

2 = Probable evidence

3 = Definite evidence

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	198	198	21.18
1	5	203	0.53
2	2	205	0.21
8	1	206	0.11
Missing	729	935	77.97

20	Column name:	poor_hygiene_4cat
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Poor hygiene. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	3
	Missing value count:	730
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	198	198	21.18
1	5	203	0.53
2	2	205	0.21
Missing	730	935	78.07

21	Column name:	poor_hygiene_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Poor hygiene. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	730		
	Value labels:	1 = Very good 2 = Good 3 = Poor 4 = Very Poor 8 = Unable to assess		
	Categories	Frequency	Cumulative Frequency	Percent
	1	198	198	21.18
	2	5	203	0.53
	3	2	205	0.21
	Missing	730	935	78.07

22	Column name:	nutrition		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Nutrition. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	4		
	Missing value count:	729		
	Categories	Frequency	Cumulative Frequency	Percent

1	104	104	11.12
2	96	200	10.27
3	5	205	0.53
8	1	206	0.11
Missing	729	935	77.97

<b>23</b>	<b>Column name:</b>	<b>nutrition_4cat</b>
-----------	---------------------	-----------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Nutrition. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	730
Value labels:	1 = Very good 2 = Good 3 = Poor 4 = Very Poor

Categories	Frequency	Cumulative Frequency	Percent
1	104	104	11.12
2	96	200	10.27
3	5	205	0.53
Missing	730	935	78.07

<b>24</b>	<b>Column name:</b>	<b>nutrition_4cat_f</b>
-----------	---------------------	-------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Nutrition. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 3

Missing value count: 730

Categories	Frequency	Cumulative Frequency	Percent
1	104	104	11.12
2	96	200	10.27
3	5	205	0.53
Missing	730	935	78.07

<b>25</b>	<b>Column name:</b>	<b>malnutrition</b>
-----------	---------------------	---------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Malnutrition. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 731

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	199	199	21.28
1	1	200	0.11
8	4	204	0.43
Missing	731	935	78.18

<b>26</b>	<b>Column name:</b>	<b>malnutrition_4cat</b>
-----------	---------------------	--------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Malnutrition. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	735
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	199	199	21.28
1	1	200	0.11
Missing	735	935	78.61

<b>27</b>	<b>Column name:</b>	<b>malnutrition_4cat_f</b>
-----------	---------------------	----------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Malnutrition. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	735

Categories	Frequency	Cumulative Frequency	Percent
1	199	199	21.28
2	1	200	0.11

Missing	735	935	78.61
---------	-----	-----	-------

28	Column name:	skin_integrity_4cat		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Skin integrity. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	3		
	Missing value count:	730		
	Value labels:	1 = Very good		
		2 = Good		
		3 = Poor		
		4 = Very Poor		
	Categories	Frequency	Cumulative Frequency	Percent
	1	104	104	11.12
	2	98	202	10.48
	3	3	205	0.32
	Missing	730	935	78.07

29	Column name:	skin_integrity_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Skin integrity. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	730		

Categories	Frequency	Cumulative Frequency	Percent
1	104	104	11.12
2	98	202	10.48
3	3	205	0.32
Missing	730	935	78.07

<b>30</b>	<b>Column name:</b>	<b>hair_5cat</b>
-----------	---------------------	------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale General Assessment: Hair. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	729
Value labels:	0 = 0 - Clean/combed
	1 = 1
	2 = 2
	3 = 3
	4 = 4 - Matted/dirty

Categories	Frequency	Cumulative Frequency	Percent
0	130	130	13.90
1	65	195	6.95
2	9	204	0.96
3	2	206	0.21
Missing	729	935	77.97

<b>31</b>	<b>Column name:</b>	<b>hair_5cat_f</b>
-----------	---------------------	--------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale General Assessment: Hair. (Question
---------------------	---



	used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	4
Missing value count:	729

Categories	Frequency	Cumulative Frequency	Percent
1	130	130	13.90
2	65	195	6.95
3	9	204	0.96
4	2	206	0.21
Missing	729	935	77.97

<b>32</b>	<b>Column name:</b>	<b>nails_5cat</b>
-----------	---------------------	-------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale General Assessment: Nails. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	730
Value labels:	0 = 0 - Clean/trimmed 1 = 1 2 = 2 3 = 3 4 = 4 - Long/untrimmed/dirty

Categories	Frequency	Cumulative Frequency	Percent
0	124	124	13.26

1	70	194	7.49
2	8	202	0.86
3	2	204	0.21
4	1	205	0.11
Missing	730	935	78.07

<b>33</b>	<b>Column name:</b>	<b>nails_5cat_f</b>
-----------	---------------------	---------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale General Assessment: Nails. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	730

Categories	Frequency	Cumulative Frequency	Percent
1	124	124	13.26
2	70	194	7.49
3	8	202	0.86
4	2	204	0.21
5	1	205	0.11
Missing	730	935	78.07

<b>34</b>	<b>Column name:</b>	<b>bruising</b>
-----------	---------------------	-----------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Bruising. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3

Missing value count: 731

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	200	200	21.39
1	1	201	0.11
8	3	204	0.32
Missing	731	935	78.18

<b>35</b>	<b>Column name:</b>	<b>bruising_4cat</b>
-----------	---------------------	----------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Bruising. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 734

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	200	200	21.39
1	1	201	0.11
Missing	734	935	78.50

<b>36</b>	<b>Column name:</b>	<b>bruising_4cat_f</b>
-----------	---------------------	------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Bruising. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	734

Categories	Frequency	Cumulative Frequency	Percent
1	200	200	21.39
2	1	201	0.11
Missing	734	935	78.50

<b>37</b>	<b>Column name:</b>	<b>fractures</b>
-----------	---------------------	------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Fractures. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	728
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	200	200	21.39

3	3	203	0.32
8	4	207	0.43
Missing	728	935	77.86

38	Column name:	fractures_4cat
----	--------------	----------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Fractures. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	732
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	200	200	21.39
3	3	203	0.32
Missing	732	935	78.29

39	Column name:	fractures_4cat_f
----	--------------	------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Fractures. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2

Missing value count: 732

Categories	Frequency	Cumulative Frequency	Percent
1	200	200	21.39
4	3	203	0.32
Missing	732	935	78.29

<b>40</b>	<b>Column name:</b>	<b>stages_healing</b>
-----------	---------------------	-----------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Various stages of healing of any bruises or fractures/ (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 728

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	201	201	21.50
3	1	202	0.11
8	5	207	0.53
Missing	728	935	77.86

<b>41</b>	<b>Column name:</b>	<b>stages_healing_4cat</b>
-----------	---------------------	----------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Various stages of healing of any bruises or fractures/ (Question

	used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	733
Value labels:	0 = No evidence
	1 = Possible evidence
	2 = Probable evidence
	3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	201	201	21.50
3	1	202	0.11
Missing	733	935	78.40

<b>42</b>	<b>Column name:</b>	<b>stages_healing_4cat_f</b>
-----------	---------------------	------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Various stages of healing of any bruises or fractures/ (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	733

Categories	Frequency	Cumulative Frequency	Percent
1	201	201	21.50
4	1	202	0.11
Missing	733	935	78.40

43	Column name:	abuse_statement		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Statement by older adult related to abuse. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	4		
	Missing value count:	729		
	Value labels:	0 = No evidence  1 = Possible evidence  2 = Probable evidence  3 = Definite evidence  8 = Unable to assess		
	Categories	Frequency	Cumulative Frequency	Percent
	0	200	200	21.39
	2	1	201	0.11
	3	3	204	0.32
	8	2	206	0.21
	Missing	729	935	77.97
44	Column name:	abuse_statement_4cat		



Value labels:

0 = No evidence

1 = Possible evidence

2 = Probable evidence

3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	200	200	21.39
2	1	201	0.11
3	3	204	0.32
Missing	731	935	78.18

45	Column name:	abuse_statement_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Statement by older adult related to abuse. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	731		
	Categories	Frequency	Cumulative Frequency	Percent
	1	200	200	21.39
	3	1	201	0.11
	4	3	204	0.32
	Missing	731	935	78.18
46	Column name:	contracture		

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 730

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	201	201	21.50
1	1	202	0.11
8	3	205	0.32
Missing	730	935	78.07

47	Column name:	contracture_4cat		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Contractures. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	2		
	Missing value count:	733		
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence		
	Categories	Frequency	Cumulative Frequency	Percent
	0	201	201	21.50

1	1	202	0.11
Missing	733	935	78.40

48	Column name:	contracture_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Contractures. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	2		
	Missing value count:	733		
	Categories	Frequency	Cumulative Frequency	Percent
	1	201	201	21.50
	2	1	202	0.11
	Missing	733	935	78.40

49	Column name:	decubitus		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Decubitii (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	3		
	Missing value count:	730		
	Value labels:	0 = No evidence		
		1 = Possible evidence		
		2 = Probable evidence		
		3 = Definite evidence		

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	167	167	17.86
1	2	169	0.21
8	36	205	3.85
Missing	730	935	78.07

50	Column name:	decubitus_4cat		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Decubitii (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	2		
	Missing value count:	766		
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence		
	Categories	Frequency	Cumulative Frequency	Percent
	0	167	167	17.86
	1	2	169	0.21
	Missing	766	935	81.93
51	Column name:	decubitus_4cat_f		

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Decubitii (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 766

Categories	Frequency	Cumulative Frequency	Percent
1	167	167	17.86
2	2	169	0.21
Missing	766	935	81.93

<b>52</b>	<b>Column name:</b>	<b>dehydration</b>
-----------	---------------------	--------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Dehydration. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 729

Value labels:  
0 = No evidence  
1 = Possible evidence  
2 = Probable evidence  
3 = Definite evidence  
8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	196	196	20.96
1	1	197	0.11
8	9	206	0.96
Missing	729	935	77.97

<b>53</b>	<b>Column name:</b>	<b>dehydration_4cat</b>
-----------	---------------------	-------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Dehydration. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	738
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	196	196	20.96
1	1	197	0.11
Missing	738	935	78.93

<b>54</b>	<b>Column name:</b>	<b>dehydration_4cat_f</b>
-----------	---------------------	---------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Dehydration. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	738

Categories	Frequency	Cumulative Frequency	Percent
1	196	196	20.96
2	1	197	0.11
Missing	738	935	78.93

<b>55</b>	<b>Column name:</b>	<b>diarrhea</b>
-----------	---------------------	-----------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Diarrhea. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	731
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	176	176	18.82
8	28	204	2.99
Missing	731	935	78.18

<b>56</b>	<b>Column name:</b>	<b>diarrhea_4cat</b>
-----------	---------------------	----------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Diarrhea. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	1
Missing value count:	759
Value labels:	0 = No evidence

1 = Possible evidence

2 = Probable evidence

3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	176	176	18.82
Missing	759	935	81.18

<b>57</b>	<b>Column name:</b>	<b>diarrhea_4cat_f</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Diarrhea. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	1
	Missing value count:	759

Categories	Frequency	Cumulative Frequency	Percent
1	176	176	18.82
Missing	759	935	81.18

<b>58</b>	<b>Column name:</b>	<b>depression</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Depression. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	5
	Missing value count:	729
	Value labels:	0 = No evidence



1 = Possible evidence

2 = Probable evidence

3 = Definite evidence

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	175	175	18.72
1	14	189	1.50
2	10	199	1.07
3	3	202	0.32
8	4	206	0.43
Missing	729	935	77.97

<b>59</b>	<b>Column name:</b>	<b>depression_4cat</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Depression. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	4
	Missing value count:	733
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	175	175	18.72
1	14	189	1.50
2	10	199	1.07
3	3	202	0.32

Missing	733	935	78.40
---------	-----	-----	-------

60	Column name:	depression_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Depression. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	4		
	Missing value count:	733		
	Categories	Frequency	Cumulative Frequency	Percent
	1	175	175	18.72
	2	14	189	1.50
	3	10	199	1.07
	4	3	202	0.32
	Missing	733	935	78.40

61	Column name:	impaction		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Impaction. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	2		
	Missing value count:	733		
	Value labels:	0 = No evidence		
		1 = Possible evidence		
		2 = Probable evidence		

3 = Definite evidence

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	163	163	17.43
8	39	202	4.17
Missing	733	935	78.40

<b>62</b>	<b>Column name:</b>	<b>impaction_4cat</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Impaction. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	1
	Missing value count:	772
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	163	163	17.43
Missing	772	935	82.57

<b>63</b>	<b>Column name:</b>	<b>impaction_4cat_f</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Impaction. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical

Data type: Integer

Unique non-missing value count: 1

Missing value count: 772

Categories	Frequency	Cumulative Frequency	Percent
1	163	163	17.43
Missing	772	935	82.57

<b>64</b>	<b>Column name:</b>	<b>urine_burn</b>
-----------	---------------------	-------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Urine burns. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 730

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	161	161	17.22
8	44	205	4.71
Missing	730	935	78.07

<b>65</b>	<b>Column name:</b>	<b>urine_burn_4cat</b>
-----------	---------------------	------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Urine burns. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 1

Missing value count: 774

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	161	161	17.22
Missing	774	935	82.78

<b>66</b>	<b>Column name:</b>	<b>urine_burn_4cat_f</b>
-----------	---------------------	--------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Urine burns. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 1

Missing value count: 774

Categories	Frequency	Cumulative Frequency	Percent
1	161	161	17.22
Missing	774	935	82.78

<b>67</b>	<b>Column name:</b>	<b>obvious_disease</b>
-----------	---------------------	------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Failure to respond to warning of obvious disease. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 730

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	196	196	20.96
1	2	198	0.21
8	7	205	0.75
Missing	730	935	78.07

68	Column name:	obvious_disease_4cat
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Failure to respond to warning of obvious disease. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	2
	Missing value count:	737
	Value labels:	0 = No evidence
		1 = Possible evidence
		2 = Probable evidence
		3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	196	196	20.96
1	2	198	0.21
Missing	737	935	78.82

<b>69</b>	<b>Column name:</b>	<b>obvious_disease_4cat_f</b>
-----------	---------------------	-------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Failure to respond to warning of obvious disease. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	737

Categories	Frequency	Cumulative Frequency	Percent
1	196	196	20.96
2	2	198	0.21
Missing	737	935	78.82

<b>70</b>	<b>Column name:</b>	<b>inappropriate_medication</b>
-----------	---------------------	---------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Inappropriate medications (over/under). (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	728
Value labels:	0 = No evidence

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	167	167	17.86
1	1	168	0.11
8	39	207	4.17
Missing	728	935	77.86

71	Column name:	inappropriate_medication_4cat		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Inappropriate medications (over/under). (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	2		
	Missing value count:	767		
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence		
	Categories	Frequency	Cumulative Frequency	Percent
	0	167	167	17.86
	1	1	168	0.11
	Missing	767	935	82.03
72	Column name:	inappropriate_medication_4cat_f		



Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Inappropriate medications (over/under). (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	767

Categories	Frequency	Cumulative Frequency	Percent
1	167	167	17.86
2	1	168	0.11
Missing	767	935	82.03

<b>73</b>	<b>Column name:</b>	<b>repetitive_hosp_admission</b>
-----------	---------------------	----------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Repetitive hospital admissions due to probable failure of health care surveillance. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	728
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	180	180	19.25

8	27	207	2.89
Missing	728	935	77.86

74	Column name:	repetitive_hosp_admission_4cat	
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Repetitive hospital admissions due to probable failure of health care surveillance. (Question used in older version of the follow-up interview until 08/25/2020.)	
	Source information:	DETECT Follow-Up Interviews	
	Column type:	Categorical	
	Data type:	Numeric	
	Unique non-missing value count:	1	
	Missing value count:	755	
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence	
	Categories	Frequency	Cumulative Frequency
	0	180	180
	Missing	755	935
			Percent
	0	180	19.25
	Missing	755	80.75
75	Column name:	repetitive_hosp_admission_4cat_f	
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Repetitive hospital admissions due to probable failure of health care surveillance. (Question used in older version of the follow-up interview until 08/25/2020.)	
	Source information:	DETECT Follow-Up Interviews	
	Column type:	Categorical	
	Data type:	Integer	
	Unique non-missing value count:	1	
	Missing value count:	755	

Categories	Frequency	Cumulative Frequency	Percent
1	180	180	19.25
Missing	755	935	80.75

<b>76</b>	<b>Column name:</b>	<b>neglect_statement</b>
-----------	---------------------	--------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Statement by older adult related to neglect. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	730
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	195	195	20.86
1	1	196	0.11
8	9	205	0.96
Missing	730	935	78.07

<b>77</b>	<b>Column name:</b>	<b>neglect_statement_4cat</b>
-----------	---------------------	-------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Statement by older adult related to neglect. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 739

Value labels:

0 = No evidence

1 = Possible evidence

2 = Probable evidence

3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	195	195	20.86
1	1	196	0.11
Missing	739	935	79.04

<b>78</b>	<b>Column name:</b>	<b>neglect_statement_4cat_f</b>
-----------	---------------------	---------------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Statement by older adult related to neglect. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 739

Categories	Frequency	Cumulative Frequency	Percent
1	195	195	20.86
2	1	196	0.11
Missing	739	935	79.04

<b>79</b>	<b>Column name:</b>	<b>money_misuse</b>
-----------	---------------------	---------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Misuse of money. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 5

Missing value count: 732

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	196	196	20.96
1	2	198	0.21
2	1	199	0.11
3	1	200	0.11
8	3	203	0.32
Missing	732	935	78.29

<b>80</b>	<b>Column name:</b>	<b>money_misuse_4cat</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Misuse of money. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	4
	Missing value count:	735
	Value labels:	0 = No evidence
		1 = Possible evidence
		2 = Probable evidence

3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	196	196	20.96
1	2	198	0.21
2	1	199	0.11
3	1	200	0.11
Missing	735	935	78.61

81	Column name:	money_misuse_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Misuse of money. (Question used in older version of the follow up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	4		
	Missing value count:	735		
	Categories	Frequency	Cumulative Frequency	Percent
	1	196	196	20.96
	2	2	198	0.21
	3	1	199	0.11
	4	1	200	0.11
	Missing	735	935	78.61

82	Column name:	evidence
----	--------------	----------

Unique non-missing value count: 4

Missing value count: 730

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	169	169	18.07
1	1	170	0.11
3	1	171	0.11
8	34	205	3.64
Missing	730	935	78.07

<b>83</b>	<b>Column name:</b>	<b>evidence_4cat</b>
-----------	---------------------	----------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Evidence. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 764

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	169	169	18.07
1	1	170	0.11

3	1	171	0.11
Missing	764	935	81.71

84	Column name:	evidence_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Evidence. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	764		
	Categories	Frequency	Cumulative Frequency	Percent
	1	169	169	18.07
	2	1	170	0.11
	4	1	171	0.11
	Missing	764	935	81.71

85	Column name:	goods_for_services
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Reports of demands for goods in exchange for service. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	3
	Missing value count:	731
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence



3 = Definite evidence

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	199	199	21.28
1	2	201	0.21
8	3	204	0.32
Missing	731	935	78.18

<b>86</b>	<b>Column name:</b>	<b>goods_for_services_4cat</b>
-----------	---------------------	--------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Reports of demands for goods in exchange for service. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	734
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	199	199	21.28
1	2	201	0.21
Missing	734	935	78.50

<b>87</b>	<b>Column name:</b>	<b>goods_for_services_4cat_f</b>
-----------	---------------------	----------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Reports of demands for goods in exchange for service.
---------------------	---

	(Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	734

Categories	Frequency	Cumulative Frequency	Percent
1	199	199	21.28
2	2	201	0.21
Missing	734	935	78.50

<b>88</b>	<b>Column name:</b>	<b>inability_account_money</b>
-----------	---------------------	--------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Inability to account for money/property. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	730
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	201	201	21.50
1	1	202	0.11
8	3	205	0.32

Missing

730

935

78.07

89	Column name:	inability_account_money_4cat		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Inability to account for money/property. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	2		
	Missing value count:	733		
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence		
	Categories	Frequency	Cumulative Frequency	Percent
	0	201	201	21.50
	1	1	202	0.11
	Missing	733	935	78.40
90	Column name:	inability_account_money_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Inability to account for money/property. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	2		
	Missing value count:	733		

Categories	Frequency	Cumulative Frequency	Percent
1	201	201	21.50
2	1	202	0.11
Missing	733	935	78.40

91	Column name:	exploitation_statement
----	--------------	------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Statement by older adult related to exploitation. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	730
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	202	202	21.60
1	1	203	0.11
3	1	204	0.11
8	1	205	0.11
Missing	730	935	78.07

92	Column name:	exploitation_statement_4cat
----	--------------	-----------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Statement by older adult related to exploitation.
---------------------	---

	(Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	731
Value labels:	0 = No evidence
	1 = Possible evidence
	2 = Probable evidence
	3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	202	202	21.60
1	1	203	0.11
3	1	204	0.11
Missing	731	935	78.18

93	Column name:	exploitation_statement_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Statement by older adult related to exploitation. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	731		
	Categories	Frequency	Cumulative Frequency	Percent
	1	202	202	21.60
	2	1	203	0.11
	4	1	204	0.11

Missing	731	935	78.18
---------	-----	-----	-------

94	Column name:	caretaker_withdrawn_care		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Evidence that a caretaker has withdrawn care precipitously without alternate arrangements. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	4		
	Missing value count:	747		
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence 8 = Unable to assess		
	Categories	Frequency	Cumulative Frequency	Percent
	0	177	177	18.93
	1	2	179	0.21
	3	1	180	0.11
	8	8	188	0.86
	Missing	747	935	79.89
95	Column name:	caretaker_withdrawn_care_4cat		

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 755

Value labels:

0 = No evidence

1 = Possible evidence

2 = Probable evidence

3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	177	177	18.93
1	2	179	0.21
3	1	180	0.11
Missing	755	935	80.75

96	Column name:	caretaker_withdrawn_care_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Evidence that a caretaker has withdrawn care precipitously without alternate arrangements. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	755		
	Categories	Frequency	Cumulative Frequency	Percent
	1	177	177	18.93
	2	2	179	0.21
	4	1	180	0.11
	Missing	755	935	80.75

<b>97</b>	<b>Column name:</b>	<b>left_alone_unsafe</b>
-----------	---------------------	--------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Evidence that older adult is left alone in an unsafe environment for extended periods of time without adequate support. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 743

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	186	186	19.89
1	2	188	0.21
8	4	192	0.43
Missing	743	935	79.47

<b>98</b>	<b>Column name:</b>	<b>left_alone_unsafe_4cat</b>
-----------	---------------------	-------------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Evidence that older adult is left alone in an unsafe environment for extended periods of time without adequate support. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2



Missing value count: 747

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	186	186	19.89
1	2	188	0.21
Missing	747	935	79.89

<b>99</b>	<b>Column name:</b>	<b>left_alone_unsafe_4cat_f</b>
-----------	---------------------	---------------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Evidence that older adult is left alone in an unsafe environment for extended periods of time without adequate support. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 747

Categories	Frequency	Cumulative Frequency	Percent
1	186	186	19.89
2	2	188	0.21
Missing	747	935	79.89

<b>100</b>	<b>Column name:</b>	<b>abandonment_statement</b>
------------	---------------------	------------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Statement by older adults regarding abandonment. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 739

Categories	Frequency	Cumulative Frequency	Percent
0	191	191	20.43
1	1	192	0.11
8	4	196	0.43
Missing	739	935	79.04

<b>101</b>	<b>Column name:</b>	<b>abandonment_statement_4cat</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Statement by older adults regarding abandonment. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	2
	Missing value count:	743
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	191	191	20.43
1	1	192	0.11
Missing	743	935	79.47

<b>102</b>	<b>Column name:</b>	<b>abandonment_statement_4cat_f</b>
------------	---------------------	-------------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Statement by older adults regarding abandonment. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	743
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
1	191	191	20.43
2	1	192	0.11
Missing	743	935	79.47

<b>103</b>	<b>Column name:</b>	<b>yard_sidewalk_5cat</b>
------------	---------------------	---------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Yard/Sidewalk. (Question used in older version of the follow-up interview until 9/24/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	746
Value labels:	0 = 0 - Net/well kept/no trash, debris 1 = 1

2 = 2

3 = 3

4 = 4 - Poorly maintained/trash, debris

Categories	Frequency	Cumulative Frequency	Percent
0	134	134	14.33
1	34	168	3.64
2	9	177	0.96
3	10	187	1.07
4	2	189	0.21
Missing	746	935	79.79

<b>104</b>	<b>Column name:</b>	<b>yard_sidewalk_5cat_f</b>
------------	---------------------	-----------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect  
Severity Environment status of subject: Yard/Sidewalk.  
(Question used in older version of the follow-up  
interview until 9/24/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 5

Missing value count: 746

Categories	Frequency	Cumulative Frequency	Percent
1	134	134	14.33
2	34	168	3.64
3	9	177	0.96
4	10	187	1.07
5	2	189	0.21
Missing	746	935	79.79

<b>105</b>	<b>Column name:</b>	<b>roof_5cat</b>
------------	---------------------	------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect  
Severity Environment status of subject: Roof. (Question

	used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	755
Value labels:	0 = 0 - Intact/no structural damage
	1 = 1
	2 = 2
	3 = 3
	4 = 4 - Dilapidated/poorly maintained, holes

Categories	Frequency	Cumulative Frequency	Percent
0	139	139	14.87
1	25	164	2.67
2	9	173	0.96
3	6	179	0.64
4	1	180	0.11
Missing	755	935	80.75

106	Column name:	roof_5cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Roof. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	5		
	Missing value count:	755		
	Categories	Frequency	Cumulative Frequency	Percent

1	139	139	14.87
2	25	164	2.67
3	9	173	0.96
4	6	179	0.64
5	1	180	0.11
Missing	755	935	80.75

<b>107</b>	<b>Column name:</b>	<b>windows_5cat</b>
------------	---------------------	---------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Windows. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	757
Value labels:	0 = 0 - Intact/not broken or missing  1 = 1  2 = 2  3 = 3  4 = 4 - Multiple sections broken/missing

Categories	Frequency	Cumulative Frequency	Percent
0	141	141	15.08
1	26	167	2.78
2	6	173	0.64
3	5	178	0.53
Missing	757	935	80.96

<b>108</b>	<b>Column name:</b>	<b>windows_5cat_f</b>
------------	---------------------	-----------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Windows.
---------------------	--

	(Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	4
Missing value count:	757

Categories	Frequency	Cumulative Frequency	Percent
1	141	141	15.08
2	26	167	2.78
3	6	173	0.64
4	5	178	0.53
Missing	757	935	80.96

<b>109</b>	<b>Column name:</b>	<b>walls_5cat</b>
------------	---------------------	-------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Walls (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	754
Value labels:	0 = 0 - Intact/no structural damage
	1 = 1
	2 = 2
	3 = 3
	4 = 4 - Dilapidated/poorly maintained, holes

Categories	Frequency	Cumulative Frequency	Percent
0	141	141	15.08

1	28	169	2.99
2	8	177	0.86
3	4	181	0.43
Missing	754	935	80.64

110	Column name:	walls_5cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Walls (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	4		
	Missing value count:	754		
	Categories	Frequency	Cumulative Frequency	Percent
	1	141	141	15.08
	2	28	169	2.99
	3	8	177	0.86
	4	4	181	0.43
	Missing	754	935	80.64

111	Column name:	odor_5cat
-----	--------------	-----------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Odor. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	742
Value labels:	0 = 0 - Normal household odor



1 = 1

2 = 2

3 = 3

4 = 4 - Pungent, unpleasant odor (may be human/animal waste, rotting food)

Categories	Frequency	Cumulative Frequency	Percent
0	150	150	16.04
1	29	179	3.10
2	6	185	0.64
3	5	190	0.53
4	3	193	0.32
Missing	742	935	79.36

<b>112</b>	<b>Column name:</b>	<b>odor_5cat_f</b>
------------	---------------------	--------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Odor. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 5

Missing value count: 742

Categories	Frequency	Cumulative Frequency	Percent
1	150	150	16.04
2	29	179	3.10
3	6	185	0.64
4	5	190	0.53
5	3	193	0.32
Missing	742	935	79.36

<b>113</b>	<b>Column name:</b>	<b>kitchen_cleanliness_5cat</b>
------------	---------------------	---------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Cleanliness - Kitchen. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	742
Value labels:	0 = 0 - Clean, no evidence of unsanitary conditions 1 = 1 2 = 2 3 = 3 4 = 4 - Very dirty, unwashed dishes, trash litter

Categories	Frequency	Cumulative Frequency	Percent
0	138	138	14.76
1	33	171	3.53
2	12	183	1.28
3	7	190	0.75
4	3	193	0.32
Missing	742	935	79.36

<b>114</b>	<b>Column name:</b>	<b>kitchen_cleanliness_5cat_f</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Cleanliness - Kitchen. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	5
	Missing value count:	742



Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Cleanliness - Bathroom. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	4
Missing value count:	776

Categories	Frequency	Cumulative Frequency	Percent
1	126	126	13.48
2	19	145	2.03
3	7	152	0.75
4	7	159	0.75
Missing	776	935	82.99

<b>117</b>	<b>Column name:</b>	<b>bedroom_cleanliness_5cat</b>
------------	---------------------	---------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Cleanliness - Bedroom. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	755
Value labels:	0 = 0 - Clean, no evidence of unsanitary conditions 1 = 1 2 = 2 3 = 3 4 = 4 - Very dirty, unwashed dishes, trash litter

Categories	Frequency	Cumulative Frequency	Percent
------------	-----------	----------------------	---------

0	124	124	13.26
1	36	160	3.85
2	12	172	1.28
3	7	179	0.75
4	1	180	0.11
Missing	755	935	80.75

<b>118</b>	<b>Column name:</b>	<b>bedroom_cleanliness_5cat_f</b>
------------	---------------------	-----------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Cleanliness - Bedroom. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	755

Categories	Frequency	Cumulative Frequency	Percent
1	124	124	13.26
2	36	160	3.85
3	12	172	1.28
4	7	179	0.75
5	1	180	0.11
Missing	755	935	80.75

<b>119</b>	<b>Column name:</b>	<b>living_room_cleanliness_5cat</b>
------------	---------------------	-------------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Cleanliness - Living room. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric

Unique non-missing value count: 5

Missing value count: 745

Value labels:

0 = 0 - Clean, no evidence of unsanitary conditions

1 = 1

2 = 2

3 = 3

4 = 4 - Very dirty, unwashed dishes, trash litter

Categories	Frequency	Cumulative Frequency	Percent
0	132	132	14.12
1	33	165	3.53
2	15	180	1.60
3	7	187	0.75
4	3	190	0.32
Missing	745	935	79.68

<b>120</b>	<b>Column name:</b>	<b>living_room_cleanliness_5cat_f</b>
------------	---------------------	---------------------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Cleanliness - Living room. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 5

Missing value count: 745

Categories	Frequency	Cumulative Frequency	Percent
1	132	132	14.12
2	33	165	3.53
3	15	180	1.60
4	7	187	0.75
5	3	190	0.32

Missing	745	935	79.68
---------	-----	-----	-------

121	Column name:	structural_problems_5cat
-----	--------------	--------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Structural problems. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	764
Value labels:	0 = 0 - No structural problems 1 = 1 2 = 2 3 = 3 4 = 4 - Severe structural damage (e.g., holes in sheetrock, floor leaking, ceiling)

Categories	Frequency	Cumulative Frequency	Percent
0	144	144	15.40
1	20	164	2.14
2	2	166	0.21
3	5	171	0.53
Missing	764	935	81.71

122	Column name:	structural_problems_5cat_f
-----	--------------	----------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Structural problems. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer

Unique non-missing value count: 4

Missing value count: 764

Categories	Frequency	Cumulative Frequency	Percent
1	144	144	15.40
2	20	164	2.14
3	2	166	0.21
4	5	171	0.53
Missing	764	935	81.71

<b>123</b>	<b>Column name:</b>	<b>pets_5cat</b>
------------	---------------------	------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Pets. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 760

Value labels:

0 = 0 - All animals cared for

1 = 1 - 1 or 2 - Uncared animals

2 = 2 - 3 or 4 - Uncared animals

3 = 3 - 5 or 6 - Uncared animals

4 = 4 - 6 or more - Uncared animals

Categories	Frequency	Cumulative Frequency	Percent
0	168	168	17.97
1	6	174	0.64
3	1	175	0.11
Missing	760	935	81.28

<b>124</b>	<b>Column name:</b>	<b>pets_5cat_f</b>
------------	---------------------	--------------------



Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Pets. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	760

Categories	Frequency	Cumulative Frequency	Percent
1	168	168	17.97
2	6	174	0.64
4	1	175	0.11
Missing	760	935	81.28

<b>125</b>	<b>Column name:</b>	<b>utilities_5cat</b>
------------	---------------------	-----------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Utilities. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	760
Value labels:	0 = 0 - All utilities work 1 = 1 - No phone 2 = 2 - No gas/electricity 3 = 3 - No water 4 = 4 - Multiple utilities do not work

Categories	Frequency	Cumulative Frequency	Percent
0	170	170	18.18

1	4	174	0.43
2	1	175	0.11
Missing	760	935	81.28

126	Column name:	utilities_5cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Utilities. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	760		
	Categories	Frequency	Cumulative Frequency	Percent
	1	170	170	18.18
	2	4	174	0.43
	3	1	175	0.11
	Missing	760	935	81.28

127	Column name:	unusual_odor		
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Unusual odors (e.g. urine, feces) that are unrelated to current medical conditions and/or are more extreme than expected given current medical conditions.		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	3		
	Missing value count:	74		
	Value labels:	0 = No		
		1 = Yes		

2 = No caregiver present

3 = Did not enter patient's home

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	840	840	89.84
1	15	855	1.60
8	6	861	0.64
Missing	74	935	7.91

<b>128</b>	<b>Column name:</b>	<b>unusual_odor_4cat</b>
------------	---------------------	--------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Unusual odors (e.g. urine, feces) that are unrelated to current medical conditions and/or are more extreme than expected given current medical conditions.

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 80

Value labels: 0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	840	840	89.84
1	15	855	1.60
Missing	80	935	8.56

<b>129</b>	<b>Column name:</b>	<b>unusual_odor_4cat_f</b>
------------	---------------------	----------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Unusual odors (e.g. urine, feces) that are unrelated to current medical

	conditions and/or are more extreme than expected given current medical conditions.
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	80

Categories	Frequency	Cumulative Frequency	Percent
1	15	15	1.60
2	840	855	89.84
Missing	80	935	8.56

<b>130</b>	<b>Column name:</b>	<b>disarray_hoarding</b>
------------	---------------------	--------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Inside of home is in extreme disarray/hoarding.
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	71

Categories	Frequency	Cumulative Frequency	Percent
0	799	799	85.45
1	39	838	4.17
3	13	851	1.39
8	13	864	1.39
Missing	71	935	7.59

<b>131</b>	<b>Column name:</b>	<b>disarray_hoarding_4cat</b>
------------	---------------------	-------------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Inside of home is in extreme disarray/hoarding.
---------------------	---

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 84

Value labels: 0 = No  
1 = Yes  
2 = No caregiver present  
3 = Did not enter patient's home  
8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	799	799	85.45
1	39	838	4.17
3	13	851	1.39
Missing	84	935	8.98

132	Column name:	disarray_hoarding_4cat_f		
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Inside of home is in extreme disarray/hoarding.		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	84		
	Value labels:	0 = No 1 = Yes 2 = No caregiver present 3 = Did not enter patient's home		
	Categories	Frequency	Cumulative Frequency	Percent

1	39	39	4.17
2	799	838	85.45
4	13	851	1.39
Missing	84	935	8.98

<b>133</b>	<b>Column name:</b>	<b>health_safety_concern</b>
------------	---------------------	------------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Living environment poses a health or safety concern (e.g., fire hazard, insect or rodent infestation, urine or feces present).
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	69

Categories	Frequency	Cumulative Frequency	Percent
0	811	811	86.74
1	23	834	2.46
8	32	866	3.42
Missing	69	935	7.38

<b>134</b>	<b>Column name:</b>	<b>health_safety_concern_4cat</b>
------------	---------------------	-----------------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Living environment poses a health or safety concern (e.g., fire hazard, insect or rodent infestation, urine or feces present).
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	101

Value labels:

0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	811	811	86.74
1	23	834	2.46
Missing	101	935	10.80

<b>135</b>	<b>Column name:</b>	<b>health_safety_concern_4cat_f</b>
------------	---------------------	-------------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Living environment poses a health or safety concern (e.g., fire hazard, insect or rodent infestation, urine or feces present).

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 101

Value labels:

0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
1	23	23	2.46
2	811	834	86.74
Missing	101	935	10.80

<b>136</b>	<b>Column name:</b>	<b>caregiver_lack_knowledge_4cat</b>
------------	---------------------	--------------------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: If caregiver present, they appear to lack knowledge of the patient/older adult's medical needs.
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	72
Value labels:	0 = No 1 = Yes 2 = No caregiver present 3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	396	396	42.35
1	5	401	0.53
2	462	863	49.41
Missing	72	935	7.70

137	Column name:	caregiver_lack_knowledge_4cat_f	
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: If caregiver present, they appear to lack knowledge of the patient/older adult's medical needs.	
	Source information:	DETECT Follow-Up Interviews	
	Column type:	Categorical	
	Data type:	Integer	
	Unique non-missing value count:	3	
	Missing value count:	72	
Categories	Frequency	Cumulative Frequency	Percent
1	5	5	0.53
2	396	401	42.35



3	462	863	49.41
Missing	72	935	7.70

138	Column name:	caregiver_unengaged_4cat		
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: If caregiver(s) present, they appear unengaged an inattentive in caring for the patient/older adult.		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	3		
	Missing value count:	70		
	Value labels:	0 = No 1 = Yes 2 = No caregiver present 3 = Did not enter patient's home		
	Categories	Frequency	Cumulative Frequency	Percent
	0	390	390	41.71
	1	7	397	0.75
	2	468	865	50.05
	Missing	70	935	7.49

139	Column name:	caregiver_unengaged_4cat_f		
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: If caregiver(s) present, they appear unengaged an inattentive in caring for the patient/older adult.		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		

Missing value count: 70

Categories	Frequency	Cumulative Frequency	Percent
1	7	7	0.75
2	390	397	41.71
3	468	865	50.05
Missing	70	935	7.49

<b>140</b>	<b>Column name:</b>	<b>caregiver_frustrated_4cat</b>
------------	---------------------	----------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: If caregiver(s) present, they appear frustrated, tired, angry or burdened by the patient/older adult.

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 74

Value labels: 0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	391	391	41.82
1	5	396	0.53
2	465	861	49.73
Missing	74	935	7.91

<b>141</b>	<b>Column name:</b>	<b>caregiver_frustrated_4cat_f</b>
------------	---------------------	------------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: If caregiver(s) present, they appear frustrated, tired, angry or burdened by the patient/older adult.

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 3

Missing value count: 74

Categories	Frequency	Cumulative Frequency	Percent
1	5	5	0.53
2	391	396	41.82
3	465	861	49.73
Missing	74	935	7.91

<b>142</b>	<b>Column name:</b>	<b>caregiver_anxious_4cat</b>
------------	---------------------	-------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: If caregiver(s) present, they appear overly concerned (e.g., anxious, hovering).

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 75

Value labels:

0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	396	396	42.35
1	3	399	0.32
2	461	860	49.30
Missing	75	935	8.02

<b>143</b>	<b>Column name:</b>	<b>caregiver_anxious_4cat_f</b>
------------	---------------------	---------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: If caregiver(s) present, they appear overly concerned (e.g., anxious, hovering).

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 3

Missing value count: 75

Categories	Frequency	Cumulative Frequency	Percent
1	3	3	0.32
2	396	399	42.35
3	461	860	49.30
Missing	75	935	8.02

<b>144</b>	<b>Column name:</b>	<b>isolated_home</b>
------------	---------------------	----------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is the older adult isolated in the home and/or cut-off from needed social networks or supports?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 4

Missing value count: 75

Value labels:

- 0 = No
- 1 = Yes
- 2 = No caregiver present
- 3 = Did not enter patient's home
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
------------	-----------	----------------------	---------

0	801	801	85.67
1	20	821	2.14
2	32	853	3.42
8	7	860	0.75
Missing	75	935	8.02

<b>145</b>	<b>Column name:</b>	<b>isolated_home_4cat</b>
------------	---------------------	---------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is the older adult isolated in the home and/or cut-off from needed social networks or supports?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	82
Value labels:	0 = No 1 = Yes 2 = No caregiver present 3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	801	801	85.67
1	20	821	2.14
2	32	853	3.42
Missing	82	935	8.77

<b>146</b>	<b>Column name:</b>	<b>isolated_home_4cat_f</b>
------------	---------------------	-----------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is the older adult isolated in the home and/or cut-off from needed social networks or supports?
Source information:	DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 3

Missing value count: 82

Categories	Frequency	Cumulative Frequency	Percent
1	20	20	2.14
2	801	821	85.67
3	32	853	3.42
Missing	82	935	8.77

147	Column name:	depressed
-----	--------------	-----------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult appear depressed, anxious, or emotionally distressed for reasons other than their immediate medical condition?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 4

Missing value count: 74

Value labels: 0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	810	810	86.63
1	23	833	2.46
2	26	859	2.78
8	2	861	0.21

Missing

74

935

7.91

148	Column name:	depressed_4cat	
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult appear depressed, anxious, or emotionally distressed for reasons other than their immediate medical condition?	
	Source information:	DETECT Follow-Up Interviews	
	Column type:	Categorical	
	Data type:	Numeric	
	Unique non-missing value count:	3	
	Missing value count:	76	
	Value labels:	0 = No 1 = Yes 2 = No caregiver present 3 = Did not enter patient's home	
Categories	Frequency	Cumulative Frequency	Percent
0	810	810	86.63
1	23	833	2.46
2	26	859	2.78
Missing	76	935	8.13

149	Column name:	depressed_4cat_f
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult appear depressed, anxious, or emotionally distressed for reasons other than their immediate medical condition?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	3

Missing value count: 76

Categories	Frequency	Cumulative Frequency	Percent
1	23	23	2.46
2	810	833	86.63
3	26	859	2.78
Missing	76	935	8.13

<b>150</b>	<b>Column name:</b>	<b>poor_personal_hygiene</b>
------------	---------------------	------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult have poor personal hygiene (including soiled in urine or feces)?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 4

Missing value count: 77

Value labels:

- 0 = No
- 1 = Yes
- 2 = No caregiver present
- 3 = Did not enter patient's home
- 8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	824	824	88.13
1	9	833	0.96
2	23	856	2.46
8	2	858	0.21
Missing	77	935	8.24

<b>151</b>	<b>Column name:</b>	<b>poor_personal_hygiene_4cat</b>
------------	---------------------	-----------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the



	older adult have poor personal hygiene (including soiled in urine or feces)?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	79
Value labels:	0 = No
	1 = Yes
	2 = No caregiver present
	3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	824	824	88.13
1	9	833	0.96
2	23	856	2.46
Missing	79	935	8.45

<b>152</b>	<b>Column name:</b>	<b>poor_personal_hygiene_4cat_f</b>
------------	---------------------	-------------------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult have poor personal hygiene (including soiled in urine or feces)?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	79

Categories	Frequency	Cumulative Frequency	Percent
1	9	9	0.96
2	824	833	88.13
3	23	856	2.46

Missing

79

935

8.45

153	Column name:	inadequately_clothed		
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is the older adult inadequately clothed or wearing dirty, torn, or soiled clothing?		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	4		
	Missing value count:	78		
	Value labels:	0 = No 1 = Yes 2 = No caregiver present 3 = Did not enter patient's home 8 = Unable to assess		
	Categories	Frequency	Cumulative Frequency	Percent
	0	814	814	87.06
	1	17	831	1.82
	2	23	854	2.46
	8	3	857	0.32
	Missing	78	935	8.34
154	Column name:	inadequately_clothed_4cat		
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is the older adult inadequately clothed or wearing dirty, torn, or soiled clothing?		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		

Unique non-missing value count: 3

Missing value count: 81

Value labels:

- 0 = No
- 1 = Yes
- 2 = No caregiver present
- 3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	814	814	87.06
1	17	831	1.82
2	23	854	2.46
Missing	81	935	8.66

<b>155</b>	<b>Column name:</b>	<b>inadequately_clothed_4cat_f</b>
------------	---------------------	------------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is the older adult inadequately clothed or wearing dirty, torn, or soiled clothing?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 3

Missing value count: 81

Categories	Frequency	Cumulative Frequency	Percent
1	17	17	1.82
2	814	831	87.06
3	23	854	2.46
Missing	81	935	8.66

<b>156</b>	<b>Column name:</b>	<b>difficulty_medications</b>
------------	---------------------	-------------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the

	older adult have difficulties taking their prescribed medications as directed?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	79
Value labels:	0 = No
	1 = Yes
	2 = No caregiver present
	3 = Did not enter patient's home
	8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	733	733	78.40
1	6	739	0.64
2	22	761	2.35
8	95	856	10.16
Missing	79	935	8.45

<b>157</b>	<b>Column name:</b>	<b>difficulty_medications_4cat</b>
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult have difficulties taking their prescribed medications as directed?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	3
	Missing value count:	174
	Value labels:	0 = No
		1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	733	733	78.40
1	6	739	0.64
2	22	761	2.35
Missing	174	935	18.61

<b>158</b>	<b>Column name:</b>	<b>difficulty_medications_4cat_f</b>
------------	---------------------	--------------------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult have difficulties taking their prescribed medications as directed?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	174

Categories	Frequency	Cumulative Frequency	Percent
1	6	6	0.64
2	733	739	78.40
3	22	761	2.35
Missing	174	935	18.61

<b>159</b>	<b>Column name:</b>	<b>unmet_needs</b>
------------	---------------------	--------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is/Does the patient/older adult have unmet needs for assistance with eating, toileting, transferring, dressing, or bathing?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric

Unique non-missing value count: 4

Missing value count: 78

Value labels:

0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	819	819	87.59
1	10	829	1.07
2	20	849	2.14
8	8	857	0.86
Missing	78	935	8.34

<b>160</b>	<b>Column name:</b>	<b>unmet_needs_4cat</b>
------------	---------------------	-------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is/Does the patient/older adult have unmet needs for assistance with eating, toileting, transferring, dressing, or bathing?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 86

Value labels:

0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	819	819	87.59
1	10	829	1.07

2	20	849	2.14
Missing	86	935	9.20

161	Column name:	unmet_needs_4cat_f		
	Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Is/Does the patient/older adult have unmet needs for assistance with eating, toileting, transferring, dressing, or bathing?		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	86		
	Categories	Frequency	Cumulative Frequency	Percent
	1	10	10	1.07
	2	819	829	87.59
	3	20	849	2.14
	Missing	86	935	9.20

162	Column name:	report_elder_abuse		
	Column description:	Did you report elder abuse/neglect to APS, or, do you plan to based on what you just observed?		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	4		
	Missing value count:	78		
	Value labels:	0 = No		
		1 = Yes		
		2 = No caregiver present		
		3 = Did not enter patient's home		

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	823	823	88.02
1	13	836	1.39
2	19	855	2.03
8	2	857	0.21
Missing	78	935	8.34

<b>163</b>	<b>Column name:</b>	<b>report_elder_abuse_4cat</b>
------------	---------------------	--------------------------------

Column description:	Did you report elder abuse/neglect to APS, or, do you plan to based on what you just observed?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	80
Value labels:	0 = No
	1 = Yes
	2 = No caregiver present
	3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	823	823	88.02
1	13	836	1.39
2	19	855	2.03
Missing	80	935	8.56

<b>164</b>	<b>Column name:</b>	<b>report_elder_abuse_4cat_f</b>
------------	---------------------	----------------------------------

Column description:	Did you report elder abuse/neglect to APS, or, do you plan to based on what you just observed?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical



Data type: Integer

Unique non-missing value count: 3

Missing value count: 80

Categories	Frequency	Cumulative Frequency	Percent
1	13	13	1.39
2	823	836	88.02
3	19	855	2.03
Missing	80	935	8.56

<b>165</b>	<b>Column name:</b>	<b>hoarding_medications</b>
------------	---------------------	-----------------------------

Column description: Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult appear to be hoarding/saving old medications?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 4

Missing value count: 79

Value labels: 0 = No

1 = Yes

2 = No caregiver present

3 = Did not enter patient's home

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	705	705	75.40
1	7	712	0.75
2	21	733	2.25
8	123	856	13.16
Missing	79	935	8.45

<b>166</b>	<b>Column name:</b>	<b>hoarding_medications_4cat</b>
------------	---------------------	----------------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult appear to be hoarding/saving old medications?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	202
Value labels:	0 = No 1 = Yes 2 = No caregiver present 3 = Did not enter patient's home

Categories	Frequency	Cumulative Frequency	Percent
0	705	705	75.40
1	7	712	0.75
2	21	733	2.25
Missing	202	935	21.60

<b>167</b>	<b>Column name:</b>	<b>hoarding_medications_4cat_f</b>
------------	---------------------	------------------------------------

Column description:	Detection of Elder abuse Through Emergency Care Technicians (DETECT) Screening Items: Does the older adult appear to be hoarding/saving old medications?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	202

Categories	Frequency	Cumulative Frequency	Percent
1	7	7	0.75

2	705	712	75.40
3	21	733	2.25
Missing	202	935	21.60

168	Column name:	interior_condition_5cat		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Interior condition. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	4		
	Missing value count:	752		
	Value labels:	0 = 0 - Intact/not broken or missing		
		1 = 1		
		2 = 2		
		3 = 3		
		4 = 4 - Multiple sections broken or missing		
	Categories	Frequency	Cumulative Frequency	Percent
	0	136	136	14.55
	1	26	162	2.78
	2	14	176	1.50
	3	7	183	0.75
	Missing	752	935	80.43
169	Column name:	interior_condition_5cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Interior condition. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		

Column type: Categorical

Data type: Integer

Unique non-missing value count: 4

Missing value count: 752

Categories	Frequency	Cumulative Frequency	Percent
1	136	136	14.55
2	26	162	2.78
3	14	176	1.50
4	7	183	0.75
Missing	752	935	80.43

<b>170</b>	<b>Column name:</b>	<b>clutter_5cat</b>
------------	---------------------	---------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Clutter. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 5

Missing value count: 744

Value labels: 0 = 0 - Neat/orderly

1 = 1

2 = 2

3 = 3

4 = 4 - Very cluttered/difficult to move around or find things

Categories	Frequency	Cumulative Frequency	Percent
0	117	117	12.51
1	39	156	4.17
2	22	178	2.35

3	10	188	1.07
4	3	191	0.32
Missing	744	935	79.57

171	Column name:	clutter_5cat_f
-----	--------------	----------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Clutter. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Character
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	744

Min	Mean	Median	Max	SD
1.00	1.65	1.00	5.00	0.98

172	Column name:	neglect_comments
-----	--------------	------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Neglect Indicators: Additional comments. (Question used in older version of the follow-up interview until 9/24/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Character
Data type:	Character
Unique non-missing value count:	17
Missing value count:	918

173	Column name:	exploitation_comments
-----	--------------	-----------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Exploitation Indicators: Additional comments. (Question used in older version of the follow-up interview until 9/24/2020.)
Source information:	DETECT Follow-Up Interviews

Column type:	Character
Data type:	Character
Unique non-missing value count:	9
Missing value count:	926

<b>174</b>	<b>Column name:</b>	<b>abandonment_comments</b>
------------	---------------------	-----------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abandonment Indicators: Additional comments. (Question used in older version of the follow-up interview until 9/24/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Character
Data type:	Character
Unique non-missing value count:	15
Missing value count:	919

<b>175</b>	<b>Column name:</b>	<b>exterior_condition_5cat</b>
------------	---------------------	--------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Exterior condition. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	745
Value labels:	0 = 0 - Neat/well kept/no trash,debris 1 = 1 2 = 2 3 = 3 4 = 4 - Poorly maintained/trash, other debris

Categories	Frequency	Cumulative Frequency	Percent
------------	-----------	----------------------	---------

0	136	136	14.55
1	32	168	3.42
2	10	178	1.07
3	10	188	1.07
4	2	190	0.21
Missing	745	935	79.68

<b>176</b>	<b>Column name:</b>	<b>exterior_condition_5cat_f</b>
------------	---------------------	----------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Exterior condition. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	745

Categories	Frequency	Cumulative Frequency	Percent
1	136	136	14.55
2	32	168	3.42
3	10	178	1.07
4	10	188	1.07
5	2	190	0.21
Missing	745	935	79.68

<b>177</b>	<b>Column name:</b>	<b>summary_evidence_abuse_4cat</b>
------------	---------------------	------------------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Summary - Evidence of abuse. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric

Unique non-missing value count: 4

Missing value count: 737

Value labels:

- 0 = No evidence
- 1 = Possible evidence
- 2 = Probable evidence
- 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	194	194	20.75
1	1	195	0.11
2	2	197	0.21
3	1	198	0.11
Missing	737	935	78.82

<b>178</b>	<b>Column name:</b>	<b>summary_evidence_abuse_4cat_f</b>	
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Summary - Evidence of abuse. (Question used in older version of the follow-up interview until 08/25/2020.)	
	Source information:	DETECT Follow-Up Interviews	
	Column type:	Categorical	
	Data type:	Integer	
	Unique non-missing value count:	4	
	Missing value count:	737	
	Categories	Frequency	Cumulative Frequency
	1	194	194
	2	1	195
	3	2	197
	4	1	198
	Missing	737	935
			Percent
			20.75
			0.11
			0.21
			0.11
			78.82
<b>179</b>	<b>Column name:</b>	<b>summary_evidence_neglect_4cat</b>	



Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Summary - Evidence of neglect. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	739
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	194	194	20.75
1	1	195	0.11
2	1	196	0.11
Missing	739	935	79.04

180	Column name:	summary_evidence_neglect_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Summary - Evidence of neglect. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		
	Missing value count:	739		
	Categories	Frequency	Cumulative Frequency	Percent
	1	194	194	20.75
	2	1	195	0.11

3	1	196	0.11
Missing	739	935	79.04

181	Column name:	summary_evidence_exploitation_4cat		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Summary - Evidence of exploitation. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	3		
	Missing value count:	738		
	Value labels:	0 = No evidence		
		1 = Possible evidence		
		2 = Probable evidence		
		3 = Definite evidence		
	Categories	Frequency	Cumulative Frequency	Percent
	0	194	194	20.75
	1	2	196	0.21
	3	1	197	0.11
	Missing	738	935	78.93

182	Column name:	summary_evidence_exploitation_4cat_f		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Summary - Evidence of exploitation. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	3		

Missing value count: 738

Categories	Frequency	Cumulative Frequency	Percent
1	194	194	20.75
2	2	196	0.21
4	1	197	0.11
Missing	738	935	78.93

<b>183</b>	<b>Column name:</b>	<b>summary_evidence_abandonment_4cat</b>
------------	---------------------	--

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Summary - Evidence of abandonment. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 1

Missing value count: 737

Value labels: 0 = No evidence  
1 = Possible evidence  
2 = Probable evidence  
3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	198	198	21.18
Missing	737	935	78.82

<b>184</b>	<b>Column name:</b>	<b>summary_evidence_abandonment_4cat_f</b>
------------	---------------------	--

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Environment status of subject: Summary - Evidence of abandonment. (Question used in older version of the follow-up interview until 08/25/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 1

Missing value count: 737

Categories	Frequency	Cumulative Frequency	Percent
1	198	198	21.18
Missing	737	935	78.82

<b>185</b>	<b>Column name:</b>	<b>summary_comments</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale - Environment status of subject: Summary - Additional comments. (Question used in older version of the follow-up interview until 9/24/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Character
	Data type:	Character
	Unique non-missing value count:	35
	Missing value count:	900

<b>186</b>	<b>Column name:</b>	<b>general_assessment_comments</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale - General Assessment: Additional comments. (Question used in older version of the follow-up interview until 9/24/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Character
	Data type:	Character
	Unique non-missing value count:	14
	Missing value count:	921

<b>187</b>	<b>Column name:</b>	<b>lacerations</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Lacerations.

	(Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	729
Value labels:	0 = No evidence
	1 = Possible evidence
	2 = Probable evidence
	3 = Definite evidence
	8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	204	204	21.82
8	2	206	0.21
Missing	729	935	77.97

<b>188</b>	<b>Column name:</b>	<b>lacerations_4cat</b>
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Lacerations. (Question used in older version of the follow-up interview until 08/25/2020.)
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	1
	Missing value count:	731
	Value labels:	0 = No evidence
		1 = Possible evidence
		2 = Probable evidence
		3 = Definite evidence

Categories	Frequency	Cumulative Frequency	Percent
0	204	204	21.82
Missing	731	935	78.18

<b>189</b>	<b>Column name:</b>	<b>lacerations_4cat_f</b>
------------	---------------------	---------------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Lacerations. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	1
Missing value count:	731

Categories	Frequency	Cumulative Frequency	Percent
1	204	204	21.82
Missing	731	935	78.18

<b>190</b>	<b>Column name:</b>	<b>sexual_abuse</b>
------------	---------------------	---------------------

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Evidence of sexual abuse. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	730
Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence

8 = Unable to assess

Categories	Frequency	Cumulative Frequency	Percent
0	182	182	19.47
2	1	183	0.11
8	22	205	2.35
Missing	730	935	78.07

191	Column name:	sexual_abuse_4cat		
	Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Evidence of sexual abuse. (Question used in older version of the follow-up interview until 08/25/2020.)		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	2		
	Missing value count:	752		
	Value labels:	0 = No evidence 1 = Possible evidence 2 = Probable evidence 3 = Definite evidence		
	Categories	Frequency	Cumulative Frequency	Percent
	0	182	182	19.47
	2	1	183	0.11
	Missing	752	935	80.43
192	Column name:	sexual_abuse_4cat_f		

Column description:	Elder Assessment Instrument (EAI) / Self-neglect Severity Scale Possible Abuse Indicators: Evidence of sexual abuse. (Question used in older version of the follow-up interview until 08/25/2020.)
Source information:	DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 752

Categories	Frequency	Cumulative Frequency	Percent
1	182	182	19.47
3	1	183	0.11
Missing	752	935	80.43

<b>193</b>	<b>Column name:</b>	<b>abuse_indicators_comments</b>
------------	---------------------	----------------------------------

Column description: Elder Assessment Instrument (EAI) / Self-neglect Severity Scale - Possible Abuse Indicators: Additional comments. (Question used in older version of the follow-up interview until 9/24/2020.)

Source information: DETECT Follow-Up Interviews

Column type: Character

Data type: Character

Unique non-missing value count: 17

Missing value count: 918

<b>194</b>	<b>Column name:</b>	<b>aps_reported_2cat</b>
------------	---------------------	--------------------------

Column description: No longer used - In the original observational measures, it would indicate if the medic submitted an APS report.

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 738

Value labels: 1 = Yes

0 = No

Categories	Frequency	Cumulative Frequency	Percent
------------	-----------	----------------------	---------



0	194	194	20.75
1	3	197	0.32
Missing	738	935	78.93

<b>195</b>	<b>Column name:</b>	<b>aps_reported_2cat_f</b>
------------	---------------------	----------------------------

Column description:	No longer used - In the original observational measures, it would indicate if the medic submitted an APS report.
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	738

Categories	Frequency	Cumulative Frequency	Percent
1	3	3	0.32
2	194	197	20.75
Missing	738	935	78.93

<b>196</b>	<b>Column name:</b>	<b>aps_reported_confirmation_number</b>
------------	---------------------	---

Column description:	APS Confirmation Number Listed? (Removed in anonymization)
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Logical
Unique non-missing value count:	2
Missing value count:	0

Categories	Frequency	Cumulative Frequency	Percent
FALSE	933	933	99.79
TRUE	2	935	0.21

<b>197</b>	<b>Column name:</b>	<b>aps_reported_method_3cat</b>
------------	---------------------	---------------------------------

Column description:	No longer used - In the original observational measures, it would indicate the method through which the medic submitted the APS report (Phone, Online, Other).
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	932
Value labels:	1 = Phone 2 = Online 3 = Other

Categories	Frequency	Cumulative Frequency	Percent
1	2	2	0.21
3	1	3	0.11
Missing	932	935	99.68

<b>198</b>	<b>Column name:</b>	<b>aps_reported_method_3cat_f</b>
------------	---------------------	-----------------------------------

Column description:	No longer used - In the original observational measures, it would indicate the method through which the medic submitted the APS report (Phone, Online, Other).
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	932

Categories	Frequency	Cumulative Frequency	Percent
1	2	2	0.21
3	1	3	0.11
Missing	932	935	99.68

<b>199</b>	<b>Column name:</b>	<b>at_physical</b>
------------	---------------------	--------------------

Column description: AT\_1. Do you believe physical abuse has occurred?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 3

Missing value count: 286

Value labels: 0 = No  
1 = Yes  
7 = Don't Know  
9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
0	639	639	68.34
1	9	648	0.96
7	1	649	0.11
Missing	286	935	30.59

<b>200</b>	<b>Column name:</b>	<b>at_physical_2cat</b>
------------	---------------------	-------------------------

Column description: AT\_1. Do you believe physical abuse has occurred?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 287

Value labels: 0 = No  
1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	639	639	68.34
1	9	648	0.96
Missing	287	935	30.70

<b>201</b>	<b>Column name:</b>	<b>at_physical_2cat_f</b>
------------	---------------------	---------------------------

Column description: AT\_1. Do you believe physical abuse has occurred?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 287

Categories	Frequency	Cumulative Frequency	Percent
1	9	9	0.96
2	639	648	68.34
Missing	287	935	30.70

<b>202</b>	<b>Column name:</b>	<b>at_phys_why</b>
------------	---------------------	--------------------

Column description: AT\_1a. Why do you believe physical abuse has or has not occurred?

Source information: DETECT Follow-Up Interviews

Column type: Character

Data type: Character

Unique non-missing value count: 149

Missing value count: 456

<b>203</b>	<b>Column name:</b>	<b>at_sexual</b>
------------	---------------------	------------------

Column description: AT\_2. Do you believe sexual abuse has occurred?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 4

Missing value count: 289

Value labels: 0 = No

1 = Yes

7 = Don't Know

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
0	634	634	67.81
1	9	643	0.96
7	2	645	0.21
9	1	646	0.11
Missing	289	935	30.91

<b>204</b>	<b>Column name:</b>	<b>at_sexual_2cat</b>
------------	---------------------	-----------------------

Column description: AT\_2. Do you believe sexual abuse has occurred?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 292

Value labels: 0 = No

1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	634	634	67.81
1	9	643	0.96
Missing	292	935	31.23

<b>205</b>	<b>Column name:</b>	<b>at_sexual_2cat_f</b>
------------	---------------------	-------------------------

Column description: AT\_2. Do you believe sexual abuse has occurred?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 292

Categories	Frequency	Cumulative Frequency	Percent
1	9	9	0.96
2	634	643	67.81
Missing	292	935	31.23

<b>206</b>	<b>Column name:</b>	<b>at_sex_why</b>
	Column description:	AT 2a. Why do you believe sexual abuse has or has not occurred?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Character
	Data type:	Character
	Unique non-missing value count:	139
	Missing value count:	459

207	Column name:	at_emotional		
	Column description:	AT 3. Do you believe emotional or psychological abuse has occurred?		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	3		
	Missing value count:	288		
	Value labels:	0 = No 1 = Yes 7 = Don't Know 9 = Refused		
	Categories	Frequency	Cumulative Frequency	Percent
	0	622	622	66.52

1	20	642	2.14
7	5	647	0.53
Missing	288	935	30.80

208	Column name:	at_emotional_2cat	
	Column description:	AT_3. Do you believe emotional or psychological abuse has occurred?	
	Source information:	DETECT Follow-Up Interviews	
	Column type:	Categorical	
	Data type:	Numeric	
	Unique non-missing value count:	2	
	Missing value count:	293	
	Value labels:	0 = No 1 = Yes	
Categories	Frequency	Cumulative Frequency	Percent
0	622	622	66.52
1	20	642	2.14
Missing	293	935	31.34

209	Column name:	at_emotional_2cat_f		
	Column description:	AT_3. Do you believe emotional or psychological abuse has occurred?		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	2		
	Missing value count:	293		
	Categories	Frequency	Cumulative Frequency	Percent
	1	20	20	2.14
	2	622	642	66.52
	Missing	293	935	31.34

<b>210</b>	<b>Column name:</b>	<b>at_emot_why</b>
	Column description:	AT_3a. Why do you believe emotional or psychological abuse has or has not occurred?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Character
	Data type:	Character
	Unique non-missing value count:	151
	Missing value count:	460

<b>211</b>	<b>Column name:</b>	<b>at_neglect</b>
	Column description:	AT_4. Do you believe neglect has occurred?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	3
	Missing value count:	287
	Value labels:	0 = No
		1 = Yes
		7 = Don't Know
		9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
0	639	639	68.34
1	7	646	0.75
7	2	648	0.21
Missing	287	935	30.70

<b>212</b>	<b>Column name:</b>	<b>at_neglect_2cat</b>
	Column description:	AT_4. Do you believe neglect has occurred?
	Source information:	DETECT Follow-Up Interviews



Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 289

Value labels: 0 = No  
1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	639	639	68.34
1	7	646	0.75
Missing	289	935	30.91

<b>213</b>	<b>Column name:</b>	<b>at_neglect_2cat_f</b>
------------	---------------------	--------------------------

Column description: AT\_4. Do you believe neglect has occurred?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 289

Categories	Frequency	Cumulative Frequency	Percent
1	7	7	0.75
2	639	646	68.34
Missing	289	935	30.91

<b>214</b>	<b>Column name:</b>	<b>at_neg_why</b>
------------	---------------------	-------------------

Column description: AT\_4a. Why do you believe neglect has or has not occurred?

Source information: DETECT Follow-Up Interviews

Column type: Character

Data type: Character

Unique non-missing value count: 175

Missing value count: 463

<b>215</b>	<b>Column name:</b>	<b>at_abandon_2cat</b>		
	Column description:	AT_5. Do you believe abandonment has occurred?		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Numeric		
	Unique non-missing value count:	2		
	Missing value count:	291		
	Value labels:	0 = No		
		1 = Yes		
	Categories	Frequency	Cumulative Frequency	Percent
	0	641	641	68.56
	1	3	644	0.32
	Missing	291	935	31.12

<b>216</b>	<b>Column name:</b>	<b>at_abandon_2cat_f</b>		
	Column description:	AT_5. Do you believe abandonment has occurred?		
	Source information:	DETECT Follow-Up Interviews		
	Column type:	Categorical		
	Data type:	Integer		
	Unique non-missing value count:	2		
	Missing value count:	291		
	Categories	Frequency	Cumulative Frequency	Percent
	1	3	3	0.32
	2	641	644	68.56
	Missing	291	935	31.12

<b>217</b>	<b>Column name:</b>	<b>at_aban_why</b>		
------------	---------------------	--------------------	--	--

Column description:	AT_5a. Why do you believe abandonment has or has not occurred?
Source information:	DETECT Follow-Up Interviews
Column type:	Character
Data type:	Character
Unique non-missing value count:	173
Missing value count:	463

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
.	1	No evidence	26
CLIENT DENIES/NO EVIDENCE OF	1	No indications.	28
Client and his wife appear to support each other.	1	No Evidence	95
Client denies and/or no evidence of.	1	no evidence	95
Client denies, no evidence of	1	Missing	463

<b>218</b>	<b>Column name:</b>	<b>at_financial</b>
------------	---------------------	---------------------

Column description:	AT_6. Do you believe financial or material exploitation has occurred?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	289
Value labels:	0 = No
	1 = Yes
	7 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
------------	-----------	----------------------	---------

0	636	636	68.02
1	8	644	0.86
7	2	646	0.21
Missing	289	935	30.91

<b>219</b>	<b>Column name:</b>	<b>at_financial_2cat</b>
------------	---------------------	--------------------------

Column description:	AT 6. Do you believe financial or material exploitation has occurred?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	291
Value labels:	0 = No 1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	636	636	68.02
1	8	644	0.86
Missing	291	935	31.12

<b>220</b>	<b>Column name:</b>	<b>at_financial_2cat_f</b>
------------	---------------------	----------------------------

Column description:	AT 6. Do you believe financial or material exploitation has occurred?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	291

Categories	Frequency	Cumulative Frequency	Percent
1	8	8	0.86
2	636	644	68.02

Missing	291	935	31.12
---------	-----	-----	-------

221	Column name:	at_fina_why
-----	--------------	-------------

Column description:	AT_6a. Why do you believe financial or material exploitation has or hasn't occurred?
Source information:	DETECT Follow-Up Interviews
Column type:	Character
Data type:	Character
Unique non-missing value count:	125
Missing value count:	462

222	Column name:	at_self
-----	--------------	---------

Column description:	AT_7. Do you believe self-neglect has occurred?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	283
Value labels:	0 = No
	1 = Yes
	7 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
0	637	637	68.13
1	13	650	1.39
7	2	652	0.21
Missing	283	935	30.27

223	Column name:	at_self_2cat
-----	--------------	--------------

Column description:	AT_7. Do you believe self-neglect has occurred?
---------------------	---

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 285

Value labels: 0 = No  
1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	637	637	68.13
1	13	650	1.39
Missing	285	935	30.48

<b>224</b>	<b>Column name:</b>	<b>at_self_2cat_f</b>
------------	---------------------	-----------------------

Column description: AT\_7. Do you believe self-neglect has occurred?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 285

Categories	Frequency	Cumulative Frequency	Percent
1	13	13	1.39
2	637	650	68.13
Missing	285	935	30.48

<b>225</b>	<b>Column name:</b>	<b>at_self_why</b>
------------	---------------------	--------------------

Column description: AT\_7a. Why do you believe self-neglect has or has not occurred?

Source information: DETECT Follow-Up Interviews

Column type: Character

Data type: Character

Unique non-missing value count: 126

Missing value count: 459

226	Column name:		xc_lead_panel_summary_count		
	Column description:		Calculated total count of positive abuse instances across self report, ApsInvestigations, and observational measures.		
	Source information:		DETECT		
	Column type:		Numeric		
	Data type:		Numeric		
	Unique non-missing value count:		7		
	Missing value count:		58		
	Min	Mean	Median	Max	SD
	0.00	0.09	0.00	7.00	0.52

227	Column name:		xc_lead_panel_summary_comment_count		
	Column description:		Calculated count of comments provided by the medic, excluding for phrases such as 'No', 'Nothing to report.', etc.		
	Source information:		DETECT		
	Column type:		Numeric		
	Data type:		Numeric		
	Unique non-missing value count:		8		
	Missing value count:		0		
	Min	Mean	Median	Max	SD
	0.00	1.54	0.00	7.00	2.80

228	Column name:		xc_lead_panel_summary		
	Column description:		Summary of positive abuse instances across self report, ApsInvestigations, and observational measures.		
	Source information:		DETECT		
	Column type:		Numeric		

Data type: Numeric

Unique non-missing value count: 19

Missing value count: 4

Min	Mean	Median	Max	SD
0.00	3.53	3.00	32.00	3.46

229	Column name:	c_detect_status_2cat
-----	--------------	----------------------

Column description: Calculation indicating if the DETECT screener was positive or negative

Source information: DETECT

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 2

Missing value count: 69

Value labels:  
0 = Negative  
1 = Positive

Categories	Frequency	Cumulative Frequency	Percent
0	785	785	83.96
1	81	866	8.66
Missing	69	935	7.38

230	Column name:	c_detect_status_2cat_f
-----	--------------	------------------------

Column description: Calculation indicating if the DETECT screener was positive or negative.

Source information: DETECT

Column type: Categorical

Data type: Integer

Unique non-missing value count: 2

Missing value count: 69

Categories	Frequency	Cumulative Frequency	Percent
------------	-----------	----------------------	---------



---

1	81	81	8.66
2	785	866	83.96
Missing	69	935	7.38