

Brain Atlas

The BRAPH 2 Team

July 5, 2023

This Tutorial explains how to work with the Graphical User Interface (GUI) to manage brain atlases. This is typically the first step required to perform a graph analysis in BRAPH 2.0. In this Tutorial, we will explain you how to upload a brain atlas, how to visualize it, and how to export publication-ready brain figures.

Contents

<i>Open the GUI</i>	2
<i>Upload the Brain Atlas</i>	3
<i>Ready Brain Atlases</i>	3
<i>Create a New Brain Atlas</i>	5
<i>Plot the Brain Atlas</i>	6
<i>Export the Figure</i>	9






Figure 1: **Brain atlas figure created with BRAPH 2.0.** Example of a brain surface image with some nodes representing brain regions.

Figure 2: **Brain Atlas GUI.** Full graphical user interface to work with a brain atlas in BRAPH 2.0.

Open the GUI

The brain atlas GUI is the first step in most BRAPH 2.0 pipelines. You can open it by typing `braph2` in the MatLab's terminal, which allows you to select a pipeline containing the steps required to perform your analysis. The initial step is typically to upload the brain atlas, as shown in Figure 3a.



To open the GUI and upload the brain atlas, you can also do it from the command line (i.e., without opening an analysis pipeline) by typing the commands in Code 1.

Code 1: Code to launch the Brain Atlas GUI. This code can be used in the MatLab command line to launch the Brain Atlas GUI without having to open a pipeline.

```

1 ba = BrainAtlas(); ①
2
3 gui = GUIElement('PE', ba); ②
4 gui.get('DRAW') ③
5 gui.get('SHOW') ④

```

Figure 3: Upload a brain atlas. The different steps you need to follow to open a brain atlas using the GUI: **a** Open the brain atlas GUI. **b** Import a brain atlas from an XLS or TXT file. **c** Navigate to the BRAPH 2.0 folder `atlases`. **d** Select the desired atlas.

① creates a new object `BrainAtlas`.

② creates a GUI to upload the brain atlas.

③ draws the GUI.

④ shows the GUI.

Upload the Brain Atlas

In the GUI launched in the previous step, you have a menu that can be used to import a brain atlas (Figure 3b) either by loading one of the already-available atlases in the BRAPH 2.0 folder `atlases` (Figure 3c) or by loading a file you have created. In this example, we are uploading the Desikan atlas (Figure 3d).

You can change the ID, name, and notes of the brain atlas (as shown in Figure 4a) as well as the IDs, labels, coordinates, and notes of the brain regions (Figure 4b).

	ID	LABEL	X	Y	Z	NOTES
1	<input type="checkbox"/>	ISF	superiorfrontal	-12.6000	22.9000	42.4000 left
2	<input type="checkbox"/>	IFP	frontalpole	-8.6000	61.7000	-8.7000 left
3	<input type="checkbox"/>	IRMF	rostralmiddlefrontal	-31.3000	41.2000	16.5000 left
4	<input type="checkbox"/>	ICMF	caudalmiddlefrontal	-34.6000	10.2000	42.8000 left
5	<input type="checkbox"/>	IPOB	parsorbitalis	-41.0000	38.8000	-11.1000 left
6	<input type="checkbox"/>	ILOF	lateralorbitofrontal	-24.0000	28.6000	-14.4000 left
7	<input type="checkbox"/>	IPT	parstriangularis	-42.4000	30.6000	2.3000 left
8	<input type="checkbox"/>	IPOP	parsopercularis	-44.6000	14.6000	13.1000 left
9	<input type="checkbox"/>	IMOF		0.0000	0.0000	-44.0000 left

	ID	LABEL	X	Y	Z	NOTES
1	<input type="checkbox"/>	ISF	superiorfrontal	-12.6000	22.9000	42.4000 left
2	<input type="checkbox"/>	IFP	frontalpole	-8.6000	61.7000	-8.7000 left
3	<input type="checkbox"/>	IRMF	rostralmiddlefrontal	-31.3000	41.2000	16.5000 left
4	<input type="checkbox"/>	ICMF	caudalmiddlefrontal	-34.6000	10.2000	42.8000 left
5	<input type="checkbox"/>	IPOB	parsorbitalis	-41.0000	38.8000	-11.1000 left
6	<input type="checkbox"/>	ILOF	lateralorbitofrontal	-24.0000	28.6000	-14.4000 left
7	<input type="checkbox"/>	IPT	parstriangularis	-42.4000	30.6000	2.3000 left
8	<input type="checkbox"/>	IPOP	parsopercularis	-44.6000	14.6000	13.1000 left
9	<input type="checkbox"/>	IMOF		0.0000	0.0000	-44.0000 left

Ready Brain Atlases

Currently, we provide several brain atlases that are commonly used in the field of brain connectomics, some of which are shown in Figure 5). They are available in the BRAPH 2.0 folder `atlases` in XLS and TXT formats, and they can also be downloaded from our website (<http://braph.org/software/brain-atlases/>).

Figure 4: Edit the brain atlas information. Information that can be changed in the brain atlas GUI: a The ID, name, and notes of the brain atlas. b The IDs, labels, coordinates, and notes of the brain regions.




Figure 5: **Brain Atlases.** Some brain atlases provided by BRAPH 2.0:

AAL90 Automated Anatomical Labelling atlas with 90 cortical and subcortical regions.

AAL116 Automated Anatomical Labelling atlas with 116 cortical and subcortical regions, including cerebellar areas.

BNA Brainnetome atlas with 246 cortical and subcortical regions.

Craddock Functional atlas with 200 cortical and subcortical regions, including cerebellar areas.

Desikan Anatomical atlas with 68 cortical from the FreeSurfer software.

Destrieux Anatomical atlas with 148 cortical from the FreeSurfer software.

Schaeffer Functional brain atlas with 200 cortical regions that belong to 7 different resting-state fMRI networks.

Subcortical FreeSurfer Anatomical atlas with 14 subcortical gray matter regions from the FreeSurfer software.

Create a New Brain Atlas

To create a new brain Atlas in BRAPH 2.0 format, you should create a new XLS file (*.xls or *.xlsx), as shown in Figure 6. (It is also possible to create it in TXT format (*.txt), for which we refer to the examples available in the BRAPH 2.0 folder **atlases**.)

a
continuation **b**

Desikan_Freesurfer_v5.1					
Desikan Label					
Desikan Notes					
BrainMesh_ICBM152.nv					
rSF	superiorfrontal	-12.6	22.9	42.4	left
rFP	frontalpole	-8.6	61.7	-8.7	left
rRMF	rostralmiddlefrontal	-31.3	41.2	16.5	left
rCMF	caudalmiddlefrontal	-34.6	10.2	42.8	left
rPOB	parorbitalis	-41	38.8	-11.1	left
rLOF	lateralorbitofrontal	-24	28.6	-14.4	left
rPT	parstriangularis	-42.4	30.6	2.3	left
rPOP	parosuperioris	-44.6	14.6	13.1	left
rMOP	medialorbitofrontal	-8	34.9	-14.9	left
rRAC	rostralanteriorcingulate	-6.8	33.9	1.6	left
rCAC	caudalanteriorcingulate	-6.6	18	26.1	left
rIINS	insula	-34.2	-4.3	2.2	left
rIPRC	precentral	-37.8	-10.7	42.1	left
rIPOC	postcentral	-42.3	-23.8	43.6	left
rISUPRA	supramarginal	-50.4	-38.8	31	left
rISP	superiorparietal	-22.8	-60.9	46.3	left
rIIP	inferiorparietal	-40	-65.4	27.3	left
rIPARA	paracentral	-10	-28.7	56.1	left
rIPCG	posteriorcingulate	-7.3	-17.4	35.7	left
rIIST	isthmuscingulate	-9.8	-44.8	16.9	left
rIPREC	precuneus	-11.6	-57.5	36.7	left
rICUN	cuneus	-8.7	-79.6	18	left
rIPERI	pericalcarine	-13.9	-80.6	6	left
rILIN	lingual	-16.5	-66.8	-4.3	left
rILO	lateraloccipital	-29.7	-86.9	-1	left
rITRANS	transversetemporal	-44	-24.2	6	left
rIBKS	bankssts	-52.7	-44.5	4.6	left
rIST	superior temporal	-52.1	-17.8	-4.4	left
rIMT	middletemporal	-55.6	-31.1	-12.9	left
rIIT	inferior temporal	-48.9	-34.4	-22.2	left
rITP	temporal pole	-32.8	8.4	-34.8	left
rIENT	entorhinal	-25.8	-7.6	-31.6	left
rIPHIP	parahippocampal	-24.7	-31.2	-17.4	left
rIFUS	fusiform	-35.7	-43.3	-19.7	left
rSF	superiorfrontal	13.4	24.7	42	right
rFP	frontalpole	10.3	61.1	-10	right
rCAC	caudalanteriorcingulate	7.3	18.7	26.3	right
rCMF	caudalmiddlefrontal	34.9	11.8	43	right

Start by writing the following information in the first 4 rows:


- Brain Atlas ID (row 1, column 1). For example: Desikan FreeSurfer
- Brain Atlas LABEL (row 2, column 1). For example: Desikan Labels
- Brain Atlas NOTES (row 3, column 1). For example: Desikan Nodes
- Brain Surface Name (row 4, column 1). For example: BrainMeshICBM152.nv

Then, from row 5, you should include the IDs of the regions of your atlas (1st column), the labels of the regions of your atlas (2nd column), the X, Y and Z coordinates (3rd, 4th, and 5th columns), and any relevant notes (in this case, the brain hemisphere, 6th column).

Figure 6: **Create your own brain atlas.**
Overview of how the XLS file containing your atlas information should look like.

Plot the Brain Atlas

Once you are satisfied with the brain atlas, you can plot it by pushing the button “Plot Brain Atlas” (Figure 7a). This will open an image with a brain surface and nodes corresponding to the brain regions (Figure 7b).




This new window has a large toolbar that allows you to change the visualization of the atlas. We suggest you try the different options to understand how they change the figure. Importantly, within this menu, there is one option called “Settings Brain Surface” (highlights in Figure 8a), which opens the settings window shown in Figures 8b-c.

The settings window allows you to optimize how the brain regions included in your analysis are visualized. This is often included as a first figure in a manuscript.

Most things in the settings window are intuitive. So we encourage you to try different them out until you achieve the visualization you want. There are many possibilities for visualization. Figure 9 shows just one example.

Each brain region can be represented with spheres, symbols, IDs, and labels. Spheres are objects that are rendered in 3D — often prettier, but also more computationally expensive. Symbols are objects

Figure 7: Brain atlas visualization. Plotting the nodes of a brain atlas on a 3D brain surface.



rendered in 2D — more stylized and less computationally expensive. IDs and lables are the texts associated to the brain region.

If you wish to apply some properties to a set of brain regions, you can select multiple regions with the selectors on the right, and then right-click and select “apply to selection” before applying some property.

Importantly, BRAPH 2.0 provides different brain surfaces, as shown in Figure 10, for the human brain and cerebellum in addition to animals such as the ferret, macaque, mouse, and rat. It is also possible to add additional brain surfaces by added the required NV files in the BRAPH 2.0 folder brainsurfs.

Figure 8: Visualize the brain atlas. a The “Settings Brain Surface” button in the toolbar opens b-c a window with the settings available for this brain figure.




Figure 9: Example of a visualization of the brain atlas. A final figure created with BRAPH 2.0 by changing different options in the menu.




Figure 10: Brain surfaces in BRAPH 2.0. Some brain surfaces available in BRAPH 2.0 to plot the brain atlas.

Export the Figure

To export and save a (publication-ready) figure, you can select “Print” from the brain atlas GUI and select one of the various provided options Figure 11.




Figure 11: Save a brain atlas figure. BRAPH 2.0 provides different options that allow saving a figure with different resolutions and color modes, adequate to any requirement for presentations and publications.