CSCI 3104 Spring 2023 Instructors: Ryan Layer and Chandra Kanth Nagesh

Homework 13

D	ue Date	123
N	ameBlake Rapha	ael
St	udent ID	12
\mathbf{C}	ollaborators	ers
C	contents	
1	Instructions	1
2	Honor Code (Make Sure to Virtually Sign)	2
3	Standard 13- Analyzing Code I: (Independent nested loops)	3
	3.1 Problem 1 (4 points)	3

1 Instructions

- The solutions **should be typed**, using proper mathematical notation. We cannot accept hand-written solutions. Here's a short intro to L^AT_EX.
- You should submit your work through the **class Gradescope page** only (linked from Canvas). Please submit one PDF file, compiled using this LATEX template.
- You may not need a full page for your solutions; pagebreaks are there to help Gradescope automatically find where each problem is. Even if you do not attempt every problem, please submit this document with no fewer pages than the blank template (or Gradescope has issues with it).
- You are welcome and encouraged to collaborate with your classmates, as well as consult outside resources. You must cite your sources in this document. Copying from any source is an Honor Code violation. Furthermore, all submissions must be in your own words and reflect your understanding of the material. If there is any confusion about this policy, it is your responsibility to clarify before the due date.
- Posting to any service including, but not limited to Chegg, Reddit, StackExchange, etc., for help on an assignment is a violation of the Honor Code.
- You **must** virtually sign the Honor Code (see Section 2). Failure to do so will result in your assignment not being graded.

2 Honor Code (Make Sure to Virtually Sign)

- My submission is in my own words and reflects my understanding of the material.
- Any collaborations and external sources have been clearly cited in this document.
- I have not posted to external services including, but not limited to Chegg, Reddit, StackExchange, etc.
- I have neither copied nor provided others solutions they can copy.

Agreed (I agree to the above, Blake Raphael).	
---	--

3 Standard 13- Analyzing Code I: (Independent nested loops)

3.1 Problem 1 (4 points)

Problem 1. Analyze the worst-case runtime of the following algorithm. Clearly derive the runtime complexity function T(n) for this algorithm, and then find a tight asymptotic bound for T(n) (that is, find a function f(n) such that $T(n) \in \Theta(f(n))$). Avoid heuristic arguments from 2270/2824 such as multiplying the complexities of nested loops.

```
1: procedure foo_i(integer n):
2:    for i = 1, i <= n
3:         i = 2 * i
4:         print 'outer'
5:         for j = 1, j <= n
6:               j = 3 * j
7:         print 'inner'</pre>
```

Proof. At line 2 we have a loop initialization with a single assignment of time complexity 1. The loop takes n iterations, and at each iteration we have the following:

- Comparison $i \leq n$ which takes 1 step.
- Variable update which involves computation $2 \cdot i$ and assignment $i = 2 \cdot i$, giving us a time cost of 2.
- We have a

print

statement having a time cost of 1.

- Another loop initialization with a single assignment of time complexity 1.
- Finally we have another loop that takes n iterations and at each iteration we have the following:
 - Comparison $j \leq n$ which takes 1 step.
 - Variable update which involves computation $3 \cdot j$ and assignment $j = 3 \cdot j$, giving us a time cost of 2.
 - Finally we have a

print

statement having a time cost of 1.

So the inner loop has time complexity
$$1 + \sum_{j=1}^{(\log_3 n) + 1} (1 + 2 + 1)$$
 or $1 + \sum_{j=1}^{(\log_3 n) + 1} 4 = 1 + 4(\log_3 n + 1)$
The outer loop has time complexity $1 + \sum_{i=1}^{\log_2 n} 4i = 1 + (4\log_2 n)(5 + 4\log_3 n)$
So we have $T(n) = 1 + (4\log_2 n)(5 + 4\log_3 n)$ thus, $T(n) \in \Theta(\log_3(n))$