Harmonized Tariff Schedule of the United States Revision 7 (2025)

Annotated for Statistical Reporting Purposes

CHAPTER 76

ALUMINUM AND ARTICLES THEREOF

XV 76-1

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Aluminum, not alloyed

Metal containing by weight at least 99 percent of aluminum, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Element	Limiting content percent by weight		
Fe + Si (iron plus silicon)	1		
Other elements (1), each	0.1 (2)		

⁽¹⁾ Other elements are, for example, Cr, Cu, Mg, Mn, Ni, Zn.

(b) Aluminum alloys

Metallic substances in which aluminum predominates by weight over each of the other elements, provided that:

- The content by weight of at least one of the other elements or of iron plus silicon taken together is greater than the limit specified in the foregoing table; or
- (ii) The total content by weight of such other elements exceeds 1 percent.
- 2. Notwithstanding the provisions of note 9(c) to section XV, for the purposes of subheading 7616.91 the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

Additional U.S. Note

1. For the purposes of heading 7608, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.

Statistical Notes

- I. For the purposes of this chapter, the term "aluminum vanadium master alloy" refers to aluminum alloys which contain by weight 20 percent or more of vanadium.
- For the purposes of this chapter, the term "aluminum can stock" refers to sheets and strip in coils, of alloys of aluminum in which
 either manganese or magnesium is the predominant alloying element, not painted, over 0.175 mm but not over 0.432 mm in
 thickness, and over 254 mm in width, comprising "body stock and "lid stock" as specified below:
 - (a) The term "body stock" refers to aluminum can stock having manganese as the predominant alloying element and having a minimum tensile strength of 262 MPa; and
 - (b) The term "lid stock" refers to aluminum can stock having magnesium as the predominant alloying element and having a minimum tensile strength of 345 MPa.
- For the purposes of statistical reporting number 7601.20.9080, "sheet ingot" (slabs) refers to aluminum alloys with a rectangular cross-section suitable to be manufactured into other products.

⁽²⁾ Copper is permitted in a proportion greater than 0.1 percent but not more than 0.2 percent, provided that neither the chromium nor manganese content exceeds 0.05 percent.

Harmonized Tariff Schedule of the United States Revision 7 (2025)

Annotated for Statistical Reporting Purposes

XV 76-2

Statistical Notes (con.)

- 4. For the purposes of statistical reporting number 7601.20.9085, "foundry ingot" refers to large castings of aluminum alloys of various shapes other than sheets or slabs to be melted for further processing.
- 5. For statistical reporting purposes under subheading 7602.00.00, the term "recyclable aluminum" refers to materials that are obsolete, previously used, off-specification, surplus, or incidentally produced and are collected and sorted for processing into a specification-grade commodity. Recyclable materials may also be considered as scrap but do not include solid waste or residue.
- 6. For the purposes of statistical reporting numbers 7604.29.3030, 7604.29.5020 and 7606.12.3015, "high-strength heat-treatable alloys" refers to aluminum containing by weight 7.0 percent or less of copper or 10.0 percent or less of zinc, and/or are designated as series 2xxx or 7xxx (except 7072) in the Aluminum Association's specifications of registered alloys.
- 7. For the purposes of statistical reporting numbers 7604.21.0010, 7604.29.1010, 7604.29.3060, 7604.29.5050, 7606.12.3025 and 7606.12.3091, "heat-treatable industrial alloys" refers to aluminum containing by weight 3.0 percent or less of magnesium and 3.0 percent or less of silicon, and/or are designated as series 6xxx in the Aluminum Association's specifications of registered alloys.

	Χ	٧
7	6.	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subfleading	fix	Artible Description	Quantity	General	Special	
601		Unwrought aluminum:			·	
601.10		Aluminum, not alloyed:				
601.10.30	00	Of uniform cross section throughout its length, the least				
		cross-sectional dimension of which is not greater than				
		9.5 mm, in coils	kg	2.6% ^{1/2/}	Free (A, AU, BH, CL,	18.5% ^{3/}
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
601.10.60		Other		Free ^{1/2/}		11% ^{3/}
	30	Of greater than 99.8 percent aluminum	kg			
	90	Other	kg			
601.20		Aluminum alloys:	J			
601.20.30	00	Of uniform cross section throughout its length, the least				
		cross-sectional dimension of which is not greater than				
		9.5 mm, in coils	kg	2.6% ^{1/2/}	Free (A, AU, BH, CL,	18.5% ^{3/}
					CO, D, E, IL, JO,	
				ĺ	KR, MA, OM, P,	
				ĺ	PA, PE, S, SG)	
		Other:		ĺ		
601.20.60	00	Containing 25 percent or more by weight of	l.		<u>[</u>	
		silicon	kg	2.1% ^{1/2/}	Free (A+, AU, BH,	25% ^{3/}
					CL, CO, D, E, IL,	
				ĺ	JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
601.20.90		Other		Free ^{1/2/}		10.5% ^{3/}
	30	Aluminum vanadium master alloy	kg			
		Other:				
	45	Of uniform circular cross section				
		throughout its length, the foregoing		ĺ		
		comprised of billets, not in coils	kg			
	60	Other, containing 0.03 percent or more by				
		weight of lead (secondary aluminum)	kg	ĺ		
		Other:	_			
	75	Remelt scrap ingot	ka			
	80	· · · · ·	•			
	δU	Sheet ingot (slab) of a kind described in statistical note 3 to this chapter				
			Νg			
	85	Foundry ingot of a kind described in	L			
		statistical note 4 to this chapter	Ŭ			
	95	Other	kg			
602.00.00		Aluminum waste and scrap		Free ^{4/}		Free
	35	Recyclable beverage containers		1166		
		-	_			
	95	Recyclable aluminum from industrial processes, including				
		turnings, borings, shavings, filings, clippings and chips	_			
	97	Other recyclable aluminum	kg			
	98	Other	kg			
			3	ĺ		
				ĺ		
				ĺ		
				ĺ		
				ĺ		
				ĺ		
				ĺ		
				1		

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
603 603.10.00	00	Aluminum powders and flakes: Powders of non-lamellar structure			Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
603.20.00	00	Powders of lamellar structure; flakes	kg	3.9%4	KR, MA, OM, P,	11%

)	<	٧
7	۴	:-	E

	Stat.	A CL D	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7604	-	Aluminum bars, rods and profiles:	Quantity	General	Special	
7604 7604.10		Of aluminum, not alloyed:				
7604.10.10	00	Profiles	ka	50/_ <u>1/2/</u>	Free (A, AU, BH, CL,	45%
	00			15 /6	CO, D, E, IL, JO,	1070
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		Bars and rods:			, , , ,	
7604.10.30	nη	Having a round cross section	ka	0.00/1/2/	Free (A, AU, BH, CL,	440/3/
7004.10.30	00	riaving a round cross section	ĸy	2.6%	CO, D, E, IL, JO,	11%=
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		0.11				
7604.10.50	00	Other	kg	3% 1/2/	Free (A, AU, BH, CL,	13.5% ^{3/}
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
		Of all and a consultance			PA, PE, S, SG)	
7004.04.00		Of aluminum alloys:		1/0/	Francia All Dil Ol	2/
7604.21.00		Hollow profiles		1.5% ^{1/2/}	Free (A, AU, BH, CL,	15.5% *
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
	10	Lloot trootable industrial alloye of a kind decembed			PA, PE, S, SG)	
	10	Heat-treatable industrial alloys of a kind described				
		in statistical note 7 to this chapter	J			
	90	Other	kg			
7604.29		Other:				
7604.29.10		Other profiles		5% ^{1/2/}	Free (A*, AU, BH,	45%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	10	Heat-treatable industrial alloys of a kind				
		described in statistical note 7 to this				
		chapter	kg			
	90	Other	kg			
		Bars and rods:				
7604.29.30		Having a round cross section		2.6% ^{1/2/}	Free (A*, AU, BH,	11% 3′
		-			CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	High-strength heat-treatable alloys of a				
		kind described in statistical note 6 to this				
		chapter	kg			
	60	Heat-treatable industrial alloys of a kind				
		described in statistical note 7 to this				
		chapter	ka			
	90	Other	_			
7604.29.50	90	Other	•	00 / 1/2/	From /A* All DU	10 == (3/
7004.29.50		Ottlet		3% ^{1/2/}	Free (A*, AU, BH, CL, CO, D, E, IL,	13.5% ^{3/}
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	20	High-strength heat-treatable alloys of a			1,1A,1L,3,3d)	
	20	kind described in statistical note 6 to this				
		chapter	ka			
		•	'.'9			
	50	Heat-treatable industrial alloys of a kind]			
		described in statistical note 7 to this	L			
		chapter	_			
	90	Other	kg			
		•	•	-	•	•

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
udunig	fix		Quantity	General	Special	
605		Aluminum wire: Of aluminum, not alloyed:				
605.11.00	00	Of which the maximum cross-sectional dimension exceeds 7 mm	kg	2.6% 1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11% ^{3/}
605.19.00	00	Other	kg	4.2% 1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25% ^{3/}
605.21.00	00	Of aluminum alloys: Of which the maximum cross-sectional dimension exceeds 7 mm	kg	2.6% ^{1/2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11% ^{3/}
605.29.00		Other	kg	4.2% 1/2/	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25% ^{3/}
606 606.11		Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: Rectangular (including square): Of aluminum, not alloyed:				
606.11.30		Not clad		3%1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5% ^{3/}
	30	With a thickness of more than 6.3 mm	J			
606.11.60	60 00	With a thickness of 6.3 mm or less		2.7% 1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9.5% ^{3/}
				Ī		Ī

	ΧV	
7	6-7	

	Stat.	Article Description	Unit		Rates of Duty	1
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'606 (con.)		Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: (con.)		Conoral	Ороска	
		Rectangular (including square): (con.)				
606.12		Of aluminum alloys:				
606.12.30		Not clad		3% ^{1/2/}	Free (A*, AU, BH,	13.5% ^{3/}
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
		With a thickness of more than 6.3 mm:				
	15	High-strength heat-treatable alloys of a kind described in statistical note 6 to this				
		chapter	ka			
	25	Heat-treatable industrial alloys of a kind	9			
	20	described in statistical note 7 to this				
		chapter	kg			
	35	Other	kg			
		With a thickness of 6.3 mm or less:				
	4.5	Aluminum can stock:				
	45	Body stock				
	55	Lid stockOther:	kg			
	91	Heat-treatable industrial alloys of a				
		kind described in statistical note 7 to				
		this chapter	kg			
	96	Other				
606.12.60	00	Clad	kg	6.5% ^{1/2/}	Free (A*, AU, BH,	30% ^{3/}
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
606 (con.)		Aluminum plates, sheets and strip, of a thickness exceeding				
		0.2 mm: (con.) Other:				
'606.91		Of aluminum, not alloyed:				
606.91.30		Not clad		3% ^{1/2/}	Free (A, AU, BH, CL,	13.5% ^{3/}
					CO, D, E, IL, JO, KR, MA, OM, P,	
					PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	•			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	95	With a thickness of 6.3 mm or less		1/0/	F (A ALL BLI OL	2/
606.91.60		Clad		2.7% ^{1/2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO,	9.5%
					KR, MA, OM, P,	
		With a thickness of many them C.O. man	t		PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	Ŭ			
'606.92	95	With a thickness of 6.3 mm or less Of aluminum alloys:	kg			
606.92.30		Not clad		3% ^{1/2/}	Free (A, AU, BH, CL,	13.5% ^{3/}
					CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
	25	With a thickness of more than 6.3 mm	kg		171,12,0,00)	
	35	With a thickness of 6.3 mm or less				
7606.92.60		Clad		6.5% ^{1/2/}	Free (A, AU, BH, CL,	30% ^{3/}
					CO, D, E, IL, JO, KR, MA, OM, P,	
					PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	kg			
	95	With a thickness of 6.3 mm or less	kg			

)	<	٧
7	6	:_	c

Subheading Suffix 7607 7607.11 7607.11.30 00 7607.11.60	Aluminum foil (whether or not printed, or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.2 mm: Not backed: Rolled but not further worked: Of a thickness not exceeding 0.15 mm:	of Quantity	General - 5.8% 1/2/	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	40%
7607.11 7607.11.30 00	paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0.2 mm: Not backed: Rolled but not further worked: Of a thickness not exceeding 0.15 mm: Of a thickness not exceeding 0.01 mm	kg	· 5.8% ^{1/2/}	CL, CO, D, E, IL,	40%
7607.11.30 00	Rolled but not further worked: Of a thickness not exceeding 0.15 mm: Of a thickness not exceeding 0.01 mm	kg	· 5.8% ^{1/2/}	CL, CO, D, E, IL,	40%
	Of a thickness not exceeding 0.01 mm	kg	5.8% ^{1/2/}	CL, CO, D, E, IL,	40%
7607.11.60	Of a thickness exceeding 0.01 mm			P, PA, PE, S, SG)	
			5.3% 1/2/	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	40%
10	than 11.3 kg	kg m²		1,17,12,0,00	
90		kg m²			
'607.11.90	Other		3% ^{1/2/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5% ^{3/}
30 60 90	Lid stock	kg			
7607.19 7607.19.10	Other:		· 5.3% ^{5/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	40%
7607.19.30 00	Other: Cut to shape, of a thickness not exceeding 0.15 mm	kg	· 5.7% ^{≦/}	PA, PE, S, SG) Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, P, PA, CO, CO)	45%
607.19.60 00	Other	kg	· 3% ^{1/2/}	PA, PE, S, SG) Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	13.5% ^{3/}
7607.20 7607.20.10 00	Backed: Covered or decorated with a character, design, fancy effect or pattern		· 3.7% ^{1/2/}	PA, PE, S, SG) Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	22.5% ^{3/}
7607.20.50 00	Other	kg	· Free ^{5/}	PA, PE, S, SG)	23% ^{3/}

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	·	Quantity	General	Special	
608 608.10.00		Aluminum tubes and pipes: Of aluminum, not alloyed		5.7% 1/2/	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
	30	Seamless	kg		P, PA, PE, S, SG) ^{6/}	
	90	Other				
'608.20.00		Of aluminum alloys		5.7% ^{1/2/}	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	30	Seamless	kg		,	
	90	Other	kg			
609.00.00	00	Aluminum tube or pipe fittings (for example, couplings, elbows,				
		sleeves)	kg	· 5.7% ^{1/2/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7610		Aluminum structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminum plates, rods, profiles, tubes and the like, prepared for use in structures:				
7610.10.00		Doors, windows and their frames and thresholds for		7/1/	Free (A. All Dil Ol	450/
		doors		5.7% ^{7/1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	10	Windows and their frames	kg		,	
	20	Thresholds for doors	kg			
	30	Other				
'610.90.00		Other		5.7% ^{4/1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	20	Sheet-metal roofing, siding, flooring, and roof guttering				
	40	and drainage equipment	_			
	40	Architectural and ornamental work	kg			
	60	Other: Mobile homes	ka			
	80	Other				
			9			

	Х	V
76	-1	1

	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
611.00.00		Aluminum reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment		2.6% ^{4/}	Free (A, AU, BH, CL,	45%
	30	Tanks	No.		CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
	90		No.			
'612		Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:				
612.10.00	00	Collapsible tubular containers	No	2.4%4/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
'612.90 '612.90.10		Other: Of a capacity not exceeding 20 liters		5.7% ^{4/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	30	Cans of a capacity not exceeding 355 ml	No.			
	60		No.			
7612.90.50	90	OtherOther		Froo ^{4/}		25% ^{3/}
⁷ 613.00.00	00	Aluminum containers for compressed or liquefied gas			Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubileaulig	fix	Attible Description	Quantity	General	Special	
614		Stranded wire, cables, plaited bands and the like, including slings and similar articles, of aluminum, not electrically insulated:				
614.10		With steel core:				
614.10.10	00	Not fitted with fittings and not made up into articles	kg	4.9%8	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
614.10.50	00	Fitted with fittings or made up into articles	kg	4.9% ^{9/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
614.90		Other: Not fitted with fittings and not made up into articles:				
'614.90.20		Electrical conductors		4.9% 10/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
	30	With a cross-sectional area less than 240			171,12,0,00)	
	60	mm² With a cross-sectional area greater than or	kg			
		equal to 240 mm ²	kg			
7614.90.40	00	Other	kg	4.9% ^{9/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	35%
'614.90.50	00	Fitted with fittings or made up into articles	kg	5.7% ^{9/}	P, PA, PE, S, SG) Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%

	×	(١
76.		1	•

Cubbaii	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
'615 '615.10		Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: Table, kitchen or other household articles and parts thereof;				
615.10.11	00	pot scourers and scouring or polishing pads, gloves and the like: Pot scourers and scouring or polishing pads, gloves				
015.10.11	00	and the like	kg	3.1% ^{7/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
		Other: Cooking and kitchen ware: Enameled or glazed or containing nonstick interior finishes:				
'615.10.20		Cast		3.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	15	Bakeware (cookware not suitable for stove top use)	No. kg		1,17,12,3,30)	
	25	Other	No.			
'615.10.30		Other	kg 	3.1% ^{7/1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	15	Bakeware (cookware not suitable for stove top use)	No. kg			
	25	Other	No. kg			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubileading	fix	Attible Description	Quantity	General	Special	
'615 (con.)		Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts				
'615.10 con.)		thereof, of aluminum: (con.) Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: (con.)				
		Other: (con.) Cooking and kitchen ware: (con.) Not enameled or glazed and not containing nonstick interior finishes:				
615.10.50		Cast		3.1% ^{7/1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	20	Bakeware (cookware not suitable for stove top use)	No. kg		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	40	Other	No. ka			
'615.10.71		Other		3.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45.5%
	25	Containers suitable for food preparation, baking, reheating or storage, 0.04 mm or more but not over 0.22 mm in thickness	No. kg		P, PA, PE, S, SG)	
	30	Other cookware: Bakeware (cookware not suitable for stove top use)	No.			
	55		kg No.			
	80		kg No. kg			
'615.10.91	00	Other	kg	· 3.1% ^{7/1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45.5%
'615.20.00	00	Sanitary ware and parts thereof	kg	· 3.8% ^{4/1/}	P, PA, PE, S, SG) Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%

	X	V
76	-1	5

	Stat.	Artiala Dagarintian	Unit		Rates of Duty	-
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
616 616.10 616.10.10	00	Other articles of aluminum: Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles: Nails, tacks and staples	kg	5.7% ^{4/}	Free (A, AU, BH, CL, CO, D, E, IL, JO,	45%
616.10.30	00	Rivets	kg	4.7% ^{4/}	KR, MA, OM, P, PA, PE, S, SG) Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.10.50	00	Cotters and cotter pins Other:	kg	5.7% ^{4/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.10.70		Having shanks, threads or holes over 6 mm in diameter		5.5% ^{4/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 2.75% (JP)	45%
616.10.90	30 90	Threaded fastenersOtherOther	kg	6% ^{4/1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
	30 90	Threaded fasteners Other	•		P, PA, PE, S, SG)	

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
_	fix	·	Quantity	General	Special	_
616 (con.)		Other articles of aluminum: (con.)				
616.91.00	00	Other: Cloth, grill, netting and fencing, of aluminum wire	kg	2.5% ^{4/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.99 616.99.10	00	Other: Luggage frames	kg	Free ^{4/1/}		45%
616.99.51		Other		2.5% ^{9/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	20	Laminated goods consisting of 2 or more flat-rolled sheets of aluminum held together with an adhesive or having a core of non-metallic material	ka		1,1 A,1 E, 3, 30)	
	30	Ladders	•			
	40	Venetian blinds and parts thereof				
	50	Hangers and supports for pipes and tubes				
	50	Other:	ng .			
	60	Castings	kg			
	70	Forgings	_			
		Other:				
	75	Articles of wire	•			
	90	Other	kg			

Harmonized Tariff Schedule of the United States Revision 7 (2025)

Annotated for Statistical Reporting Purposes

Endnotes--page 76 - 17

- $\underline{1/}$ See U.S. note 19 to subchapter III, chapter 99.
- 2/ See 9903.91.01.
- 3/ See 9903.90.09.
- 4/ See 9903.88.03.
- $\overline{5/}$ See 9903.88.15 and U.S. note 19 to subchapter III, chapter 99.
- $\overline{6/}$ See additional U.S. note 1 to this chapter.
- <u>7/</u> See 9903.88.15.
- 8/ See 9903.88.02.
- $\overline{9/}$ See 9903.88.03 and U.S. note 19 to subchapter III, chapter 99.
- 10/ See 9903.88.02 and U.S. note 19 to subchapter III, chapter 99.