

← Home

Pull requests

Commit changes to your project

Collaborate with pull requests

Getting started

Collaborative development

Best practices

Working with forks

Code quality features

Propose changes

Address merge conflicts

Review changes

Incorporate changes

Pull requests / Collaborate with pull requests / Getting started /

About collaborative development models

The way you use pull requests depends on the type of development model you use in your project. You can use the fork and pull model or the shared repository model.

Fork and pull model

In the fork and pull model, anyone can fork an existing repository and push changes to their personal fork. You do not need permission to the source repository to push to a user-owned fork. The changes can be pulled into the source repository by the project maintainer. When you open a pull request proposing changes from your user-owned fork to a branch in the source (upstream) repository, you can allow anyone with push access to the upstream repository to make changes to your pull request. This model is popular with open source projects as it reduces the amount of friction for new contributors and allows people to work independently without upfront coordination.

Tip: For more information on open source, specifically how to create and grow an open source project, we've created [Open Source Guides](#) that will help you foster a healthy open source community. You can also take a free [GitHub Skills](#) course on maintaining open source communities.

Shared repository model

In the shared repository model, collaborators are granted push access to a single shared repository and topic branches are created when changes need to be made. Pull requests are useful in this model as they initiate code review and general discussion about a set of changes before the changes are merged into the main development branch. This model is more prevalent with small teams and organizations collaborating on private projects.

Further reading

- "[About pull requests](#)"
- "[Creating a pull request from a fork](#)"
- "[Allowing changes to a pull request branch created from a fork](#)"

Help and support


Did this doc help you?



[Privacy policy](#).

Help us make these docs great!

All GitHub docs are open source. See something that's wrong or unclear? Submit a pull request.

 [Make a contribution](#)

[Learn how to contribute](#)

In this article

- Fork and pull model
- Shared repository model
- Further reading



Legal