

Buffers

What is a buffer (text book definition)

What is a buffer (chemists definition)

HA and A^- are the real players here!

Add OH^-

Add H_3O^+

Which of the following pairs of solutions make buffers?

a) 50.0 mL of 0.10 M HCl and 50.0 mL of 0.10 M NaOH

b) 50.0 mL of 0.10 M $HC_2H_3O_2$ and 50.0 mL of 0.10 M $NaC_2H_3O_2$

c) 50.0 mL of 0.10 M HF and 50.0 mL of 0.10 M NaF

d) 50.0 mL of 0.10 M $HC_2H_3O_2$ and 50.0 mL of 0.10 M NaOH

e) 50.0 mL of 0.10 M $HC_2H_3O_2$ and 25.0 mL of 0.10 M NaOH

f) 50.0 mL of 0.20 M $HC_2H_3O_2$ and 50.0 mL of 0.10 M NaOH

g) 25.0 mL of 0.10 M HNO_3 and 50.0 mL of 0.10 M NaF

What happens when we do some algebra and take some logarithms? Henderson-Hasselbach.

1) What is the pH of a solution which is 0.10M in NH_3 and 0.10M in NH_4NO_3 ? $K_b = 1.6 \times 10^{-5}$ for ammonia.

Now let's look at a shorter method:

The pH of 0.10M ammonia is 11.1 why is this solution's pH lower?

2) What is the pH of some 0.100M KClO mixed with 0.050M HClO ? $K_a = 2.90 \times 10^{-8}$ for HClO .

3) What is the pH of some 0.100M HF mixed with 0.20M NaF ? $K_a = 7.4 \times 10^{-4}$ for HF

4) A buffer is prepared by mixing 0.10 M acetic acid and 0.10 M sodium acetate. What is the pH of the buffer if pK_a is 4.76?

5) What is the pH after adding 0.001 moles of NaOH to 1.0 liters of this buffer?

6) What is the pH after adding 0.001 moles of HCl to 1.0 liters of this buffer?

7) A buffer is prepared by mixing 100.0 mL of 1.0M sodium acetate with 100.0 mL of 0.10 M acetic acid. The pK_a for acetic acid is 4.76. What is the pH of this solution?

8) A buffer is prepared by mixing 100.0 mL of 0.10 M sodium acetate with 100.0 mL of 1.0 M acetic acid. The pK_a for acetic acid is 4.76. What is the pH of this solution?

9) Why is number 7 more basic while number 8 is more acidic?

10) If I dilute the solution in question 8 to 400 mL what is the new pH?

11) What is the pH of a buffer prepared by mixing 8.2 g of $NaC_2H_3O_2$ with 17.0 mL of 6.0 M $HC_2H_3O_2$ and diluting to 100.0 mL?

Titration

Titrant

Analyte

Buret

Strong Acid/Strong Base

Strong Base/Strong Acid

Weak Acid/Strong Base

Weak Base/Strong Acid

Equivalence Point (stoichiometric point)

Mid Point (half way point)

Strong Acid/Strong Base Titration

Consider the titration of 100.0 mL of 0.10 M HCl with 0.10 M NaOH.
Calculate the pH after the addition of the following volumes of NaOH.

a. 0 mL (before adding any)

b. 15.0 mL(during the early part of the titration)

c. 35.0 mL(during the early part of the titration)

d. 50.0 mL(half way point)

e. 99.0 mL(right before equivalence point)

f. 100.0 mL(equivalence point)

g. 101.0 mL(after the end point)

Strong Base/Weak Acid Titration

Consider the titration of 20.0 mL of 0.10 M acetic acid with 0.10 M NaOH.

Calculate the pH after the addition of the following volumes of NaOH.

a. 0 mL (before adding any)

b. 2.0 mL(during the early part of the titration)

c. 5.0 mL(what would we call this point?)

d. 10.0 mL(what would we call this point?)

e. 19.0 mL(what would we call this point?)

f. 20.0 mL(what would we call this point?)

g. 21.0 mL(what would we call this point?)

Strong Acid/Weak Base Titration

Consider the titration of 25.0 mL of 0.20 M ammonia with 0.10 M HCl.

Calculate the pH after the addition of the following volumes of HCl.

a. 0 mL (before adding any)

b. 2.0 mL(during the early part of the titration)

c. 12.5 mL(what would we call this point?)

d. 25.0 mL(what would we call this point?)

e. 49.9 mL(what would we call this point?)

f. 50.0 mL(what would we call this point?)

g. 51.0 mL(what would we call this point?)

Titration Lab Techniques

Hand Techniques

Stopcock

Wait Before Reading Meniscus

Contrast Card

Clean and Dirty Burets

Stirring

Rough Titration

Significant Figures

Approaching the Endpoint

Solubility

What does it mean to be soluble?

What is the difference between dissolving and dissociating?

What is a solubility product? What does it indicate?

Why does a salt dissociate? When a salt dissociates what does it turn into?

Formula	K_{sp}	Formula	K_{sp}
Al(OH) ₃	1.0 x 10 ⁻³³	PbF ₂	3.7 x 10 ⁻⁸
Sb ₂ S ₃	1.7 x 10 ⁻⁹³	Pb(IO ₃) ₂	2.6 x 10 ⁻¹³
BaCO ₃	8.1 x 10 ⁻⁹	PbI ₂	1.4 x 10 ⁻⁸
BaF ₂	1.7 x 10 ⁻⁶	PbSO ₄	1.6 x 10 ⁻⁸
BaSO ₄	1.1 x 10 ⁻¹⁰	PbS	8.8 x 10 ⁻²⁹
Bi ₂ S ₃	1.0 x 10 ⁻⁹⁷	MgNH ₄ PO ₄	2.5 x 10 ⁻¹³
CaCO ₃	8.7 x 10 ⁻⁹	MgCO ₃	1.0 x 10 ⁻⁵
CaF ₂	4.0 x 10 ⁻¹¹	MgF ₂	6.4 x 10 ⁻⁹
Ca(OH) ₂	5.5 x 10 ⁻⁶	Mg(OH) ₂	1.1 x 10 ⁻¹¹
CaSO ₄	2.4 x 10 ⁻⁵	Hg ₂ Cl ₂	1.3 x 10 ⁻¹⁸
CuBr	4.2 x 10 ⁻⁸	Hg ₂ I ₂	1.2 x 10 ⁻²⁸
CuCl	1.0 x 10 ⁻⁶	HgS “Black”	1.6 x 10 ⁻⁵²
CuI	5.1 x 10 ⁻¹²	HgS “Red”	1.4 x 10 ⁻⁵³
Cu ₂ S	2.0 x 10 ⁻⁴⁷	Ni(OH) ₂	6.5 x 10 ⁻¹⁸
Cu(IO ₃) ₂	1.4 x 10 ⁻⁷	AgBr	7.7 x 10 ⁻¹³
CuC ₂ O ₄	2.9 x 10 ⁻⁸	Ag ₂ CO ₃	6.2 x 10 ⁻¹²
CuS	1.3 x 10 ⁻³⁶	AgCl	1.6 x 10 ⁻¹⁰
Fe(OH) ₂	1.6 x 10 ⁻¹⁴	AgOH	1.5 x 10 ⁻⁸
FeS	6.3 x 10 ⁻¹⁸	AgI	1.5 x 10 ⁻¹⁶
Fe(OH) ₃	2.0 x 10 ⁻³⁹	Ag ₂ S	6.3 x 10 ⁻⁵¹
PbBr ₂	7.9 x 10 ⁻⁵	Zn(OH) ₂	2.0 x 10 ⁻¹⁷
PbCl ₂	1.6 x 10 ⁻⁵	ZnS	1.6 x 10 ⁻²⁴

1. What is the molar solubility of AgCl in water?
2. What is the molar solubility of PbF_2 in water?
3. What is the solubility of CaCO_3 in water? Answer in grams per liter.
4. What is the solubility of MgCO_3 in water?
5. What is the solubility of ZnS in water?
6. What is the molar solubility of PbS in water?
7. The solubility of PbI_2 is $1.5 \times 10^{-3} \text{ M}$. What is the value of K_{sp} ?
8. The solubility of copper (I) bromide is $2.0 \times 10^{-4} \text{ M}$. What is the value of K_{sp} ?

9. The solubility of $\text{Cu}(\text{IO}_3)_2$ is 3.3×10^{-3} M. What is the value of K_{sp} ?

10. The solubility of PbCrO_4 is 4.3×10^{-5} grams per liter. What is the value of K_{sp} ?

What happens when we dissolve a salt in a solution rather than in distilled water?
Common Ion Effect

1. What is the molar solubility of AgCl in 0.10M NaCl ?

2. What is the molar solubility of PbF_2 in 0.100M NaF ?

The Reaction Quotient

What is the physical meaning of K_{sp} ?

$$Q > K_{\text{sp}}$$

$$Q < K_{\text{sp}}$$

$$Q = K_{\text{sp}}$$

- 1) A solution is prepared mixing 100.0 mL of 1.0×10^{-3} M CuNO_3 and 100.0 mL of 1.0×10^{-3} M KI . Will a precipitate form?

- 2) A solution is prepared mixing 500.0 mL of 3.0×10^{-6} M $\text{Ca}(\text{NO}_3)_2$ and 500.0 mL of 2.0×10^{-6} M NaF . Will a precipitate form?

- 3) The pH of a saturated solution of $\text{Fe}(\text{OH})_2$ is 9.50. Calculate its solubility and K_{sp} .

- 4) What is the pH of a saturated solution of silver hydroxide?

- 5) What happens if I add one more drop of PbCl_2 to a saturated solution of PbCl_2 ?

- 6) If I have a 1.0 L flask and a 2.0 L of saturated PbI_2 which flask has more moles of Pb^{2+} ion?

- 7) If I have a 1.0 L flask and a 2.0 L of saturated PbI_2 which flask has the higher concentration of Pb^{2+} ion?