

## ***0.a. Goal***

Goal 3. Ensure healthy lives and promote well-being for all at all ages

## ***0.b. Target***

3.7 By 2030, ensure universal access to sexual and reproductive health-care services, including for family planning, information and education, and ensure that the reproductive health in national strategies and programs

## ***0.c. Indicator***

3.7.1.a) Modern contraceptive prevalence rate for women aged 15-49

## ***0.e. Metadata update***

2020

## ***1.a. Organisation***

ISTEEBU

## ***1.b. Contact person(s)***

NDAYISENGA Modest

## ***1.c. Contact organisation unit***

Department of Social Studies and Statistics and Poverty Monitoring, Ponit focal ODD

## ***1.d. Contact person function***

Head of Service and Focal Point

## ***1.e. Contact phone***

79401937

## ***1.g. Contact email***

ndayimode2010@gmail.com

## ***2.a. Definition and concepts***

It is the ratio of women aged 15 to 49 who use a contraceptive method to all women aged 15 to 49 during the year.

## ***2.b. Unit of measure***

%

## ***3.a. Data sources***

EDSB-III, 2016-2017

## ***3.b. Data collection method***

Data are collected from household surveys using the "household" questionnaire

## ***3.c. Data collection calendar***

The probable date of the next collection will be 2021 (Next DHS)

## ***3.d. Data release calendar***

In 2022

## ***3.e. Data providers***

ISTEEBU

## ***3.f. Data compilers***

ISTEEBU is responsible for compiling this indicator at the national level

## ***3.g. Institutional mandate***

ISTEEBU is the body recognized by the Burundian government for the collection, processing and dissemination of official statistics helping in planning and decision-making.

## ***4.a. Rationale***

The indicator is relevant because it reflects the demographic and health situation of the population.

## ***4.b. Comment and limitations***

Updating the indicator requires a household survey which is very resource intensive.

#### ***4.c. Method of computation***

(Number of women aged 15 to 49 who use a contraceptive method in the given year divided by the total number of women aged 15 to 49 minus the number of expected pregnancies during the year) multiplied by 100

#### ***4.d. Validation***

The results of the survey are validated at two levels: technical validation and official validation before publication

#### ***5. Data availability and disaggregation***

The indicator is available at national level, province, area of residence (Total; Urban area; Rural area)

#### ***6. Comparability/deviation from international standards***

The indicator can be compared to other indicators of the same type at regional and international level

#### ***7. References and Documentation***

Report of the Demographic and Health Survey 2016-2017