

0.a. Goal

[illegible]

0.b. Target

[illegible]

0.c. Indicator

[illegible]

0.e. Metadata update

□□□□□□□□□□□□□□ □□□□ [□□]

1.a. Organisation

□□□□□□□□□□□□□□□□ (NIS) □□□□□□□□□□ [□□]

1.b. Contact person(s)

□□□□□□□□ (□□□) [□□]

1.c. Contact organisation unit

[illegible]

1.d. Contact person function

[illegible]

1.e. Contact phone

[illegible]

1.f. Contact mail

□□ □□□□ □□ □□ □□□□□□□□□□□□ □ □□□□□□□□□□□□□□□□□□
□□□□□□□□□□ (□□)

1.g. Contact email

phanchinda@yahoo.com [English]

2.a. Definition and concepts

CDHS 2016 data were collected from a representative sample of households in Cambodia. The sample was selected using a multi-stage sampling method. First, a list of all households in Cambodia was obtained from the National Institute of Statistics (NIS). Then, a sample of households was selected from this list. The sample was then divided into two groups: one group was selected for the household survey, and the other group was selected for the individual survey. The household survey was conducted in 2016, and the individual survey was conducted in 2017.

2.b. Unit of measure

Household [English]

3.a. Data sources

CDHS 2016 data were collected from the National Institute of Statistics (NIS) [English]

3.b. Data collection method

CDHS 2016 data were collected from a representative sample of households in Cambodia. The sample was selected using a multi-stage sampling method. First, a list of all households in Cambodia was obtained from the National Institute of Statistics (NIS). Then, a sample of households was selected from this list. The sample was then divided into two groups: one group was selected for the household survey, and the other group was selected for the individual survey. The household survey was conducted in 2016, and the individual survey was conducted in 2017. The household survey was conducted using a computer-assisted telephone interview (CATI) system. The individual survey was conducted using a computer-assisted personal interview (CAPI) system. The data were then cleaned and analyzed using statistical software. The results of the analysis are presented in this report. The data were collected from a representative sample of households in Cambodia. The sample was selected using a multi-stage sampling method. First, a list of all households in Cambodia was obtained from the National Institute of Statistics (NIS). Then, a sample of households was selected from this list. The sample was then divided into two groups: one group was selected for the household survey, and the other group was selected for the individual survey. The household survey was conducted in 2016, and the individual survey was conducted in 2017. The household survey was conducted using a computer-assisted telephone interview (CATI) system. The individual survey was conducted using a computer-assisted personal interview (CAPI) system. The data were then cleaned and analyzed using statistical software. The results of the analysis are presented in this report.

ព័ត៌មានលម្អិតអំពីការប្រកាសនេះ (សម្រាប់អ្នកប្រកាស) អាចទទួលបានតាមអាសយដ្ឋាន <http://nada.nis.gov.kh/index.php/> ឬទូរស័ព្ទ (០៩៥) ៥៥៥៥៥៥៥៥

3.c. Data collection calendar

□□□□□□□□□□□□□□□□□□ Qrt□, □□□□ [□□]

3.d. Data release calendar

[illegible]

3.e. Data providers

□□□□□□□□□□□□□□□□ [□□]

3.f. Data compilers

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ [□ □]

3.g. Institutional mandate

000000000000000000 00 000000000000000 NIS 000000000000000000 {00} {00} {00}
 00
 00
 000000000000000000000000 {000} {000} 000000000000000000000000000000000000
 00 {000} {000} 00000000
 00 000
 {000} {000} 000000000000000000000000000000000000 000 000 000 0000 00 0 / 0000
 000 {000} {000}

4.a. Rationale

[illegible]

4.b. Comment and limitations

[illegible]

Demographic and Health Survey (DHS) is a household survey that provides information on a wide range of demographic and health indicators. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time.

4.c. Method of computation

Demographic and Health Survey (DHS) is a household survey that provides information on a wide range of demographic and health indicators. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time.

5. Data availability and disaggregation

Demographic and Health Survey (DHS) is a household survey that provides information on a wide range of demographic and health indicators. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time.

7. References and Documentation

[1] Demographic and Health Survey (DHS) is a household survey that provides information on a wide range of demographic and health indicators. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time. The survey is conducted in a representative sample of households and is used to estimate the prevalence of various health conditions and to monitor trends over time.

https://dhsprogram.com/Countries/Country-Main.cfm?ctry_id=6 [1] [2]